Vol. 92, Sect. 18, 1955

MAMMALIA

COMPILED BY

R. W. HAYMAN, F.Z.S.

LONDON
PUBLISHED BY
THE ZOOLOGICAL SOCIETY OF LONDON

PRICE TEN SHILLINGS
February, 1957

SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz .:-

1. Comprehensive	Zoology		 	 3	0
2. Protozoa			 	 10	0
3. Porifera			 	 2	0
4. Coelenterata			 	 4	0
5. Echinoderma			 	 4	0
6. Vermes	1 1.5	1. 3	 . ,	 10	0
7. Brachiopoda			 	 4	0
8. Bryozoa			 	 2	6
9. Mollusca			 	 10	0
10. Crustacea			 	 6	6
11. Trilobita			 	 5	0
12. Arachnida			 	 10	0
*13. Insecta			 	 50	0
14. Protochordata			 	 2	0
15. Pisces	11.77		 	 8	6
16A. Amphibia			 	 6	0
16в. Reptilia			 '	 7	6
17. Aves			 	 10	0
18. Mammalia			 	10	0
19. List of New Go	enera and			4	0
		80,			

^{*} Obtainable only from the Commonwealth Institute of Entomology, 56, Queen's Gate, London, S.W.7.

18. MAMMALIA

COMPILED BY

R. W. HAYMAN, F.Z.S.

CONTENTS

Ι.	TITLES	***		* * *			•••	•••	PAGE 2
II.	SUBJECT 1	INDEX							73
	Physio Develo Ecolog	l Literatu logy, p. pment, p. y and Ha Geologics	77; F 82; bits, p	Reprodu Evoluti . 83; I	ction on and Distribu	and Seneration a	ex, p. tics, p.	80; 82;	
III.	Marsup ptera, Edenta p. 103; p. 115 †Notou poda, p	te Index temata, posialia, p. 96; ta, p. 102 Rodentia; †Condy ingulata, posialia, p. 122; S. tetyla, p. 1	92; Chirop; Pho a, p. 10 larthra 120; irenia,	; †Sy Insect tera, p. lidota, 4; Ceta, p. 120 Proboso	ymmetrivora, 96; p. 103 acea, p 0; †Lite	codonta p. 94 Prima 3; La 5, 113; toptern 5, 120;	tes, p. des, p. des, p. des, p. des, p. des, p. 1 des, p. 1 des, p. 1	92; emo- 99; oha, ora, 20; tho-	92

I.—TITLES

- 1.—Direction 10. Determination of the gender to be attributed to the names of sixty genera of mammals placed on the Official List of Generic Names in Zoology in the period up to the end of 1936. Opin. int. Comm. zool. Nom. 1 C 1955: 1-14.
- 2.—Direction 13. Addition of the generic name Manatus Brünnich, 1771 (Class Mammalia) to the Official List of Rejected and Invalid Generic Names in Zoology. (Direction supplementary to Opinion 112). Opin. int. Comm. zool. Nom. 1 C 1955: 57-66.
- 3.—Direction 23. Action taken in completion of the Rulings given under the plenary powers in "Opinion" 108 and "Opinion" 109 validating the generic names "Gazella" Blainville, 1816, and "Hippotragus" Sundevall, 1846, respectively. Opin. int. Comm. zool. Nom. 1 C 1955: 201–218.
- 4.—Direction 24. Completion of the entries relating to the names of certain genera in the Class Mammalia made on the "Official List of Generic Names in Zoology" in the period up to the end of 1936. Opin. int. Comm. zool. Nom. 1 C 1955: 219-246.
- 5.—Direction 22. Addition to the Official List of Specific Names in Zoology of (a) the specific names of fifty-seven species, each of which is the type species of a genus in the Class Mammalia, the name of which was placed on the Official List of Generic Names in Zoology in the period up to the end of 1936, and (b) of the specific names of two species belonging to the same class, each of which is currently regarded as the oldest available name for the type species of a genus, the name of which was placed on the Official List in the same period. Opin. int. Comm. zool. Nom. 1 C 1955: 179–200.
- 6.—Anon. The International Whaling Convention of 1946, 6th meeting of the Commission. Norsk Hvalfangsttid. 44 1955: 1-19 5 figs.
- 7.—Anon. Pelagic whaling in the Antarctic season 1953/54. Norsk Hvalfangsttid. 44 1955: 61-81, tables.

- 8.—Anon. Pilot or pothead whales outside Newfoundland. Norsk Hvalfangsttid. 44 1955: 81–83.
- 9.—Anon. Pelagic whaling in the Antarctic in season 1954/55. Norsk Hvalfangsttid. 44 1955: 102–103.
- 10.—Anon. The pelagic catch in the Antarctic season 1954/55. Norsk Hvalfangsttid. 44 1955: 211–214.
- 11.—Anon. Antarctic whaling operations season 1954/55. Norsk Hvalfangsttid. 44 1955: 441-469, tables.
- 12.—Anon. Studies of minke whales and pilot whales at Newfoundland. Norsk Hvalfangsttid. 44 1955: 637-638.
- **13.**—Anon. Pierre Revilliod, 1883–1954. Rev. suisse Zool. **62** 1955: 1–6, portr.
- 14.—Anon. Myxomatosis. Second report of the advisory committee on myxomatosis. Min. Agric. Fish. (London) 1955: 1-6, map.
- 15.—Anon. Threats to arctic animals. International measures needed for preservation. Oryx 3 1955: 25–28, map.
- 16.—Anon. Rat en Muis, Wageningen. No. 1, 1955: 1-19, figs.
- 17.—Anon. Rat en Muis, Wageningen. No. 2, 1955: 23-37, figs.
- 18.—Anon. Rat en Muis, Wageningen. No. 3, 1955: 43-59, figs.
- 19.—Anon. Animal endurance. Nature, Lond. 176 1955: 776.
- 20.—Anon. The South African Bluebuck (Bloubok), Ozanna leucophaea (Pallas). Afr. Wild Life 9 1955: 94, 1 fig.
- 21.—Anon. Head of Blue-buck. Afr. Wild Life 9 1955: 201, photo.
- 22.—Anon. [The coypu, Myocastor coypus, pp. 31–32.] East Suffolk and Norfolk River Board, 3rd Ann. Report 1955: 1–43.
- 23.—Anon. Mammals. Nature in Wales 1 1955: 8-9.
- 24.—Anon. Mammals. Nature in Wales 1 1955: 81-82.

- 25.—Anon. Mammals. Nature in Wales 1 1955: 135–137.
- 26.—Anon. Mammals. Nature in Wales 1 1955: 181–182.
- **27.—Anon.** Report on mammals, 1954. Rep. Bryanston Sch. nat. Hist. Soc. **1954** 1955: 4–7.
- 28.—Anon. Wild and feral mammals. Rep. Lundy Fld Soc. No. 8 [1955]: 34–36.
- 29.—Anon. Introduction of reindeer into Isles de Kerguelen, Polar Rec. 7 1955: 518.
- 30.—Anon. The Caribou of Newfoundland. Field 205 1955: 22 4 figs.
- 31.—Anon. Brown's Coppice. A survey. Nat. Hist. Soc. King Edward VI Grammar School, Birmingham 1954: 1–79 4 pls., 20 figs. [Mammals pp. 53–54.]
- 32.—Anon. Rongeurs parasites des cultures en Europe. Field rodents in Europe 1953-54. European and Mediterranean Plant Protection Organisation, Paris, 1955: 24 pp. [French and English.]
- 33.—Anon. Re-excavation of Desmostylids in Toki District, Gifu Prefecture and its stratigraphical horizon (Desmostyls Research Committee). J. Geol. Soc. Japan 58 1952: 144. [Japanese only.]
- **34.—Anon.** (Mammals.) Rep. Lowestoft Fld Cl. Nos. 1–8 1946–53.
- **35.—Anon.** [On beavers. Review of papers received by the editor.] Priroda **11** 1955; 104–107 6 figs.
- **36.—Anon.** Putting down the grey squirrel. Quart. J. For. **49** 1955: 291–295 2 pls.
- 37.—Abai, F. and Shikama, T. On the Proboscidean teeth from Kawabamura, Tone-gun, Gunma Prefecture. J. Geol. Soc. Japan 61 1955: 505-507, 3 figs. [Japanese only.]
- **38.—Abe,** Y. Digital abnormalities in a cat. J. Sci. Hiroshima Univ. (Zool.) **15** 1954: 189–190, 1 pl.
- 39.—Adam, K. D. Über Stosszahnverlust bei pleistozänen Elefanten. N. Jb. Geol. Pal. Monatsh. 1955 9: 396–408, 4 figs.

Adams, C. E. see Averill.

Adams, C. E. see Hunter.

- Adams, D. A. see Barkalow.
- 40.—[Adolf, T. A.] [Census of saiga in Astrakhan steppes.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 245–249, 1 fig. [In Russian.]
- 41.—Aellen, V. Rhinolophus blasii Peters (1866), chauve-souris nouvelle pour l'Afrique du Nord. Mammalia, Paris 19 1955: 361-366, 1 fig.
- 42.—Ahmad, B. A. G. and Rao, M. A. The cervical extensions of the thymus in *Loris lydekkerianus* (Cabr.) and their significance. Curr. Sci. 24 1955: 307–308 1 fig.
- 43.—Aitken, R. N. C. A histochemical study of the seminal vesicle of the sheep. J. Anat., Lond. 89 1955: 430-439 3 pls.
- 44.—[Aizenshtadt, D. S.] [The history and the ways of invasion of *Rattus norvegicus norvegicus* in the Soviet Union.] Zool. Zh. 34 1955: 1145–1152. [In Russian.]
- 45.—[Akimushkin, I. I.] [The food of *Physeter catodon*.] C.R. Acad. Sci. URSS 101 1955: 1139–1140. [In Russian.]

Akimushkin, I. I. see Betesheva.

46.—Akita, I. On a habitat of *Miniopterus schreibersii japoniae* in Nara Pref. Trans. Mammal. Soc. Japan 9 1954: 76-77 [N.V.].

Aldous, C. M. see Robinette.

- 47.—Alexander, M. M. Variations in winter muskrat habitats and harvests. Amer. Midl. Nat. 53 1955: 61-70 5 figs.
- 48.—Ali, S. and Santapau, H. The abominable snowman. J. Bombay nat. Hist. Soc. 53 1955: 121.
- 49.—Ali, S. and Santapau, H. Remarkable recovery of a panther from injury. J. Bombay nat. Hist. Soc. 53 1955: 122, 1 fig.
- 50.—Allen, D. E. Notes on some mammals and amphibians of doubtful status or occurrence in the Isle of Man. Peregrine 2 1952: 16–18.
- 50a.—Allen, G. M. Canid remains from Pueblo Bonito and Pueblo del Arroyo. Smithson, misc. Coll. 124 1954: 385–389 1 pl.

- 51.—Allen, S. L. Linkage relations of the genes histocompatibility-2 and fused tail, brachyury and kinky tail in the mouse, as determined by tumor transplantation. Genetics 40 1955: 627-650 4 figs.
- **52.**—Allin, A. E. Nutria, *Myocastor coypus*, in Thunder Bay District, Ontario. Canad. Fld. Nat. **69** 1955: 25–26.

Altevogt, R. see Rensch.

4

- 53.—Altmann, A. Moose, Alces alces, battles horse in water. J. Mammal. 36 1955: 145-146.
- 54.—Amon, R. Allgemeine faunistische Nachrichten aus Steiermark. Mammalia. Mitt. naturw. Ver. Steiermark 85 1955: 14.
- 55.—Amos, D. B., Gorer, P. A. and Mikulska, Z. B. An analysis of an antigenic system in the mouse (the H₂ system). Proc. roy. Soc. 144B 1955; 369–380.
- 56.—Ampoulange, Dr. Caractères très primitifs presentés par les dents de l'homme actuel. Mammalia, Paris 19 1955: 491-497, 6 figs.
- 57.—Anastasi, A. and others. A factor analysis of the performance of dogs on certain learning tests. Zoologica, N.Y. 40 1955: 33–46 2 figs.
- 58.—Anciaux de Faveaux, F. Observations sur une colonie de murins (Myotis myotis Borkhausen) dans la grotte de Han-sur-Lisse (Belgique). Rass. Speleol. Ital. 6 1954: 167–183, 5 figs.
- 59.—Anderson, S. An additional record of *Mustela erminea* from Utah. J. Mammal. 36 1955: 568.
- **60.—Anderson,** S. Small mammals from Gilliam County, Oregon. Murrelet, Seattle **36** 1955: 26–27.
- 61.—Anelli, F. Contributo alla conoscenza della fauna diluviale dell Caverna Pocala di Aurisina (Trieste). Mem. desc. Carta geol. Ital. 11 1954: 1-57 9 pls. 7 figs.

Angelescu, V. see Popovici.

62.—Ansell, W. F. H. The declining red lechwe. Oryx 3 1955: 15–18 1 pl. map.

- 63.—Anthony, A. Behavior patterns in a laboratory colony of prairie dogs, *Cynomys ludovicianus*. J. Mammal. 36 1955: 69-78 1 pl.
- 64.—[Antipin, V. M.] [A list of terrestrial vertebrates of the Kara-Tau range.] Bull. Soc. Nat. Moscow Biol. 60 1955: 31-38. [In Russian.]
- 65.—Antonitis, J. J. and others. Sound-induced seizures in rabbits. J. Hered. 45 6 1954: 278–284, 1 pl.
- **66.**—Antonius, O. Beobachtungen an Einhufern. Z. Tierpsychol. **12** 1955: 169–174 2 figs.
- 67.—Appelman, F. J. Über Sus celebensis Müller und Schlegel. Zool. Gart. Lpzg. 21 1955: 152-156 6 figs.
- 68.—Arambourg, C. Résultats des fouilles du gisement pléistocène de Ternifine (Algérie). C.R. Soc. Geol. France 16 1954: 406–407.
- 69.—Arambourg, C. A recent discovery in human paleontology: Atlanthropus of Ternifine (Algeria). Amer. J. phys. Anthrop. 13 1955: 191–196 5 pls.
- 70.—Arambourg, C. Sur l'attitude, en station verticale, des Néanderthaliens. C.R. Acad. Sci. Paris 240 1955 : 804–806 3 figs.
- 71.—Arambourg, C. Une nouvelle mandibule d'Atlanthropus du gisement de Ternifine. C.R. Acad. Sci. Paris 241 1955: 895–897
- 72.—Arambourg, C. Le pariétal de l'Atlanthropus mauritanicus, C.R. Acad. Sci. Paris 241 1955: 980–982 1 fig.
- 73.—Arambourg, C. and Biberson, P. Découverte de vestiges humains acheuléens dans la carrière de Sidi Abd-errahmann, près Casablanca. C.R. Acad. Sci. Paris 240 1955: 1661–1663.
- 74.—Arambourg, C. and Hoffstetter, R. Le gisement de Ternifine: Résultats des fouilles de 1953 et découverte de nouveaux restes d'Atlanthropus. C.R. Acad. Sci. Paris 241 1955 : 431-433.
- 75.—Archdeacon, J. W., Giles, J. K. and Richie, B. G. Bile flow and blood pressure of the rabbit. Trans. Ky Acad. Sci. 16 1955: 49–52.

Archer, R. K. see Bell.

Ardran, G. M. see Reynolds.

Arkell, A. J. see Vallois.

76.—Armour, C. J. and Thompson, H. V. Spread of myxomatosis in the first outbreak in Great Britain. Ann. Appl. Biol. 43 1955: 511-518.

Arnold, J. see Haagen.

- 77.—[A]rnoult, J. Naissances d'*Hapalemur griseus* au vivarium de l'I.R.S.M. Nat. malgache. 6 1954 : 131.
- **78.—Ash,** C. E. Comparing the fatness of whales. Norsk Hvalfangsttid. **44** 1955: 20–24.
- 79.—Ash, C. E. The fin whales of 1954/55: blubber thickness and factory efficiency. Norsk Hvalfangsttid. 44 1955: 264-275.
- 80.—Ashley, G. T. Supra-sternal ossicles in primates other than man: some isolated cases in gorilla and chimpanzee. Nature, Lond. 176 1955: 608-609 1 fig.
- 81.—Ashton, E. H. Some characters of the skulls of the European Polecat, the Asiatic Polecat and the domestic Ferret. (Addendum). Proc. Zool. Soc. Lond. 125 1955: 807–809 1 fig.
- 82.—Ashton, E. H. and Thomson, A. P. D. Some characters of the skulls and skins of the European Polecat, the Asiatic Polecat and the domestic Ferret. Proc. Zool. Soc. Lond. 125 1955: 317–333.

Asling, C. W. see Harrison.

- 83.—[Aspiz, M. E.] [Regeneration of the skin glands and hairs in some mammals.] Trud. Inst. Morf. Zhiv. 11 1954: 92–113 10 figs. [In Russian.]
- 84.—Astley Maberley, C. T. A queer klipspringer. Afr. Wild Life 9 1955: 54, 1 fig.
- 85.—Astley Maberley, C. T. The African civet. Afr. Wild Life 9 1955: 55-58, figs.
- 86.—Astley Maberley, C. T. Some giraffe notes and problems. Afr. Wild Life 9 1955: 330–332 2 figs.
- 87.—Astre, G. Gisements les plus orientaux d'*Halithérium* dans le Stampien marin du Bordelais. Bull. Soc. Hist. nat. Toulouse 89 1954: 225–227.
- 88.—Astre, G. Mammifères Stampiens de Mondar-de-Quercy. Bull. Soc. Hist. nat. Toulouse 89 1954: 319–322 2 figs.

- 89.—Astre, G. Argile à ossements sous la coulée de basalte de Saint-Thibéry. Bull. Soc. Hist. nat. Toulouse 90 1955: 109–111.
- 90.—Attardi, G. Demonstration in vivo and in vitro of peristaltic contractions in the portal vein of adult mammals (Rodents). Nature, Lond. 176 1955: 76-77.
- 91.—Austin, C. R. Polyspermy after induced hyperthermia in rats. Nature, Lond. 175 1955: 1038.
- 92.—[Avakyan, A. A., Lebedev, A. D., Ravdonikas, O. V. and Chumakov, M. P.] [Role of small mammals as carriers of Omsk haemorrhagic fever.] Zool. Zh. 34 1955: 605-608. [In Russian.]
- 93.—Averill, R. L. W., Adams, C. E. and Rowson, L. E. A. Transfer of mammalian ova between species. Nature, Lond. 176 1955: 167–168 1 fig.
- **94.—Backhouse**, K. M. and **Thompson**, H. V. Myxomatosis. Nature, Lond. **176** 1955: 1155–1156.
- 95.—Bader, R. S. Variability and evolutionary rate in the Oreodonts. Evolution 9 1955: 119-140 6 figs.

Badreldin, A. L. see Hafez.

- **96.**—[Baevski, Y. B.] [Embryonic diapause in sable.] C.R. Acad. Sci. URSS **105** 1955: 866–869 4 figs. [In Russian.]
- 97.—Baker, R. H. A new cottontail (Sylvilagus floridanus) from northeastern Mexico. Publ. Mus. nat. Hist. Univ. Kansas 7 1955: 609–612.
- 98.—Baker, R. H. A new species of bat (genus *Myotis*) from Coahuila, Mexico. Proc. biol. Soc. Wash. 68 1955: 165–166 1 fig.
- 99.—Baker, R. H. and Stains, H. J. A new long-eared Myotis (*Myotis evotis*) from northeastern Mexico. Pub. Mus. Nat. Hist. Univ. Kansas 9 1955: 81–84.

Baker, R. H. see Rainey.

Baker, R. H. see Russell.

Baker, R. J. see Casselman.

100.—Balcells, E. Quirópteros del territorio español: 3a. nota. Speleon. 6 1955: 73-86.

- 101.—Balcells, E. and Palaus, R. Ein Albino-Eichhörnchen, *Sciurus vulgaris* Linné, 1758, aus Nordost-Spanien. Säugetierk. Mitt. 3 1955: 174–175 1 fig.
- 102.—Balch, C. C. Sleep in ruminants. Nature, Lond. 175 1955: 940–941 2 figs.

Balout, L. see Vallois.

6

- 103.—Banfield, A. W. F. A provisional life table for the barren ground caribou. Canad. J. Zool. 33 1955: 143–147 1 fig.
- 104.—Barbehenn, K. R. A field study of growth in *Microtus pennsylvanicus*. J. Mammal. 36 1955: 533-543.
- 105.—Barclay, E. N. Fallow Deer of Asia Minor. Field 205 1955: 67, photo.
- 106.—Barclay, E. N. British Roe heads. Field 205 1955: 306 2 figs. table.
- 107.—Barkalow, F. S. and Adams, D. A. The seminole bat, Lasiurus seminolus, in North Carolina. J. Mammal. 36 1955: 453–454.
- 108.—Barnett, C. H. Some factors influencing angulation of the neck of the mammalian talus. J. Anat., Lond. 89 1955: 225-230 3 figs.
- 109.—Barnett, S. A. Competition among wild rats. Nature, Lond. 175 1955: 126-127.

Barone, R. see Tagand.

Barr, M. L. see Prince.

- 110.—Barran, J. In a German State Forest. Ctry. Life, Lond. 117 1955: 258 1 fig.
- 111.—Barras y de Aragon, F. de las. Sobre un leon marino. Bol. Soc. esp. Hist. Nat. 50 Biol. 1952: 419–423.
- 112.—Barrett, C. Wild life in Australia and New Guinea, London, (William Heinemann Ltd.) 1954, pp. ix + 229, frontis. col. 24 pls., text illust.
- 113.—Barrett, L. L. Blue jay attacks little brown bat. Flicker, Minnesota 27 1955: 175.
- 114.—Barros Machado, A. de. Um benjamim da zoologia: O Okapi. Naturalia 5 1955: 127-136 5 figs.

Bartelmez, G. W. see Corner.

115.—Barth, E. K. Smågnagere og spissinus ved Rondane i Norge. Fauna o. flora 50 l 1955: 1–19 7 figs.

- 116.—Bartholomew, G. A. The northern elephant seal. Zoonooz 28 1955: 6-9.
- 117.—Bartlett, C. O. Badgers in Kent and Elgin Counties, Ontario. Canad. Fld Nat. 69 1955: 12–13.
- 118.—Barto, E. Boggler, an inherited abnormality of the deermouse (*Peromyscus maniculatus*), characterized by a tremor and a staggering gait. Contr. Lab. Vertebr. Biol. Univ. Mich. 71 1955: 1–26.
- 119.—Bate, D. M. A. Vertebrate faunas of Quaternary deposits in Cyrenaica. McBurney, C. B. M. and Hey, R. W. Prehistory and Pleistocene Geology in Cyrenaica and Libya. Cambridge (Cambridge Univ. Press) 1955: Appendix A, pp. 274–291 2 figs.

Bathard, A. H. see Bentley.

- 120.—Bauer, K. Fledermaus-Massenzug bei Neusiedl (Burgenland). Säugetierk. Mitt. 3 1955: 154–156.
- 121.—Bauer, K. Ein unbekanntes Säugetier der Stadt Linz—die Zweifarbige Fledermaus (*Vespertilio discolor* Natterer). Naturk. Jb. Linz 1955: 357–364 map.

Beal, M. A. see Gunter.

- 122.—Beatty, L. D. The leafchin bat in Arizona. J. Mammal. 36 1955: 290.
- 123.—Beaucournu, J. C. Note sur la presence de *Rhinolophus euryale* dans la Mayenne. Mammalia, Paris 19 1955: 478–481.
- 124.—Becker, K. Über Art- und Geschlechtsunterschiede am Becken einheimischer Spitzmäuse (Soricidae). Z. Säugetierk. 20 1955: 78–88 6 figs.
- 125.—Beeck, D. Observations on the birth of the grey kangaroo (*Macropus ocydromus*). W. Aust. Nat. 5 1955: 9.
- 126.—Beer, J. R. Survival and movements of banded big brown bats. J. Mammal. 36 1955: 242-248.
- 127.—Beer, J. R. Zoogeographic relationships of Minnesota's mammals. Flicker, Minnesota 27 1955: 160–163 fig.
- 128.—Beer, J. R., Lukens, P. and Olson, D. Small mammal populations on the islands of Basswood Lake, Massachusetts. Ecology 35 1954: 437-445 7 figs.

- 129.—Beer, J. R. and MacLeod, C. F. The pocket mouse and the red-backed mouse from Dakota County, Minnesota. Flicker, Minnesota 26 1954: 86.
- 130.—Beer, J. R. and MacLeod, C. F. The harvest mouse in Dakota County. Flicker, Minnesota 27 1955: 176.
- 131.—Beidleman, R. G. An altitudinal record for bison in northern Colorado. J. Mammal. 36 1955: 470–471.
- 132.—Beidleman, R. G. and Remington, J. D. Another record of the least shrew from northeastern Colorado. J. Mammal. 36 1955: 123.
- 133.—Bejsovec, J. Kümmerliche Geweihentwicklung beim Rehwild. Mém. Soc. zool. tchéosl. 19 1955: 119– 137 4 figs. 4 pls.
- 134.—Bell, J. F., Hadlow, W. J. and Jellison, W. L. Chiropteran rabies in Montana. Public Hlth Rep. Washington 70 1955: 991–994.
- 135.—Bell, W. N., Archer, R. K. and Tomlin, S. C. Coagulation mechanism of the horse. Nature, Lond. 175 1955: 596-597.

Bellairs, A. d'A. see Fearnhead.

Bellairs, A. d'A. see Shute.

- 136.—Beloff-Chain, A. and others. The influence of insulin on carbohydrate metabolism in the isolated diaphragm muscle of normal and alloxan diabetic rats. Proc. roy. Soc. 143B 1955: 481–503 2 pls.
- 137.—[Belyaeva, E. I.] [New material of Tertiary rhinoceroses from Kazakhstan.] Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 47 1954 (Tertiary Mammals pt. 2): 24–54 5 pls. 5 figs. [In Russian.]
- 138.—[Belyaeva, E. I.] [On the discovery of Anchitherii in Kazakhstan.] Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 47 1954 (Tertiary Mammals, pt. 2): 55–60 2 figs.
- 139.—[Belyaeva, E. I.] [Chalicotheres of the Soviet Union and Mongolia.] Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 55 1954 (Tertiary Mammals pt. 3): 44-84 3 pls. 10 figs.
- 140.—[Belyaeva, E. I.] [Some notes on Oligocene rhinoceroses from Mongolia.] Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 55 1954 (Tertiary Mammals pt. 3): 190–205 2 pls. 8 figs.

- 141.—Bender, M. A. Blood volume of the rhesus monkey. Science 122 1955: 156.
- 142.—Benham, E. Mammals in Report on Dorset natural History (except birds) for 1953. Proc. Dorset nat. Hist. Fld Cl. 75 1955: 133-150. [Mammals 149-150.]
- 143.—Bentley, E. W., Bathard, A. H. and Hammond, L. E. Some observations on a rat population in a sewer. Ann. appl. Biol. 43 1955: 485-494 5 figs.
- 144.—Benton, A. H. Observations on the life history of the northern pine mouse. J. Mammal. 36 1955: 52-62.
- 145.—Benton, A. H. Notes on the behavioral development of captive red-backed mice. J. Mammal. 36 1955: 566-567.
- 146.—Bergounioux, F.-M. and Crouzel, F. Quelques nouvelles formes de Mastodontes du Miocène de la péninsule ibérique. C.R. Acad. Sci. Paris 241 1955: 1488–1490.
- 147.—Bergounioux, F.-M. and Crouzel, F. Les mastodontes miocènes de la péninsule Ibérique. C.R. Acad. Sci. Paris 241 1955 : 1607–1609.
- 148.—Bergounioux, F. M., Zbyszewski, G. & Crouzel, L'Abbe F. Les Mastodontes Miocènes du Portugal. Mem. Serv. geol. Port. 1 (N.S.) 1953: 1–139 pls. 1–60 text-figs. A–H and frontispiece.
- 149.—Bergquist, H. "Tanumsvalen"—en grönlandsval. Fauna och Flora 50 No. 4–5 1955: 139–144 5 figs. [German summary.]

Bern, H. A. see Voge.

- 150.—Bernström, J. Zoologihistoriska anteckningar om mänk, Mustela lutreola (L.), och mink, Mustela vison Brisson. Fauna och Flora 50 2-3 1955: 49-52.
- 151.—[Betesheva, E. I.] [Some data on feeding of whales in the region of Kurile ridge.] Trud. Inst. Okeanol. 11 1954: 238–245. [In Russian.]
- 152.—[Betesheva, E. I.] [Food of whalebone whales in the region of the Kurile Islands.] Trud. Inst. Okeanol. 18 1955: 78–85. [In Russian.]

- 153.—[Betesheva, E. I. and Akimushkin, I. I.] [The food of *Physeter catodon* in the region of Kurile Islands.] Trud. Inst. Okeanol. 18 1955: 86-94. [In Russian.]
- 154.—Bhaduri, J. L. The role of Salientia in human and mammalian pregnancy tests. Proc. Indian sci. Congr. 38th 2 [1952]: 171–202.

Biberson, P. see Arambourg.

- 155.—Biddulph, C. H. Abnormal horns of a blackbuck (*Antilope cervicapra*). J. Bombay nat. Hist. Soc. 52 1955: 920, 1 fig.
- 156.—Bielański, W. Observations on ovulation processes in she-mules. Bull. Acad. polon. Sci. (2) 3 1955: 243–247.
- 157.—Bilbey, D. L. J. and Nicol, T. Normal blood picture of the guinea pig. Nature, Lond. 176 1955: 1218.
- 158.—Billingham, R. E. The resistance of mammals and their tissues to low temperatures. New Biol. No. 18 1955: 72-95.
- 159.—Billingham, R. E. and Medawar, P. B. Contracture and intussceptive growth in the healing of extensive wounds in mammalian skin. J. Anat., Lond. 89 1955: 114–123 2 pls.
- 160.—Billingham, R. E. and Parkes, A. S. Studies on the survival of homografts of skin and ovarian tissue in rats. Proc. roy. Soc. 143B 1955: 550-560.

Biname, J. see Rollais.

- 161.—Bird, R. D. Melanism in the varying hare, Lepus americanus Erxleben. Canad. Fld Nat. 69 1955: 11.
- 162.—Bissell, H. D. and Strong, H. The crude protein variations in the browse diet of California deer. Calif. Fish. Game 41 1955: 145–155.
- 163.—Biswas, B. and Khajuria, H. Zoological results of the 'Daily Mail' Himalayan Expedition 1954. Four new mammals from Khumbu, eastern Nepal. Proc. zool. Soc. Bengal 8 1955: 25–30.
- 164.—Blackmore, M. The bats of Wales. Nature in Wales 1 1955: 63-67.
- 165.—Blackwood, G. G. Lesser Shrew in Perthshire. Scot. Nat. 66 (1954) 1955: 128.

Blanc, C. and Sergi, S. see Vallois.

- 166.—Blanchet, M. Le "marquage" probable du territoire chez le castor du Rhone. Terre et la Vie 102 1955: 329–335 2 figs.
- **167.**—**Blancou**, L. The lowland gorilla. Animal Kingd. **58** 1955 : 162–169, 7 figs.
- **168.**—**Blezard,** E. Bats in Cumberland. North West. Nat. N.S. **3** 1955: 251–252.
- 169.—Bligh, J. Comparison of rectal and deep body temperature in the calf. Nature, Lond. 176 1955: 402–403 2 figs.
- 170.—Bloedel, P. Observations on the life histories of Panama bats. J. Mammal. 36 1955: 232–235.
- 171.—Bloedel, P. Hunting methods of fish-eating bats, particularly *Noctilio leporinus*. J. Mammal. 36 1955: 390–399 1 pl.
- 172.—Bo, A. M. Su corazza di "Glyptodon cfr. morelloi Cast." del Pampeano Argentino. Boll. Soc. Geol. Ital. 73 1954 (1955): 32–40 1 pl.
- 173.—Boback, A. W. Zur Frage animalischer Nahrung beim Feldhasen, Lepus europaeus Pallas, 1778. Säugetierk. Mitt. 3 1955: 165–167.
- 174.—Bochenek, S. Remains of the European bison, Bison bonasus (L.), from Podhale in Poland. Acta Theriologica 1 1955: 15–25. [Polish with English summary.]
- 175.—Bodingbauer, J. Die Wurzelseptumleiste (Crista septi intraradicularis, s. intraalveolaris) und die Wurzelrinnen (Sulci radiculares)—eine zusätzliche Anlage des Zahnhalteapparates bei Fleischfressern. II. Mitteilung. Säugetierk. Mitt. 3 1955: 5–10 10 figs.
- 176.—Bohlin, B. Triceromeryx, an American immigrant to Europe. Bull. Geol. Inst. Upsala 35 1955: 1–6 1 pl. 1 fig.
- 177.—Böhme, L. Morphologischanatomische und physiologische Grundlagen zweier Reflextypen des akustischen Ohrmuschelreflexes (PreyerReflex) beim Meerschweinchen nebst
 Bemerkungen über ihre biologische
 Bedeutung. Zool. Jb. (Allg. Zool.) 66
 1955; 1–32 25 figs.
- 178.—Boltz, C. L. The camel riddle answered. Discovery 16 1955: 338.

- 179.—Bondesen, P. Danmark fanger hvaler. Natur og Mus. 1 2 1951: 3-11 figs.
- 180.—Boné, E. L. The influence of general body size on the body proportions in man and other primates. Experientia 11 1955: 169-172.
- 181.—Bonner, W. N. Reproductive organs of foetal and juvenile elephant seals. Nature, Lond. 176 1955: 982–983 1 fig.
- **182.**—**Booth**, A. H. Speciation in the mona monkeys. J. Mammal. **36** 1955: 434–449 1 pl. 3 figs.
- 183.—Bopp, P. Der Schrei des Murmeltiers als akustische Territoriumsmarkierung. Säugetierk. Mitt. 3 1955; 28.
- 184.—Bopp, P. Kolonialterritorien bei Murmeltieren. Rev. suisse Zool. 62 1955: 295–299 7 figs.
- 185.—Bopp, P. Ein extra-uterin entstandener Rattenkönig bei weissen Mäusen. Acta anat. 23 1955: 143–147.
- 186.—[Borissiak, A. A.] [On fossil Acerathines from Kazakhstan (Aceratherium aralense Borissiak).] Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 47 1954 (Tertiary Mammals pt. 2): 5–23 2 pls. 6 figs. [In Russian.]

Bouet, G. see Edmond-Blanc.

187.—Bouillault, J. and Filloux, J.-C. Une espèce rare en France: La genette. Nature, Paris No. 3240 1955: 145–147 1 fig.

Bourdelle, E. see Edmond-Blanc.

Bourdelle, E. see Grassé.

- 188.—Bourgoin, P. Animaux de chasse d'Afrique. Paris (Toison d'Or) 1955: 1-255, 12 col. pls., figs. (by P. Dandelot).
- 189.—Bourliere, F. The natural history of mammals, translated from the French by H. M. Parshley, London (G. C. Harrap & Co.) 1955 pp. xxi + 362, xi; 24 pls., 97 figs.
- 190.—Bourliere, F. Mammals of the world, their life and habits. London (Harrap & Co.) 1955, pp. 223, col. pls., figs.
- 191.—Bourlière, F. and Vy, T. La glande surrénale d'*Eidolon helvum*. Bull. Inst. franç. Afr. N. 17A 1955: 918–920 1 fig.

- Bourlière, F. see Grassé.
- 192.—Bowers, G. L. Unusual breeding of cottontails in Pennsylvania. J. Mammal. 36 1955: 303.

Bowman, H. see Svihla.

- 193.—Boyd, A. W. Mammals of Cheshire. Oryx 3 1955: 151-155.
- 194.—Boyd, J. M. A hedgehog in Coll. Scot. Nat. 66 (1954) 1955: 128.

Boyles, J. M. see Neill.

Brace, C. L. see Schuman.

- 195.—Bramhill, R. Some observations on a family of foxes. Naturalist No. 852 1955: 13-14.
- 196.—Brander, T. Über die Bisamratte, Ondatra z. zibethica (L.), als Vermichter von Najaden. Arch. Hydrobiol. 50 1955: 92–103 1 fig.
- 197.—Brander, T. Om bisamråttans (Ondatria z. zibethica L.) längdmått, vikt, Könsproportioner m.m. i Urdiala socken (Ta). Memor. Soc. Faun. Flora fenn. 30 1955: 57–59.
- 198.—Brander, T. Om vära harars vinterdiet. Memor. Soc. Faun. Flora fenn. 30 1955: 59-62.
- 199.—Brandtner, F. Kamegg, eine Freilandstation des spateren Paläolithikums in Niederösterreich. Mitt. prähist. Komm. Wien 7 1955: 1–93 20 pls.
- 200.—Brash, J. C. and Cave, A. J. E. In piam memoriam. Sir Arthur Keith, F.R.S. J. Anat., Lond. 89 1955: 403-418 1 pl.
- 201.—[Braude, G. L.] [Observations on the development of the muscles in the body of rabbit.] Trud. Inst. Morf. Zhiv. 12 1954: 135–250 53 figs. [In Russian.]
- 202.—Breathnach, A. S. The surface features of the brain of the humpback whale (Megaptera novaeangliae). J. Anat., Lond. 89 1955: 343-354 2 pls. 5 figs.
- 203.—Breathnach, A. S. Observations on endocranial casts of recent and fossil cetaceans. J. Anat. Lond. 89 1955: 532-546 1 pl. 6 figs.

Breckenridge, W. J. see Gunderson.

204.—Bressou, C. Evaluation du champ visuel monoculaire des Bovins domestiques (*Bos taurus* L.). C.R. Acad. Sci. Paris 241 1955: 615-616, 1 fig.

- 205.—Bressou, C. Evaluation du champ visuel binoculaire des Bovins domestiques (*Bos taurus L.*). C.R. Acad. Sci. Paris 241 1955: 639-641, 1 fig.
- 206.—Bretschneider, L. H. Die Morphogenese und Pathogenese der Spermien vom Stier. Proc. Akad. Wet. Amst. 580 1955: 495–508, 509–522 8 pls.
- 207.—Bridges, W. The Cheetah—the mildest cat. Anim. Kingd. 58 1955: 130-134 2 figs.
- 208.—Briggs, G. H. Myxomatosis in the Lancaster district. New Biologian No. 4 1955: 18-20.
- 209.—Brink, F. H. van den. Zoogdierengids van Europa ten westen van 30° oosterlengte. Amsterdam & Brussel (Elsevier) 1955 pp. 231, 52 pls. (20 col.) text illust.

Britenbaker, A. L. see Soderwall.

Brotzler, A. see Kahmann.

- 210.—Browman, L. G. and Sears, H. S. Mule deer milk. J. Mammal. 36 1955: 473-474.
- 211.—Browman, L. G. and Sears, H. S. Erythrocyte values, and alimentary canal pH values in the mule deer. J. Mammal. 36 1955: 474–476, 3 tables.

Browman, L. G. see Sears.

- **212.—Brown,** D. A plague of Stoats. Field **206** 1955: 260.
- 213.—Brown, N. R. & Lanning, R. G. The mammals of Renfrew County, Ontario. Canad. Fld Nat. 68 1954: 171–180.

Brueckner, A. L. see Reagan.

214.—Brunner, G. Die Höhle am Butzmannsacker bei Auerbach (Opf). Geol. Blatt. N.O. Bayern. 5 3 1955: 109–120, 4 figs.

Bubenik, A. see Pavlansky.

- 215.—Buchanan, G. D. Nine-Banded Armadillo—invader from the south. Anim. Kingd. 58 1955: 82–88 5 figs.
- 216.—Buckner, C. H. A simple permanent livetrap plot for shrews. J. Mammal. 36 1955: 286.
- 217.—Budker, P. Le marquage des baleines. Mammalia, Paris 19 1955: 464–469 1 fig.
 - Bull, P. C. see Wodzicki.

Bullen, R. P. see Neill.

- 218.—[Burchak-Aframoviya, N. I. and Dzhafarov, R. D.] [On the differences in metapodial bones of the genus Rhinoceros.] Localities of Quaternary Fauna and Flora at Binagadin. Acad. Sci. Azerbaijan S.S.R. 1 4 1951: 5–27 14 figs.
- 219.—Burkholder, B. L. Control of small predators. Circ. U.S. Fish. Wildl. Serv. 33 1955: 1-7 figs.
- 220.—Burns, K. F. and Farinacci, C. J. Rabies in nonsanguivorous bats of Texas. J. infect. Dis. 97 1955: 211–218 2 figs.
- 221.—Burton, M. Bulldog Bats. Ill. Lond. News 226 1955: 28, figs.
- 222.—Burton, M. Elephant Shrews. Ill. Lond. News 226 1955: 412 2 figs.
- 223.—Burton, M. Harvest Mice. Ill. Lond. News 227 1955: 30 3 figs.
- 224.—Burton, M. Further notes on Rhinoceros. Ill. Lond. News 227 1955: 344 3 figs.
- 225.—Burton, M. Hedgehog's weights and ecstatic measures. Ill. Lond. News 227 1955: 744 2 figs.
- 226.—Burton, M. Inquest on rabbits. Ill. Lond. News 227 1955: 880 3 figs.
- 227.—Burton, M. When giraffes talk together. Ill. Lond. News 227 1955: 1018 3 figs.
- 228.—Burton, R. W. Unrecorded sounds made by the tiger. J. Bombay nat. Hist. Soc. 52 1955: 915.
- 229.—Buwalda, J. P. and Lewis, G. E. A new species of *Merychippus*. Prof. Pap. Geol. Survey Washington 264-G, 1955: 147-152 5 figs.
- 230.—Byrom, F. B. Some notes on apparatus and technique for photography of the cerebral vessels in the living rat. Med. Biol. Illust. 5 1955: 224–229 11 figs.
- 231.—Cabannes, R. & Serain, C. Étude de l'hémoglobine du Dromadaire d'Afrique du Nord. C.R. Soc. Biol., Paris 149 1955: 1103-1105 3 figs.
- 232.—Cabo, F. L. Nota sobre la presencia de un ejemplar de *Monachus monachus* (Herman) en las costas de Alicante. Bol. Soc. esp. Hist. nat. 51 Biol. 1954: 135-138 1 fig.

- 233.—Caldwell, D. K. Evidence of home range of an Atlantic bottlenose dolphin. J. Mammal. 36 1955: 304–305.
- 234.—Caldwell, D. K. Notes on the spotted dolphin, Stenella plagiodon, and the first record of the common dolphin, Delphinus delphis, in the Gulf of Mexico. J. Mammal. 36 1955: 467-470 1 fig.
- 235.—Calhoun, J. B. A technique for investigating the distance parameter of home range. J. Mammal. 36 1955: 45-52 1 fig.
- 236.—Campbell, R. A. A mightier stag. Field 206 1955: 1052.
- 237.—Cantuel, P. Remarques sur le squelette d'un chat sauvage, *Felis sylvestris* Schreber. Mammalia, Paris 19 1955: 470–477 8 figs.

Caprio, R. see Talice.

- **238.—Carne,** P. H. Roe deer and fallow. Oryx **3** 1955: 104.
- 239.—Carpenter, C. R. in Gavan, J. A. Tentative generalizations on the grouping behavior of non-human primates: 91-98.
- 240.—Carreck, J. N. The Quaternary vertebrates of Dorset, fossil and subfossil. Proc. Dorset nat. Hist. Fld Cl. 75 1955: 164-188.
- 241.—Carter, T. C. The estimation of total genetical map lengths from linkage test data. J. Genet. 53 1955: 21-28 1 fig.
- 242.—Carter, T. C., Lyon, M. F. & Phillips, R. J. S. Gene-tagged chromosome translocations in eleven stocks of mice. J. Genet. 53 1955: 154-166.
- 243.—Carter, T. D. Remarkable age attained by a bobcat. J. Mammal. 36 1955: 290.
- 244.—Casselman, W. G. B. & Baker, J. R. The cytoplasmic inclusions of a mammalian sympathetic neurone: a histochemical study. Quart. J. micr. Sci. 96 1955: 49-56 1 fig.
- 245.—Castellanos, A. Determinacion de las especies de "Stromaphoropsis" Kragl. An. Mus. Hist. nat. Montevideo (2) 6 3 1953: 1–23 9 pls.
- 246.—Castellanos, A. Referencia à la subfamilia Glyptodontinae. C.R. Congres Geol. Internat. 19th Alger 1952 (1954) Sect. 13, 15: 35–43.

- 247.—Castle, W. E., Dempster, E. R. & Shurrager, H. C. Three new mutations of the rat. J. Hered. 46 1955: 9-14 6 figs.
- 248.—Caubère, B. Les rhinolophes des Carrières souterraines de Vouvray-sur-Huisne (Sarthe). Cahiers Nat. N.S. 11 2 1955: 63-64.
- 249.—Center, E. M. Postaxial polydactyly in the mouse. J. Hered. 46 1955: 144-148 3 figs.
- 250.—Chaigneau, A. Empreintes et voies des animaux gibier et des nuisibles. Paris (Crepin-Leblond) 1954: 1–128, ill. [N.V. Review Mammalia, Paris 19 1955: 358–359.]
- 251.—[Chaikovskaya, I. I.] [Peculiarities in structure of the elbow joint in some mammals.] Trud. Inst. Zool. Akad. Nauk ukr. SSR 9 1952: 131-140 4 figs. [In Russian.]
- 252.—Chance, M. R. A. and Mead, A. P. Competition between feeding and investigation in the rat. Behaviour 8 1955: 174–182.

Chandler, E. H. see Fay.

- 253.—Chang, M. C. Development of fertilizing capacity of rabbit spermatozoa in the uterus. Nature, Lond. 175 1955: 1036–1037.
- 254.—Chang, M. C. Fertilization and normal development of follicular oocytes in the rabbit. Science 121 1955: 867–869.
- 255.—Chang, M. C. and McDonough, J. J. M. An experiment to cross the cottontail and the domestic rabbit. J. Hered. 46 1955: 41-44 2 figs.
- 256.—Chang, M. C. and Marden, W. G. R. The aerial transport of fertilized mammalian ova. J. Hered. 45 1954: 75-78 4 figs.

Chang, S. see Reagan.

- 257.—Chapman, J. A., Romer, J. I. and Stark, J. Ladybird beetles and army cutworm adults as food for grizzly bears in Montana. Ecology 36 1955: 156-158.
- 258.—[Chapski, K. K.] [Revision of the subfamily Phocinae.] Trav. Inst. Zool. Acad. Sci. URSS 17 1955: 160– 199 14 figs. [In Russian.]

259.—[Chapski, K. K.] [The phylogeny of the Caspian and the Baikal seals.] Trav. Inst. Zool. Acad. Sci. URSS 17 1955: 200–216 2 figs. [In Russian.]

12

- 260.—Charles, R. P. Essai sur l'humanité préhistorique: evolution des espèces: multiplication et differenciation des races. Bull. Mus. Hist. nat. Marseille 13 1954: 125-141.
- Chasen, F. N. see Ellerman and Morrison-Scott.
- 261.—Chew, R. M. The skin and respiratory water losses of *Peromyscus maniculatus sonoriensis*. Ecology 36 1955: 463-467.
- 262.—Chiasson, R. B. Dental abnormalities of the Alaskan fur seal. J. Mammal. 36 1955: 562-564 1 pl.
- 263.—[Chirkova, A. F.] [Methods and results in fox census.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 179–203 3 figs. [In Russian.]
- 264.—Chittleborough, R. G. Aspects of reproduction in the male humpback whale, *Megaptera nodosa* (Bonnaterre). Aust. J. Mar. Freshw. Res. 6 1955: 1–29 1 pl. 12 figs.
- 265.—Chittleborough, R. G. Puberty, physical maturity, and relative growth of the female humpback whale, *Megaptera nodosa* (Bonnaterre), on the western Australian coast. Aust. J. mar. freshw. Res. 6 1955: 315–327 3 figs.
- 266.—Chitty, D. Tuberculosis among wild voles: With a discussion of other pathological conditions among certain mammals and birds. Ecology 35 1954: 227-237 1 fig.
- 267.—Chitty, D. Allgemeine Gedankengänge über die Dichteschwankungen bei der Erdmaus (*Microtus agrestis*). Z. Säugetierk. 20 1955: 55-60 2 figs.
 - Chitty, H. see Leslie.
- 268.—Choumowitch, W. Observations sur les moeurs et l'éthologie de quelques petits mammifères du Sudtunisien. Bull. Soc. Sci. nat. Tunis 7 1954: 81-88.

- 269.—Chow, M. M. Two specimens of mammalian coprolite from the Sanmen Rapids, Shansi and Singtsai, Honan. Act. Paleont. Sinica 3 1955: 283–286 2 figs.
- 270.—Christensen, G. The stocks of blue whales in the Northern Atlantic. Norsk Hvalfangsttid. 44 1955: 640-642.
- 271.—Christian, G. What foxes are eating. Ctry. Life, Lond. 117 1955: 798–799 3 figs.
- 272.—Christie, A. C. A cytological study of the cytoplasmic inclusions of the epithelial cells in the epididymis of the mouse. Quart. J. micr. Sci. (3) 96 1955: 161–168 1 fig.
- 273.—[Chuzhakina, E. S.] [The breeding cycle of sperm whales.] Trud. Inst. Okeanol, 18 1955: 95–99. [In Russian.]
- 274.—Clarke, J. R. Influence of numbers on reproduction and survival in two experimental vole populations. Proc. roy. Soc. 144B 1955: 68–85 4 figs.
- 275.—Clarke, R. The Antarctic whaling seasons of 1951–52, 1952–53 and 1953–54. Polar Rec. 7 1955: 518–521.
- 276.—Clarke, R. A giant squid swallowed by a sperm whale. Norsk Hvalfangsttid. 44 1955: 589–593 5 figs.
- 277.—Clementi, C. D. and Van Breemen, V. L. Nerve fibers in the area postrema of cat, rabbit, guinea pig and rat. Anat. Rec. 123 1955: 65–79 15 figs.
- 278.—Clermont, Y. and others. The perforatorium—an extension of the nuclear membrane of the rat spermatozoon. Anat. Rec. 121 1955: 1–12 11 figs.
- 279.—Clothier, R. R. Contribution to the life history of *Sorex vagrans* in Montana. J. Mammal. 36 1955: 214—221.
- 280.—Clough, G. C. Repeated hibernation in a captive meadow jumping mouse. J. Mammal. 36 1955: 301–302.
- 281.—Cobnut, G. Foxes and myxomatosis in Kent. Oryx 3 1955: 156-157.

- 282.—Cohen, B., Myant, N. B. and Logothetopoulos, J. H. Autoradiographic localization of iodine-131 in the salivary glands of the hamster. Nature, Lond. 176 1955: 1268–1269 2 figs.
- 283.—Cohen, C. Blood group factors in the rabbit. II. The inheritance of six factors. Genetics 40 1955: 770-780.
- 284.—Colbert, E. H. Evolution of the vertebrates. A history of backboned animals through time. New York (John Wiley & Sons) 1955, pp. xiii + 479 122 figs.

Colovos, N. F. see Teeri.

285.—Conaway, C. H. Embryo resorption and placental scar formation in the rat. J. Mammal. 36 1955: 516–532 1 pl.

Connon, H. see King.

286.—Cooke, H. B. S. Some fossil mammals in the South African Museum collections. Ann. S. Afr. Mus. 42 1955: 161–168 1 pl. 1 map.

Cooke, H. B. S. see Wells.

Coon, C. S. see Vallois.

- 287.—Cope, J. B. and Mumford, R. E. A preliminary report on bat banding in Indiana. Proc. Ind. Acad. Sci. 64 1955: 284–286.
- 288.—Cordier-Goni, P. Le mystère de l'instinct, du plan philosophique au plan physiologique. Comment et pourquoi un Castor terrier du Rhône a su et pu construire une hutte comme les Castors d'Amerique. Riviera sci. 41 1954: 1–7.
- **289.—Cornell,** R. D. Four-horned rams. Nat. Hist. N.Y. **64** 1955 : 258–259 2 figs.
- 290.—Corner, G. W. and Bartelmez, G. W. Early abnormal embryos of the Rhesus monkey. Contr. Embryol. Carneg. Instn. 35 1954: 1–9 5 pls.

Correa, A. A. M. see Vallois.

- 291.—Cotterell, R. Grey squirrel destruction. Quart. J. For. 48 1954: 104–108 4 pls.
- 292.—Count, E. W. On brain to body ratios and the evolution of intelligence. Science 122 1955: 647.

Courtier, F. A. see Shorten.

293.—Couto, C. de P. Megatérios intertropicos do Pleistoceno. An. Acad. bras. Sci. 26 1954: 447–463 5 pls. 4 figs.

- 294.—Couto, C. de P. Fossil mammals from the Paleocene of Brazil. C.R. Congres Geol. Internat. 19th Alger 1952 (1954), Sect. 13, fasc. 15:101-106.
- 295.—Couto, C. de P. Sobre um Glyptodonte do Uruguai e um Tatu fossil do Brasil. Notas Prelim. Est. Rio de Janeiro 80 1954: 1-10.
- 296.—Couto, C. de P. Sobre os toxodontes Haplodontheriinae. Notas Prelim. Est. Rio de Janeiro 82 1954: 1–11 4 figs.
- 297.—Couto, C. de P. O "tigredentes-de Sabre" do Brasil. Bol. Cons. nac. Pesq. No. 1 1955: 1–30 4 pls. 12 figs.
- 298.—Couto, C. de P. Os Desdentados fósseis de Cuba. Ann. Acad. bras. Sci. 27 3 1955 : xxvii.

Couto, C. de P., see Simpson.

- 299.—Couturier, A. J. Acclimatation et acclimatement de la Marmotte des Alpes, *Marmotamarmotamarmota* (Linné, 1758) dans les Pyrénées françaises. Säugetierk. Mitt. 3 1955: 105–108 map.
- 300.—Couturier, M. A. J. Le parc national à bouquetins de Savoie. Etude technique. Terre et la Vie 102 1955: 168–190.
- 301.—Couturier, M. Das Haærkleid des Alpenschneehasen, Lepus timidus varronis Miller 1901. Z. Jagdwissensch. 1 1955: 8–21 4 figs.
- 302.—Couturier, M. Le biotope du bouquetin iberique comparé à celui du bouquetin des alpes (Capra ibex ibex L. 1758). Diana, Lausanne 1 1955: 10-13 I fig.
- 303.—Couturier, M. La pelage du lièvre variable des Alpes *Lepus timidus varronis* Miller 1901. Terre et la Vie 102 1955: 101–116 l pl.
- 304.—Cowen, G. A. The badger in Northumberland and Durham, its number and distribution, past and present. Trans. Nat. Hist. Soc. Northumb. 11 1955: 77–84.
- **305.—Cowie,** M. The fate of game in East Africa. Field **206** 1955: 1100–1102 11 figs.
- 306.—Craft, T. J. and Dexter, R. W. Swimming ability of the little brown bat. J. Mammal. 36 1955: 452-453.

- 307.—Cranbrook, Lord. Water rat remains in a Bronze Age site. Bull. Mammal. Soc. Brit. Isles 3 1955: 2-4.
- 308.—Cranbrook, Lord. Notes on the chest-spot on the long-tailed field mouse (*Apodemus s. sylvaticus* Linn.). Trans. Suffolk Nat. Soc. 9 [1955]: 32-33.
- 309.—Cranbrook, Lord. Young field voles from birth to weaning. Trans. Suffolk Nat. Soc. 9 [1955]: 33-35.
- 310.—Granbrook, Lord. Fossil voles. Trans. Suffolk Nat. Soc. 9[1955]:48-49 3 figs.
- 311.—Granbrook, Lord. Records of *Mimomys*. Trans. Suffolk Nat. Soc. 9 [1955]: 58.
- 312.—Granbrook, Lord. Note on skulls of the water vole from Marsden Caves. Trans. Nat. Hist. Soc. Northumb. 11 1955: 85–86 1 pl.
- 313.—Crane, H. R. Antiquity of the Sandia culture: Carbon-14 measurements. Science 122 1955; 689-690 1 fig.
- 314.—Grary, D. D. and Sawin, P. B. Morphogenetic studies of the rabbit. XIV. Manifestations of regional growth at onset of vertebral ossification. J. Hered. 46 1955: 183–189 figs.
- 315.—Crellin, G. T. Bat in a spider's web. Field 206 1955: 88.

Cringan, A. T. see Peterson.

- 316.—Crompton, A. W. A possible explanation for the origin of the mammalian brain and skull. S. Afr. J. Sci. 52 1955: 130-133 2 figs.
- 317.—Gross, W. H. Three *Neotoma* populations in Georgia and interpopulation mating in captivity. J. Mammal. 36 1955: 572-573.

Crouzel, F. see Bergounioux.

- 318.—Crowcroft, P. Territoriality in wild house mice, *Mus musculus* L. J. Mammal. 36 1955: 299-301 1 fig.
- 319.—Crowcroft, P. Remarks on the pelage of the Common Shrew (Sorex araneus L.). Proc. Zool. Soc. Lond. 125 1955: 309-315 1 fig.
- 320.—Crowcroft, P. Notes on the behaviour of shrews. Behaviour 8 1955: 63-80.

- 321.—Grusafont Pairo, M. and Villalta Comella, J. F. de. Ensayo de sintesis sobre el Mioceno de la Meseta castellana. Real Soc. Esp. Hist. Nat. Madrid Tomo Extr. 1954: 215–227.
- 322.—Crusafont Pairo, M. and Villalta Comella, J. F. de. "Almogaver," un nuevo Primate del Eoceno pirenaico. Estud. Geol. Madrid (Inst. Invest. Geol. "Lucas Mallada") No. 22 1954: 165–176 2 pls.
- 323.—Crusafont Pairo, M. and Villalta Comella, J. F. de. Sur l'âge des mammifères d'Alcoy (Espagne). C.R. Soc. Geol. France 7–8 1955; 148–150.
- 324.—Crusafont Pairo, M., Villalta Comella, J. F. de & Julivert, M. Notes para la estragrafia y paleontologia de la cuenca de Calatayud-Teruel. Notas Inst. geol. Esp. 34 1954: 41–58.
- 325.—Crusafont Pairo, M., Villalta Comella, J. F. de and Truyols, J. Caracteristiques de l'Eocène continental au bassin de Tremp (Lerida, Espagne). C.R. Soc. Geol. France 13 1954: 303–304

Crusafont Pairo, M. see Villalta Comella.

- 326.—Cryer, R. J. An investigation into a shaker mutant in mice. Starfish No. 8 1955: 16-19.
- 327.—Dalcq, A. M. Modifications nucleaires et chimiodifferenciation dans la segmentation et le debut de la morphogenese chez les petits mammiferes. Ann. Soc. zool. Belg. 84 1953: 283–291.
- 328.—Daleq, A. M. Les ontomutations à l'origine des mammifères. Bull. Soc. zool. Fr. 79 1955; 240–255.
- 329.—Dale, I. R. The Indian origins of some cultivated plants and African cattle. Uganda J. 19 1955: 68-72.
- 330.—Dalimier, P. La morphologie de la chèvre sous l'influence de la domestication. Bull. Mus. Hist. nat. Belg. 30 13 1954: 1-12 5 figs.
- 331.—Dalimier, P. Les campagnols de Belgique au point de vue de l'ecologie. Mammalia, Paris 19 1955 : 498–506.
- 332.—Dalquest, W. W. Netting bats in tropical Mexico. Trans. Kans. Acad. Sci. 57 1954:1-10.

- 333.—Dalquest, W. W. Natural history of the Vampire bats of eastern Mexico. Amer. Midl. Nat. 53 1955: 79-87.
 - Dandelot, P. see Bourgoin.
- 334.—[Danilova, E. I.] [Functional comparison of metatarsus and metacarpus in some mammals.] Trud. Inst. Zool. Akad. Nauk Ukr. SSR 9 1952: 120-130 4 figs. [In Russian.]
- 335.—[Danilova, E. I.] [The method of comparative-anatomical study of the relief of joint-surfaces.] Trud. Inst. Zool. Akad. Nauk Ukr. SSR 11 1954: 79-83 4 figs. [In Russian.]
- 336.—[Danilova, E. I.] [Influence of variable load on development of limb joints.] Trud. Inst. Zool. Akad. Nauk. Ukr. SSR 11 1954: 84-94 5 figs. [In Russian.]
- 337.—Danneel, R. Über die Bildung des Haarpigments und das Ergrauen. Verh. dtsch. zool. Ges. 1954 (Zool. Anz. Suppl. 18) 1955: 107-114 13 figs.
- 338.—Darcy, D. A. Immunological discrimination between the blood of normal and of tumour-bearing rats. Nature, Lond. 176 1955: 643-644 2 figs.
- 339.—Darlington, C. D. and Haque, A. Chromosomes of monkeys and men. Nature, Lond. 175 1955: 32 4 figs.
- 340.—Dart, R. A. The first australopithecine fragment from the Makapansgat pebble culture stratum. Nature, Lond. 176 1955: 170–171 2 figs.
- 341.—Dart, R. A. Extinct and extant human mandibles. S. Afr. J. Sci. 51 1955: 258-262 8 figs.
- 342.—Dart, R. A. Australopithecus prometheus and Telanthropus capensis. Amer. J. phys. Anthrop. 13 1955: 67-96 8 figs.
 - Dart, R. A. and others see Vallois.
 - Darwish, Y. H. see Hafez.
- 343.—Das, S. M. Studies on Funambulus palmarum tristriatus Waterhouse (the Indian palm squirrel). Part 1. The musculature. J. zool. Soc. India 7 1955: 57–82 23 figs.
- 344.—Dasmann, R. F. and Taber, R. D. A comparison of four deer census methods. Calif. Fish Game 41 1955: 225-228.

- 345.—Davidović, M. Le rapport entre le grandeur du corps et le consommation d'oxigène chez les hibernants refroides. Glasn. srpsk. kralj. Akad. No. 216 1955: 31–54 figs. [French résumé.]
- 346.—Davies, D. V. Supra-sternal ossicles in primates other than man. Nature, Lond. 176 1955: 1130 1 fig.
- **347.**—**Davies**, J. N. The slow loris as a pet. Malay. Nat. J. **9** 1955: 129–130.
- 348.—Davies, M. E. Normal mouth and intestinal flora of the ferret (*Mustela furo* L.). Nature, Lond. 175 1955: 1048.
- 349.—Davis, D. D. Masticatory apparatus in the spectacled bear *Tremarctos ornatus*. Fieldiana, Zool. 37 1955: 25–46 8 figs.
- 350.—Davis, D. D. in Gavan, J. A. Primate evolution from the viewpoint of comparative anatomy: 33-41.
- 351.—Davis, D. E. Social interaction of rats as indicated by trapping procedures. Behaviour 8 1955: 335-343.
- 352.—Davis, D. H. S. Plague in Africa from 1935 to 1949. A survey of wild rodents in African territories. Bull. Wld. Hlth. Org. 9 1953: 665-700.
- 353.—Davis, D. H. S. Plague in South Africa: a study of the epizootic cycle in gerbils (*Tatera brantsi*) in the northern Orange Free State. J. Hygiene 51 1953: 427–449 2 pls. 3 figs.
- 354.—Davis, R. A. Occurrence of the black rat in sewers in Britain. Nature, Lond. 175 1955: 641.
- **355.—Davis,** R. A. The Coypu. Discovery **16** 1955: 237–239 2 figs.
- 356.—Davis, W. B. A new four-toed anteater from Mexico. J. Mammal. 36 1955: 557-559.
- 357.—Davis, W. H. Myotis subulatus leibii found in unusual situations. J. Mammal. 36 1955: 130.
- 358.—Davis, W. H. Northern extension of range of pocket gopher east of the Mississippi. J. Mammal. 36 1955: 142–143.
- 359.—Davis, W. H. and Lidicker, W. Z. Myotis subulatis leibii in Missouri. J. Mammal. 36 1955: 288-289.

- 360.—Davis, W. H. and Lidicker, W. Z. The rice rat, Oryzomys palustris texensis, in northwestern Arkansas. J. Mammal. 36 1955: 298.
- 361.—Davis, W. H. and Lidicker, W. Z. Myotis sodalis in Wisconsin. J. Mammal. 36 1955: 567.
- 362.—Davis, W. H., Lidicker, W. Z. and Sealander, J. A. Myotis austroriparius in Arkansas. J. Mammal. 36 1955: 288.
- 363.—Dawson, W. R. The relation of oxygen consumption to temperature in desert rodents. J. Mammal. 36 1955: 543-553.
- 364.—Deane, C. D. Note on myxomatosis in hares. Bull. Mammal. Soc. Brit. Isles 3 1955: 20.
- 365.—Dear, L. S. Cougar or mountain lion reported in North-western Ontario. Canad. Fld. Nat. 69 1955: 26.
- 366.—Dearden, L. C. and Lee, M. R. New sagebrush vole, genus *Lagurus*, from Utah. J. Mammal. 36 1955: 270-273.
- 367.—de Beer, Sir G. Proposed rejection of the generic and specific names published for the so-called "Piltdown Man." Bull. zool. Nom. 11 1955: 171–172.
- Debetz, G. F., Gromov, V. I. and Roginskii, I. I. see Vallois.
- 368.—Dechambre, E. Remarques sur l'alimentation en captivité du Coendou, Coendou prehensilis (L.). Terre et la Vie 101 1954: 200-201.
- 369.—Dekeyser, P. L. Note sommaire sur la denture d'un jeune Lamantin (*Trichechus senegalensis*). Bull. Inst. franç. Afr. N. 17A 3 1955: 921-925 1 fig.

Dekeyser, P.-L. see Edmond-Blanc.

Dekeyser, P.-L. see Grassé.

- **370.—Delap,** P. Roe deer and fallow. Oryx **3** 1955: 38–39.
- 371.—de la Torre, L. Bats from Guerrero, Jalisco and Oaxaca, Mexico. Fieldiana, Zool. ?7 1955: 695–703 2 pls. 1 fo.
- 372.—Deleuil, R. and Labbe, A. Contributions à l'étude des chauves-souris de Tunisie. Bull. Soc. Sci. nat. Tunis 8 1955: 39-55 5 pls. 2 figs. [N.V.]

- 373.—Della Serra, O. O Articulado dos dentes labiais nos simios da familia Cebidae Swainson, 1835. (Primates—Mammalia.) Pap. Dep. zool. Sec. Agric. S. Paulo 12 1955: 165–188 14 figs.
- 374.—Della Serra, O. Osteomielite apos fratura bilateral do corpo da mandibula do porco do mato (*Tayassu peccari* Fischer), com cura espontanea. Pap. Dep. zool. Sec. Agric. S. Paulo 12 1955: 303-312 6 figs.
- 375.—Delost, P. Recherches sur la biologie générale du campagnol des champs (*Microtus arvalis* Pallas). Bull. Soc. zool. Fr. 80 1955: 149–162.
- 376.—Delost, P. Anatomie et structure histologique de l'appareil génital du campagnol des champs (*Microtus arvalis* Pallas) adulte en activité sexuelle. Bull. Soc. zool. Fr. 80 1955: 207-222 1 fig.
- 378.—Delost, P. Étude de la biologie sexuelle du campagnol des champs (*Microtus arvalis* P.). Arch. Anat. micr. Morph. expér. 44 1955 : 150–190 7 figs.
- 379.—Delost, P. and H. Existence d'une zone X surrénalienne chez le campagnol roussâtre (Clethrionomys glareolus S.). C.R. Soc. Biol., Paris 148 1954: 1788–1791 4 figs.
- 380.—Delost, P. and H. Modifications ponderales et histologiques des glandes surrénales du Campagnol agreste (*Microtus agrestis* L.) en fonction de l'état sexuel. C.R. Soc. Biol., Paris 149 1955: 910-914 1 fig.
- 381.—[Demchuk, N. A. and Pashkov, V. N.] [Are there tigers in the valleys of Sir-Darya?] Priroda 12 1955: 112. [In Russian.]
- 382.—Deming, O. V. Rearing bighorn lambs in captivity. Calif. Fish Game 41 1955: 131-143 5 figs.

Dempsey, E. W. see Wislocki.

Dempster, E. R. see Castle.

- 383.—Dennis, W. Early recognition of the manipulative drive in monkeys. Brit. J. Anim. Behav. 3 1955: 71-72.
- 384.—Deol, M. S. Genetical studies on the skeleton of the mouse. XIV. Minor variations of the skull. J. Genet. 53 1955: 498-514 9 figs.

- **385.—Deraniyagala,** P. E. P. Some phases of the evolution of Ceylon. Ceylon Ass. Adv. Sci. 1946 Sect. D (1947): 1–20. [N.V.]
- **386.—Deraniyagala,** P. E. P. Some vertebrate animals of Ceylon. Vol. 1 (Colombo Mus. Pub.) 1949: ii + 119 96 pls.
- 387.—Deraniyagala, P. E. P. The ages of the *Hippopotamus* and *Elephas maximus* fossils in the Gem sand of Ceylon. Geol. Mag. 92 1955: 50-52.
- 388.—Deraniyagala, P. E. P. Some extinct elephants, their relatives and the two living species. Ceylon Nation. Mus. Pub. 1955 (August): 1–161 48 pls. 13 figs.
- 389.—Deraniyagala, P. E. P. Some stegodont elephants. Spolia Zeylan. 27 1955 (May 25): 215–217.
- **390.—Deraniyagala,** P. E. P. The extinct *Hippopotamus antiquus* of Europe. Spolia Zeylan. **27** 1955: 219–222 1 pl. 1 fig.
- **391.**—**Deraniyagala**, P. E. P. The Ratnapura (Shivalik) fossils of Ceylon. Spolia Zeylan. **27** 1955: 223–225.
- **392.**—**Deraniyagala**, P. E. P. Erythrism in the Ceylon porcupine, *Acanthion leucurus*. Spolia Zeylan. **27** 1955: 287.
- **393.—Deraniyagala**, P. E. P. The sun bear of Ceylon. Spolia Zeylan. **27** 1955: 289–290.
- 394.—Deraniyagala, P. E. P. A new subspecies of jungle cat from South India. Spolia Zeylan. 27 1955: 291.
- **395.**—**Deraniyagala**, P. E. P. A new race of leaf monkey from Ceylon. Spolia Zeylan. **27** 1955: 293–294.
- 396.—Desfayes, M. Les chauve-souris de la grotte du Poteux (Saillon). Bull. murith. No. 71 1954: 46-51 1 fig.
- 397.—Detwiler, R. M. Dog tooth money. Frontiers 19 1955: 67-69 5 figs.
- 397a.—Deuchler, K. Freilandfund einer Rothirschfrühgeburt, *Cervus ela*phus Linné, 1758. Saugetierk. Mitt. 3 1955: 35.
 - Dexter, R. W. see Craft.
- 398.—Dickie, F. Branding bison by helicopter. Frontiers 19 1955: 134-136.

- 399.—Dickie, M. M. Alopecia, a dominant mutation in the house mouse. J. Hered. 46 1955: 30–34 2 figs.
- 400.—Didier, R. L'os pénien des ecureils de l'Amérique du Sud. Mammalia, Paris 19 1955 : 416-426 10 figs.
- **401.**—**Dodds,** D. G. Food habits of the Newfoundland red fox. J. Mammal. **36** 1955: 291.
- 402.—[Dolbik, M. S.] [Nyctereutes procyonoides in White Russia.] Sborn. Nauch. Trud., Minsk 3 1952: 154–163 4 figs. [In Russian.]
 - Dollfus, R.-Ph. see Grassé.
- 403.—Donald, H. P. Controlled heterozygosity in livestock. Proc. roy. Soc. 144B 1955: 192–203.
- 404.—Dorsett, E. L. Hawaiian whaling days. Amer. Neptune 14 1954: 42–46 2 pls.
- 405.—Dorst, J. and Giban, J. Les mammiferes acclimates en France depuis un siecle. Terre et la Vie 101 1954: 217-229 2 figs.
- 406.—Downing, P. Two rannies. Trans. Suffolk Nats.' Soc. 9 1955: 109–110.
- 407.—Downs, T. A fossil sea lion from the Miocene of the San Joaquin Hills, Orange County, California. Bull. S. Calif. Acad. Sci. 54 1955: 49-56 3 pls.
- 408.—Draney, G. and Robinette, W. L. Two calculi from mule deer. J. Mammal. 36 1955: 308.
- 409.—Drennan, M. R. and Singer, R. A mandibular fragment, probably of the Saldanha skull. Nature, Lond. 175 1955: 364-365 2 figs.
- 410.—Dubois, G. Les trématodes de Chiroptères de la collection Villy Aellen. Etude suivie d'une revision du sous-genre Prosthodendrium Dollfus 1937 (Lecithodendriinae Lühe). Rev. suisse Zool. 62 1955: 469–506 10 figs.
- 411.—[Dubrovo, I. N.] [The first finding of *Hesperoloxodon* in Turkmenia.] Bull. Soc. Nat. Moscow Geol. 30 1955: 92. [In Russian.]
- 412.—[Dubrovo, I. A.] [New data on the structure and distribution of Hesperoloxodon.] C.R. Acad. Sci. URSS 101 1955: 759–762 1 fig. [In Russian.]

- 413.—Duckworth, J. E. and Shirlaw, D. W. The development of an apparatus to record the jaw movements of cattle. Brit. J. Anim. Behav. 3 1955: 56-60 8 figs.
- 414.—Dumitrescu, M., Orghidan, T. and Tanasachi, J. Deux découvertes intéressantes dans la caverne de Cioclovina en Apă. Bul. sti. Acad. Republ. rom. 7 1955: 359–368 8 figs. [French résumé.]
- 415.—Dumitrescu, M., Tanasachi, J. and Orghidan, T. Contribution à l'étude de la biologie des Chiroptères. Dynamique et hibernation des chiroptères de la caverne aux chauves-souris du Monastère de Bistrita. Bul. sti. Acad. Republ. rom. 7 1955: 317–357 17 figs. [French résumé.]
- 416.—[Dunaeva, T. N.] [Studies on biology of reproduction of *Sorex araneus*.] Bull. Soc. Nat. Moscow biol. 60 (6) 1955: 27–43 5 figs. [In Russian.]
- 417.—Dunaway, P. B. Late fall home ranges of three golden mice, *Peromyscus nuttalli*. J. Mammal. 36 1955: 297–298.

Dunkle, D. H. see Fries.

- 418.—Dunn, L. C. Widespread distribution of mutant alleles (t-alleles) in populations of wild house mice. Nature, Lond. 176 1955: 1275–1276.
- 419.—Dunn, L. C. & Suckling, J. A. A preliminary comparison of the fertilities of wild house mice with and without a mutant at Locus T. Amer. Nat. 89 1955: 231–233.
- 420.—Dunnet, G. M. Records of small mammals and their fleas from Reinosa, Santander, Spain. Ann. Mag. nat. Hist. (12) 8 1955: 445–448 1 fig.
- 421.—Dunmire, W. W. Sex dimorphism in the pelvis of rodents. J. Mammal. 36 1955: 356-361 2 figs.
- **422.—Dupree,** L. Who saw the Sch'goon? Nat. Hist. N.Y. **64** 1955: 525–527 figs.
- 423.—Durand, P. and Mathis, M. Sensibilité de trois rongeurs sauvages tunisiens, Mus musculus spretus, Dipodillus campestris et Meriones shawi au Plasmodium berghei Vincke et Lips 1948. Arch. Inst. Pasteur Tunis 32 1955: 17-24.

- 424.—Durham, F. E. The gray shrew, *Notiosorex crawfordi*, in Los Angeles County, California. J. Mammal. 36 1955: 561–562.
- 425.—Durham, F. E. Variations and adaptations of the rodents of the North rim of the Grand Canyon, Arizona. Essays in the nat. Sciences in Honor of Capt. A. Hancock, Los Angeles 1955: 233-258 2 maps.
- 426.—Durrant, S. D. A new pocket gopher from south-central Utah. Proc. biol. Soc. Wash. 68 1955: 79-82.
- 427.—Durrant, S. D. and Hansen, R. M. Taxonomic status of ground squirrels, *Citellus lateralis* (Say), from northeastern Utah and northwestern Colorado. J. Mammal. 36 1955: 136-138.
- 428.—Durrant, S. D. and Lee, M. R. Rare shrews from Utah and Wyoming. J. Mammal. 36 1955: 560-561.
- 429.—Durrant, S. D. and Lee, M. R. Three new pikas (genus *Ochotona*) from Utah. Proc. biol. Soc. Wash. 68 1955: 1–10.
- 430.—Durrant, S. D., Lee, M. R. and Hansen, R. M. Additional records and extensions of known ranges of mammals from Utah. Pub. Mus. Nat. Hist. Univ. Kansas 9 1955: 69–80.
- 431.—Dutt-Mazumdar, S. Wild life of the Darjeeling Hills. J. Bengal nat. Hist. Soc. 27 1955: 155-159.
- 432.—Dyhrenfurth, G. O. To the third Pole: the history of the high Himalaya. (Translated from German by H. Merrick.) London (Werner Laurie) 1955: 1–233 47 pls.
- 433.—Eads, R. B., Wiseman, J. S. and Menzies, G. C. Banding Mexican free-tailed bats. J. Mammal. 36 1955: 120-121.

Eads, R. B. see Grimes.

- 434.—Eagle, H. Nutrition needs of mammalian cells in tissue culture. Science 122 1955: 501-504.
- 435.—Eayrs, J. T. and Lishman, W. A. The maturation of behaviour in hypothyroidism and starvation. Brit. J. Anim. Behav. 3 1955: 17-24 4 figs.

- 436.—Eble, H., Freye, H.-A., Kämpfe, L., Kittel, R. and Klapperstück, J. Beitrag zur deutschsprachigen Nomenklatur der rezenten Mammalia. Wiss. Z. Univ. Halle-Wittenberg. Math.-Nat. R. 4 1 1955: 169-172.
- 437.—Ecke, D. H. The reproductive cycle of the Mearns cottontail in Illinois. Amer. Midl. Nat. 53 1955: 294-311 9 figs.
- 438.—Edds, Jr., M. V. Collateral regeneration in partially reinnervated muscles of the rat. J. exp. Zools 129 1955: 225-247 15 figs.
- 439.—Edmond-Blanc, F. (Ed.). Le grand livre de la faune africaine et de sa chasse. 1. La faune. pp. 294 col. pls. figs. 2. Chasse. pp. 349 col. pls. figs. Zurich (Ed. Schmid), 1954.
- 440.—Edmond-Blanc, F. Note sur l'époque des mises-bas des Addax et des Oryx. Mammalia, Paris 19 1955: 427-428.
- 441.—Edmond-Blanc, F. Contribution à l'étude des Eléphants nains du Sud-Cameroun. Mammalia, Paris 19 1955: 428–429.
- 442.—Edwards, E. E., Judd, J. M. and Squire, F. A. Blood counts in domestic animals in the Gold Coast. Nature, Lond. 176 1955: 549-550.
- 443.—Edwards, R. G. Selective fertilization following the use of sperm mixtures in the mouse. Nature, Lond. 175 1955: 215-216.
- 444.—Edwards, R. L. Observations on the ring-tailed cat. J. Mammal. 36 1955: 292-293.

Edwards, R. Y. see Fowle.

- 445.—[Egorov, O. V.] [Ecology of the Siberian ibex, Capra sibirica Meyer). Trav. Inst. zool. Acad. Sci. URSS 17 1955: 7–134 22 figs. [In Russian.]
- 446.—Ehlers, K. Tödliche Erkrankung und seltene Heilung eines Kanguruhbockes (*Macropus rufus* Desm.). Zool. Gart. Lpz. 22 1955: 110–112.
- 447.—Eibl-Eibesfeldt, I. Beobachtungen über territoriales Verhalten und Brutpflege des Galápagos-Seelöwen. Z. Säugetierk. 20 1955: 75-77 4 figs.
- 448.—Eibl-Eibesfeldt, I. Einige Bemerkungen über den Galapagos-

- Seelöwen, Zalophus wollebaeki, Sivertsen, 1953. Säugetierk. Mitt. 3 1955: 101–103 3 figs.
- 449.—Eibl-Eibesfeldt, I. Über das Massenauftreten der Hausmaus auf Süd-Seymour, Galapagos. Säugetierk. Mitt. 3 1955: 175–176 2 figs.
- 450.—Eibl-Eibesfeldt, I. Ethologische Studien am Galapagos-Seelöwen, Zalophus wollebaeki Sivertsen. Z. Tierpsychol. 12 1955: 286–303 24 figs.
- 451.—Eisentraut, M. A propos de la temperature de quelques mammifères de type primitif. Mammalia, Paris 19 1955: 437–443.
- 452.—Eisentraut, M. Überwinterung im Tierreich, Stuttgart (Kosmos-Ges. der Naturfreunde) 1955, pp. 80.

Elemerne, C. see Jugovics.

- 453.—Ellerman, J. R. and Morrison-Scott, T. C. S. Supplement to Chasen (1940), A Handlist of Malaysian Mammals, containing a generic synonymy and a complete index. Brit. Mus. (Nat. Hist.) London 1955: 1–66.
- **454.**—Elliott, D. W. The harvest mouse—what I know about them and how I found them in this county. Beds. Nat. No. 9 1955: 22–24.
- **455.—Ellis,** L. L. A survey of the ectoparasites of certain mammals in Oklahoma. Ecology **36** 1955: 12–18 3 figs.
- **456.—Ellis,** M. R. Skunks want peace—or else. Nat. geogr. Mag. **108** 1955: 279–294 25 figs.
- 457.—Ellison, N. F. Report on the mammals, reptiles and amphibians, 1949–51. Rep. Lancs. Chesh. Fauna Comm. 30th [1955]: 10–13.
- 458.—Ellison, N. F. Notes on a possible black type of red squirrel. Rep. Lancs. Chesh. Fauna Comm. 30th [1955]: 14–15.
- 459.—Enders, R. K. False heat in the yearling coyote, *Canis latrans*. J. Mammal. 36 1955: 133.

Enders, R. K. see Llewellyn.

460.—Engelhart, M. Eichhörnehen, Sciurus vulgaris, fürchtet sich im Heim I. Ordnung vor einer Waldmaus, Apodemus spec. Säugetierk. Mitt. 3 1955: 171.

- 461.—Engels, W. L. Vertebrate fauna of North Carolina coastal islands. II. Shackleford Banks. Amer. midl. Nat. 47 1952: 702-742 13 figs.
- **462.—England,** D. The Barbary apes of Gibraltar. Zoo Life **10** 1955: 67–69 4 figs.
- 463.—Ennion, E. A. R. Northumberland mammals. Oryx 3 1955: 33-37.
- 464.—Ennouchi, E. Découverte d'une défence géant dans les formations Pléistocènes des environs de Rabat. Bull. Soc. Sci. nat. Maroc 35 1955: 125–130 4 figs.
- 465.—Erhardt, A. Ein Walross (Odobenus rosmarus (L.)) und eine Sattelrobbe (Phoca groenlandica Fabr.) für Mecklenburg nachgewiesen. Arch. Ver. Naturg. Mecklenburg N.F. 15 1940: 9-12.
- 466.—Erickson, A. W. A recent record of lynx in Michigan. J. Mammal. 36 1955: 132-133.

Erling, H. G. see Illige.

- 467.—[Ershova, I. P.] [Reactions of Citellus pygmaeus to poisoned food.] C.R. Acad. Sci. URSS 100 1955; 825–828 2 figs. [In Russian.]
- 468.—Ertelt, W. Untersuchungen über Körpergrösse und Knochenstruktur bei Saugetieren. Zool. Jb. (Anat.) 74 1955: 588-638 31 figs.
- 469.—Eskridge, P. S. and Udall, R. H. The effects of cold starvation upon carbohydrate reserves in *Peromyscus maniculatus*. J. Mammal. 36 1955: 139–140.
- 470.—Essapian, F. S. Speed-induced skin folds in the Bottle-nosed porpoise. *Tursiops truncatus*. Breviora No. 43 1955: 1–4 9 pls.
- 471.—Eversmann, I. Hormonale Regulierung bei der Nestbautätigkeit weisser Mäuse (Vorläufiger Bericht). Ann. Univ. Saraviensis 3 1954: 287–298.
- 472.—Ewer, R. F. The fossil carnivores of the Transvaal caves. The Hyaenidae, other than *Lycyaena*, of Swartkrans and Sterkfontein. Proc. Zool. Soc. Lond. 124 1955: 815–837 2 pls. 10 figs.
- 473.—Ewer, R. F. The fossil carnivores of the Transvaal caves. The Lycyaenas of Sterkfontein and Swart-

- krans, together with some general considerations of the Transvaal fossil Hyaenids. Proc. Zool. Soc. Lond. 124 1955: 839-857 l pl. 9 figs.
- 474.—Ewer, R. F. The fossil carnivores of the Transvaal caves: Machairodontinae. Proc. Zool. Soc. Lond. 125 1955: 587-615 3 pls. 11 figs.

Ewing, J. F. see Vallois.

- 475.—Eyndhoven, G. L. van. De nederlandse vleermuizen en hun trek. Wet. Med. Ned. Natuurh. Ver. No. 17 1955: 1–35 39 figs.
- 476.—Fabian, G. Blood catalase activation energy values for wild rabbits (*Oryctolagus cuniculus* L.), domesticated rabbits and their F₁ hybrids. Ann. Inst. Biol., Tihany 22 1954: 3–10. [English summary.]
- 477.—Fabian, G. and Stohl, G. Das Russenkaninchen "Tihany." (Die Aufzucht eines neuen kaninchenschlages). Ann. Inst. Biol. Tihany 22 1954: 11–17. [German summary.]
- 478.—Falconer, D. S. Validity of the theory of genetic correlation. J. Hered. 45 1954: 42–44.
- 479.—Falconer, D. S. Selection for sex ratio in mice and *Drosophila*. Amer. Nat. 88 No. 843 1955: 385–397.

Farinacci, C. J. see Burns.

- 480.—Fay, F. H. and Chandler, E. H. The geographical and ecological distribution of cottontail rabbits in Massachusetts. J. Mammal. 36 1955: 415–424 3 figs.
- 481.—Fearnhead, R. W., Shute, C. C. D. and Bellairs, A. d'A. The temporo-mandibular joint of shrews. Proc. Zool. Soc. Lond. 125 1955: 795-806 1 pl. 5 figs.
- 482.—Fehringer, O. Die Welt der Säugetiere. Munich (Droemersche Verlag.) 1953: 431, 475 col., 127 monochrome figs.
- 483.—Felten, H. Tagesquartiere von Fledermäusen nach Beobachtungen in El Salvador. Natur u. Volk 85 1955: 315-321 11 figs.
- 484.—Felten, H. Der Wickelbar (*Potos flavus*), ein Charaktertier der Wälder in El Salvador. Natur u. Volk 85 1955: 204-211 8 figs.

- **485.—Felten**, H. Fledermäuse (Mammalia, Chiroptera) aus El Salvador. Teil 1. Senckenbergiana, Biol. **36** 1955: 271–285 2 figs. 1 pl.
- 486.—Felten, H. and König, C. Einige Säugetiere aus dem Zentralmassiv Südfrankreich. Senckenbergiana, Biol. 36 1955: 267–269.

Fenart, R. see Olivier.

- 487.—Fenner, F. and Marshall, I. D. Occurrence of attenuated strains of myxoma virus in Europe. Nature, Lond. 176 1955: 782–783.
- 488.—Ferianc, O. Beitrag zu den Wirbeltieren der Schüttinsel I. Biológica, Bratislava 10 2 1955; 308–324. [German summary.]
- 489.—Feriancova, Z. Die Ausbreitung einiger seltener Arten der Säugetiere in der Slovakia. Práce II. Sekc. Slov. Akad. Vied. Sér. Biol 1 3 1955: 1–40 15 maps. [German summary.]
- 490.—Feriancova, Z. and Komarek, J. Wohngebiete und Vermehrungsmöglichkeiten einiger seltener Raubtiere in den Westkarpaten. Säugetierk. Mitt. 3 1955: 71–76 4 maps.
- **491.—Fertois,** G. Les canidés. Nature, Paris 1955: 465–471 15 figs.
- 492.—[Fetisov, A. S.] [The distribution and ecology of *Phatomys vinogradovi* in Eastern Siberia.] C.R. Acad. Sci. URSS 104 1955: 326–328 map. [In Russian.]
- 493.—[Fetisov, A. S.] [On the distribution and feeding station for the relict deer Rangifer tarandus valentinae Fler. in Selenginian Dauria.] C.R. Acad. Sci. URSS 104 1955: 660-661 map. [In Russian.]
- 494.—Fichter, E., Schildman, G. and Sather, J. H. Some feeding patterns of coyotes in Nebraska. Ecol. Monogr. 25 1955: 1-37 33 figs.
- 495.—Fiedler, W. Über einige Fälle von Markierungsverhalten bei Säugetieren. Rev. suisse Zool. 62 1955: 230–240 5 figs.

Filloux, J.-C. see Bouillault.

496.—Filogamo, G. Correlazione tra spessore delle fibre nervose mieliniche ed ampiezza del campo di innervazione nelle radici spinali del pipistrello (*Rinolophus ferrum equinum*). Monit. zool. ital. 63 1955: 42–47 5 figs.

- 497.—Findley, J. S. Taxonomy and distribution of some American shrews. Publ. Mus. nat. Hist. Univ. Kansas 7 1955: 613-618.
- 498.—Findley, J. S. Speciation of the wandering shrew. Pub. Mus. Nat. Hist. Univ. Kansas 9 1955: 1-68 18 figs.
- 499.—Findley, J. S. and Van Gelder, R. G. Short-tailed shrew in South Dakota. J. Mammal. 36 1955: 452.
- 500.—Fitch, H. S. and Packard, R. L. The coyote on a natural area in northeastern Kansas. Trans. Kansas Acad. Sci. 58 1955: 211–221.
- 501.—[Flerov, K. K.] [Morphology and ecology of cervines in the process of evolution.] Mat. Quatern. Period U.S.S.R., Acad. Sci. U.S.S.R., Part 2, 1950: 50-69 2 pls. [In Russian.]

Florschutz, F. see Vlerk.

- 502.—Foenander, E. C. Mammal notes from Pahang. Malay. Nat. J. 10 1955: 83-85.
- 503.—Foglia, V. G. and Penhos, J. C. Hormones de l'hypophyse de *Balaeno-ptera physalis* L. C.R. Soc. Biol., Paris 148 1955: 2120–2122.

Fohrman, M. H. see Schein.

- 504.—[Fokanov, V. A.] [Mammals of the southern part of the river Ural valley.] Trav. Inst. zool. Acad. Sci. U.R.S.S. 16 1954: 117-136 11 figs. [In Russian.]
- 505.—Fooks, H. A. Coalesced roe heads. Field 205 1955: 536 photo.

Formisano, V. R. see Montagna.

- 506.—Forssberg, A. and Sarajas, H. S. S. Studies on the metabolism and ¹⁴C-labelled glucose in awake and hibernating hedgehogs. Ann. Acad. Sci. fenn. 4A 28 1955: 1–8 3 figs.
- 507.—Fournier, P. Vues nouvelles sur l'ossification et la physiologie des glucides. Nature, Paris No. 3238 1955 : 66-71 11 figs.
- **508.—Fowle,** C. D. and **Edwards,** R. Y. An unusual abundance of short-tailed shrews, *Blarina brevicauda*. J. Mammal. **36** 1955: 36–41.

Frade, F. see Grassé.

509.—Franciscolo, M. E. Fauna cavernicola del Savonese. Ann. Mus. Stor. nat. Genova 67 1955: 1–223. [Mammals 171–174.]

510.—Fraser, A. S. and Nay, T. Growth of the mouse coat. IV. Comparison of naked and normal mice. Aust. J. biol. Sci. 8 1955: 420-427 4 figs.

Fraser, A. S. see Nay.

- 511.—Fraser, F. C. The Southern Right Whale Dolphin, *Lissodelphis* peroni (Lacepède). External characters and distribution. Bull. Brit. Mus. (nat. Hist.) Zool. 2 1955: 339-346 l pl. l fig.
- 512.—Fraser, F. C. A skull of *Mesoplodon gervaisi* (Deslongchamps) from Trinidad, West Indies. Ann. Mag. nat. Hist. (12) 8 1955: 624-630 3 pls.
- 513.—Fraser, F. C. The dolphin family. Zoo Life 10 1955: 74-78 3 figs.
- 514.—Fraser, F. C. and Purves, P. E. The 'blow' of whales. Nature, Lond. 176 1955: 1221-1222.
- 515.—Frazer, A. C. Mechanism of intestinal absorption of fat. Nature, Lond. 175 1955: 491-493.
- 516.—Frazer, J. F. D. Foetal death in the rat. J. Embryol. exp. Morph. 3 1955: 13-29 2 figs.
- 517.—Frechkop, S. Compte rendu du baguage des chéiroptères en Belgique (de 1939 à 1952 inclus.). Brussels (Inst. Roy. Sci. Nat. Belg.) 1955: 1–20 tables.
- 518.—Frechkop, S. Notes sur les mammifères. XLI. La mue de l'Hermine et le dessin du pelage chez les Mustélidés. Bull. Mus. Hist. nat. Belg. 30 30 1954: 1–14 2 figs.
- 519.—Frechkop, S. Notes sur les Mammifères. XLII. La forme du crâne et l'allure du Gérénuk. Bull. Mus. Hist. Nat. Belg. 31 59 1955: 1-11 6 figs.
- 520.—Frechkop, S. Notes sur les Mammifères. XLIII. De quelques Mammifères des Pyrénées Orientales. Bull. Must. Hist. Nat. Belg. 31 70 1955: 1–15 1 fig.
- 521.—Frechkop, S. Le principe structural du coeur de l'homme et d'autres mammifères. Bull. Mus. Hist. Nat. Belg. 31 75 1955: 1-15 7 figs.

Frechkop, S. see Grassé.

Frechkop, S. see Witte.

522.—Freedman, L. The status of *Papio rhodesiae* (Haagner) 1918. Ann. Transv. Mus. 22 1955; 267–270 l pl.

- 523.—French, M. H. Cattle breeding problems in Uganda. Uganda J. 19 1955: 73-84 2 figs.
- 524.—Freyberg, B. v. Die Pikermifauna von Tour la Reine (Attika). Ann. Geol. Pays Hellen. (1) 3 1951: 7-10.
- 525.—Freye, H.-A. Prof. Dr. Ludwig Freund,† 1878–1953. Z. Säugetierk. 20 1955: 180–182.

Freye, H. A. see Eble.

- 526.—Friant, M. Le developpement du cerveau chez un singe, le semnopitheque (Semnopithecus priamus Blyth), et les caracteristiques du developpement cerebral des Semnopithecidae. Ann. Soc. zool. Belg. 84 1953: 39–59 6 figs.
- 527.—Friant, M. Le cerveau des Suidae du nouveau monde. (Dicotylinae). Ann. Soc. zool. Belg. 84 1953: 294–300 4 figs.
- 528.—Friant, M. Sur le Sulcus lunatus ou "Sillon simien" du cerveau des Lémuriens, des Singes et de l'Homme. C.R. Acad. Sci. Paris 240 1955: 351– 353 figs.
- 529.—Friant, M. Les caractéristiques fondamentals du cerveau des Rongeurs (Rodentia). C.R. Acad. Sci. Paris 240 1955: 1266–1268 3 figs.
- 530.—Friant, M. A propos de la formule incisive des Rongeurs. C.R. Acad. Sci. Paris 240 1955: 2438-2440.
- 531.—Friant, M. Du chien néolithique de Bundso (Danemark) au chien des Vikings et au chien des Incas. Vjschr. naturf. Ges. Zürich 100 1955: 202–206 2 figs.
- 532.—Friant, M. Les premiers stades de développement des fosses nasales et de la bouche chez le lapin (*Oryctolagus cuniculus* L.). Le bec-de-lièvre d'un foetus de lapin. Vjschr. naturf. Ges. Zürich 100 1955: 206–211 11 figs.
- 533.—Friant, M. Le cerveau du Baleinoptère (*Balaenoptera* sp.). Acta Anat. 23 1955: 242-250 6 figs.
- 534.—Friant, M. A propos des mammifères d'Europe à l'époque secondaire. Cahiers Geol. 31 1955 : 319.
- 535.—Frick, H. and Heckmann, U. Ein Beitrag zur Morphogenese des Kaninchenschädels. Acta anat. 24 1955: 268-314 15 figs.

- 536.—Friedmann, H. The honey guides. Bull. U.S. nat. Mus. No. 208 1955: 1–292 25 pls. [Mammalian symbionts pp. 41–50.]
- 537.—Fries, C., Jr., Hibbard, C. W. and Dunkle, D. H. Early cenozoic vertebrates in the red conglomerate at Guanajuato, Mexico. Smithson. Misc. Coll. 123 7 1955: 1–25 1 pl. 6 figs.

Frisch, O. v. see Kahmann.

- 538.—Fritsche, K. Wildkatze bei Bremerhaven. Z. Säugetierk. 20 1955: 183.
- 539.—Frühling, A. Über das "Harnspritzen" und ähnliche Verhaltensweisen beim Meerschweinchen, Cavia porcellus Linné, 1758. Säugetierk. Mitt. 3 1955: 168–170.
- 540.—Frühling, A. Beobachtungen über den Ohrmuschelreflex (Preyer-Reflex) beim Meerschweinchen. Zool. Anz. 1955: 318–320.
- **541.—Fry**, W. J. and others. Ultrasonic lesions in the mammalian central nervous system. Science **122** 1955: 517–518 2 figs.

Fuhrman, F. A. see Martin.

Fujinaga, M. see Taylor.

542.—Fujino, K. On the body weight of the Sei Whales located in the adjacent waters of Japan (II). Sci. Rep. Whales Res. Inst. Tokyo No. 10 1955: 133–141 4 figs.

Fujino, K. see Omura.

- **543.—Fujiwara**, E. A record of *Rattus n. otomoi* from Mt. Myoko in Hokuriku. Trans. Mammal. Soc. Japan 8 1954: 67–68. [N.V.]
- 544.—Fujiwara, E. On the reaction of Mogera wogura wogura to metallic materials in the underground life. Trans. Mammal. Soc. Japan 9 1954: 78-79 figs. [N.V.].
- 545.—Fuller, W. A. and Novakowski, N. S. Wolf control operations, Wood Buffalo National Park 1951-52. Wildl. Mgmt. Bull. Can. (1) No. 11 1955: 1-20 8 figs.
- 546.—[Gabuniya, L. K.] [On mammalian remains from Tertiary deposits of lignite region.] Soobsch. Akad. Nauk. Gruiz S.S.R. 12 1951: 139–141. [N.V.]

- 547.—[Gabuniya, L. K.] [On remains of Chalicotheres from Tertiary deposits of Georgia.] Soobsch. Akad. Nauk. Gruiz S.S.R. 12 1951: 279–284. [N.V.]
- 548.—[Gabuniya, L. K.] [On the remains of a new species of *Dicrocerus* from the Meotic deposits of eastern Georgia.] C.R. Acad. Sci. URSS 100 1955: 359–360. [In Russian.]
- 549.—[Gabuniya, L. K.] [On the remains of *Hipparion* found in the Kisatib diatomites.] C.R. Acad. Sci. URSS 102 1955: 997–998 fig. [In Russian.]
- 550.—[Gabuniya, L. K.] [New representative of Suidae from Mid-Miocene of Belomechetskaya (Northern Caucasus).] C.R. Acad. Sci. URSS 102 1955: 1203–1206 pl. [In Russian.]
- 551.—Gaffrey, G. Zur Biologie der Hausratte, *Rattus rattus* L. Z. Säugetierk. 20 1955: 183.
- 552.—Gaffrey, G. Über die deutschsprachige Nomenklatur der Säugetiere, insbesondere der deutschen. Abh. Mus. Tierk. Dresden 22 1955: 185–205.
- 553.—Galbreath, E. C. Growth and development of teeth in the muskrat. Trans. Kans. Acad. Sci. 57 1954: 238–241 1 fig.
- 554.—[Gambaryan, P. P.] [Biomechanics in rodent jumping.] Zool. Zh. 34 1955: 621–630 6 figs. [In Russian.]
- 555.—Garg, B. L. Significance of the orbitotemporal region in the skulls of the small bats of Ajmer. Curr. Sci. 24 1955: 55-56 2 figs.

Gashwiler, J. S. see Robinette.

Gates, A. see Runner.

- 556.—Gatineau, M. Variation de la forme du bord postérieur du palatin chez Clethrionomys glareolus. Mammalia, Paris 19 1955: 482–490 5 figs.
- **557.**—**Gaunt**, W. A. The development of the molar pattern of the mouse (*Mus musculus*). Acta anat. **24** 1955: 249–268 21 figs.
- 558.—Gavan, J. A. (Ed.). The non-human primates and human evolution. (In memory of Earnest Albert Hooton 1887–1954). Detroit (Wayne University Press) 1955: pp. 134, ill.

- 559.—Gazder, P. J. The genetic history of the Arabian horse in the United States. J. Hered. 45 1954: 95-98.
- 560.—Gazin, C. L. A review of the Upper Eocene Artiodactyla of North America. Smithson, misc, Coll. 128 1955: 1-96 18 pls.
- **561.—Geddes,** H. Gorilla. London (Melrose) 1955: xvii + 206 45 figs.
- **562.**—Gee, E. P. The brow-antiered deer (*Cervus eldi* Macclelland). J. Bombay nat. Hist. Soc. **52** 1955: 917–919 1 pl.
- 563.—Gee, E. P. The Indian elephant (E. maximus): early growth gradient and intervals between calving. J. Bombay nat. Hist. Soc. 53 1955: 125-128 4 pls.
- **564.**—**Geigy,** R. Observations sur les Phachochères du Tanganyika. Rev. Suisse Zool. **62** (Suppl.) 1955: 139–163 11 pls.
- 565.—[Geptner, V. G.] [On the nomenclature of the wood mice (Apodemus "flavicollis"-sylvaticus; Mammalia, Muridae).] C.R. Acad. Sci. URSS 60 1948: 177-178.
- 566.—[Geptner, V. G.] [Systematic interrelationship of some African and Asiatic Gerbillidae, Mammalia, Glires.] C.R. Acad. Sci. URSS 63 1948: 329–332. [In Russian.]
- 567.—[Geptner, V. G.] [Notes on gerbils (Gerbillidae, Glires). XIV. New contributions on distribution and geographical variation of the Mongolian gerbil (*Pallasiomys unguiculatus* M.-E.).] Bull. Soc. Nat. Hist. Moscow, Biol. 54 1949: 27-29.
- 568.—[Geptner, V. G., Morozova-Turova, L. G. and Tzalkin, V. I.] [Harmful and useful animals of the protecting-plantation regions.] Moscow University, 1950, pp. 1–452, 147 figs.
- 569.—[Geptner, V. G.] [Note on tarpan.] Zool. Zh. 34 1955 : 1404-1423 3 figs. [In Russian.]
- 570.—Gerber, R. Zur Fortpflanzungsbiologie der Gelbhalsmaus, Apodemus fl. flavicollis (Melchior 1834). Säugetierk. Mitt. 3 1955: 30.
- 571.—Gessner, J. Die Arteria hepatica dextra beim Schimpansen. Anat. Anz. 102 1955: 77–85 2 figs.

572.—Geurden, L. M. G. Les facteurs physio-pathologiques influencant l'acclimatation de l'Okapi. Bull. Soc. zool. Anvers No. 3 1953: 1-21 3 pls.

[1955]

- Giban, J. see Dorst.
- 573.—Gibbs, R. H. Vocal sound produced by the kangaroo rat, *Dipodomys spectabilis*. J. Mammal. 36 1955: 463.
 - Gieseler, W. see Vallois.
- 574.—Gillham, M. E. Some effects of the larger animals on the flora of Lundy. Rep. Devons. Ass. 87 1955: 205-229 4 figs.
- 575.—Ginsburg, L. De la subdivision du genre *Hemicyon* Lartet (Carnassier du Miocène). Bull. Soc. Geol. France (6) 5 1955: 85–97 6 figs.
- 576.—Gilbert, C. and Heuser, C. H. Studies in the development of the baboon (*Papio ursinus*). A description of two presomite and two late somite stage embryos. Contr. Embryol. Carneg. Instn. 35 1954: 11-54 11 pls. 3 figs.
 - Giles, J. K. see Archdeacon.
- 577.—Gill, E. D. The problem of extinction, with special reference to Australian marsupials. Evolution 9 1955: 87–92.
- 578.—Gill, E. D. The range and extinction of *Diprotodon minor* Huxley. Proc. roy. Soc. Vict. N.S. 67 1955: 225–228 2 figs.
 - Gill, E. D. see Vallois.
- 579.—Gillespie, A. S. On the "Irish" elk (Megaceros giganteus). Sch. Nat. Study 50 1955: 72-74 1 pl.
- 580.—Gillham, M. E. Some possible consequences if rabbits should be exterminated by myxomatosis on Skokholm Island, Pembrokeshire. Northw. Nat. N.S. 3 1955: 30-34.
- 581.—[Gintzburg, G. I.] [Regeneration of bones in the skull of Mammals. Trud. Inst. Morf. Zhiv. 11 1954: 158–174 11 figs. [In Russian.]
 - Gjulic, B. see Skreb.
- 582.—Glaessner, M. F. Pelagic fossils (Aturia, Penguins, Whales) from the Tertiary of South Australia. Rec. S. Austr. Mus. 11 1955: 353-372 3 pls. 7 figs.

- 583.—Glass, B. P. New records for bats in Oklahoma. J. Mammal. 36 1955: 128.
- 584.—Glover, R. The plight of the Chinese Sikas. Oryx 3 1955: 19-24 1 pl. map.
- **585.—Glover,** R. Sika Deer at Woburn. Ctry. Life, Lond. **117** 1955: 1376.
- 586.—Głuchowski, W. Studies on fertility factors in Nutria. Part I. Preliminary experiments on vaginal cycles. Ann. Univ. M. Curie-Skłodowski, Sect. E 9 1954: 41–48 6 pls. [Polish with English summary.]
- 587.—Gluecksohn-Waelsch, S. and Kamell, S. A. Physiological investigations of a mutation in mice with pleiotropic effects. Physiol. Zoöl. 28 1955: 68-73.
- 588.—Godfrey, G. K. Tracing field voles (*Microtus agrestis*) with a Geiger-Müller counter. Ecology 35 1954: 5-10 7 figs.
- **589.**—**Godfrey**, G. K. A field study of the activity of the mole (*Talpa europaea*). Ecology **36** 1955 : 678–685 6 figs.
- **590.**—**Godfrey**, G. K. Observations on the nature of the decline in numbers of two *Microtus* populations. J. Mammal. **36** 1955: 209-214.
- **591.**—**Godfrey,** G. K. Radioactive tagging of small mammals. Discovery **16** 1955: 320–322 1 fig.
- 592.—[Godina, A. Y.] [New fossil giraffe from Mongolia.] Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 47 1954 (Tertiary Mammals, pt. 2): 172–180 1 pl. 1 fig.
- **593.**—Goehring, H. H. Observations on hoary bats in a storm. J. Mammal. **36** 1955: 130–131.
- **594.**—**Goethe**, F. Die Säugetiere des Teutoburger Waldes und das Lipperlandes. Abh. Landesmus. Westf. **17** 1955: 1–195 26 figs.
- 595.—Goodall, A. M. Arterio-venous anastomoses in the skin of the head and ears of the calf. J. Anat., Lond. 89 1955: 100–105 2 pls. 1 fig.
- 596.—Goodwin, G. G. Three new cotton rats from Tehuantepec, Mexico. Amer. Mus. Novit. No. 1705 1955: 1-5.

- 597.—Goodwin, G. G. Two new whitefooted mice from Oaxaca, Mexico. Amer. Mus. Novit. No. 1732 1955: 1-5.
- **598.**—**Goodwin**, G. G. New tree-climbing rats from Mexico and Colombia. Amer. Mus. Novit. No. 1738 1955: 1–5.
- 599.—Goodwin, G. G. Mammals from Guatemala, with the description of a new little brown bat. Amer. Mus. Novit. No. 1744 1955: 1-5.
- 600.—Goodwins, I. R. and Vincent, M. A. C. Further data on linkage between short-ear and Maltese dilution in the house-mouse. Heredity 9 1955: 413–414.
- 601.—Gopalakrishna, A. Embryology of *Taphozous longimanus* (Hardwicke), Proc. Indian sci. Congr. 38th 3 [1952]: 233.
- 602.—Gopalakrishna, A. Observations on the breeding habits and ovarian cycle in the Indian sheath-tailed bat, *Taphozous longimanus* (Hardwicke). Proc. Nat. Inst. Sci. India 21B 1955: 29-41 2 pls.
- 603.—[Gorbunov, V. M.] [Structure and function of milk gland in cow.] Adv. mod. Biol. Moscow 39 1955: 95–110. [In Russian.]
 - Gorer, P. A. see Amos.
 - Gorski, T. W. see Musacchia.
 - Gorski, T. W. see Wilber.
- 604.—Goslin, R. M. Animal remains from Ohio rock shelters. Ohio J. Sci. 55 1955: 358–362.
- 605.—Gough, H. C. Grazing of winter corn by the rabbit (*Oryctolagus cuniculus* (L.)). Ann. appl. Biol. 43 1955: 720-734 2 figs.
- 606.—Gould, E. The feeding efficiency of insectivorous bats. J. Mammal. 36 1955: 399-407.
- 607.—Gowers, W. Measuring African elephants. Uganda J. 18 1954: 181-182.
 - Graham, M. A. see Prince.
- 608.—Grasse, J. E. and Putnam, E. F. Beaver management and ecology in Wyoming. Bull. Wyoming Game & Fish Comm. No. 6 2nd ed. 1955: 1-75 50 figs.
- 609.—Grassé, P.-P. (Ed.) and others. Traité de Zoologie. Anatomie, Systématique, Biologie. Tome 17, Mammiferes, Paris (Masson & Cie.), 1955. Fasc. 1.

- pp. 1–1170, 1094 figs. Introd., Monotremata, Marsupialia, Creodonta, Fissipeda, Pinnipeda, Cetacea, Condylarthra, Litopterna, Notoungulata, Astrapotheria, Artiodactyla, Tubulidentata, Proboscidea, Hyracoidea, Embrithopoda, Pantodonta, Dinocerata, Pyrotheria, Xenungulata, Sirenia, Perissodactyla. Fasc. 2, pp. 1171–2300, 912 figs. 4 col. pls. Taeniodonta, Tillodontia, Edentata, Pholidota, Lagomorpha, Rodentia, Insectivora, Dermoptera, Chiroptera, Primates.
- 610.—Gray, D. S. Mammals: Bats. Rep. Oundle Sch. nat. Hist. Soc. 1954 [1955]: 5.
- 611.—Green, E. L. The genetics of a new deficiency, furless, in the house mouse. J. Hered. 45 3 1954: 115-118.
- 612.—Green, M. A cynarctine from the Upper Oligocene of South Dakota. Trans. Kansas Acad. Sci. 57 1954: 218-220 1 fig.
- 613.—Green, M. C. Luxoid—a new hereditary leg and foot abnormality in the house mouse. J. Hered. 46 1955: 91-99 5 figs.
- **614.—Green,** P. R. A Stoat goes fishing. Field **206** 1955: 512.

Greenway, J. C. see Howland.

- 615.—Greer, K. R. Yearly food habits of the river otter in the Thompson Lakes region, Northwestern Montana, as indicated by scat analyses. Amer. Midl. Nat. 54 1955: 299-313 3 figs.
- 616.—Griffen, A. B. A late pachytene chromosome map of the male mouse. J. Morph. 96 1955: 123-141 32 figs.
- 617.—Griffin, D. R. and Novick, A. Acoustic orientation of neotropical bats. J. exp. Zool. 130 1955: 251-299 11 figs.
- 618.—Grimes, J. E., Eads, R. B. and Irons, J. V. An additional species of insectivorous bat naturally infected with rabies. Amer. J. trop. Med. Hyg. 4 1955: 554-556 l pl.
- 619.—Grimm, W. C. Condylura cristata from the coastal plain of South Carolina. J. Mammal. 36 1955: 288.
- 620.—Grizzell, R. A., Jr. A study of the southern woodchuck, *Marmota monax monax*. Amer. Midl. Nat. 53 1955: 257–293 9 figs.

Gromier, E. see Edmond-Blanc.

- 621.—[Gromov, I. M. and Vorobyev, B. L.] [Pitymys majori in the highlands of the western part of the main Caucasian ridge.] Trav. Inst. Zool. Acad. Sci. URSS 17 1955: 135-159 4 figs. [In Russian.]
- 622.—[Gromova, V.] [Osteological differences between the species Capra (goats) and Ovis (sheep). Manual for the identification of fossil remains.] Trud. Kom. Izuch. Chetv. Per. Moskva 10 1 1953: 1–121 figs.
- 623.—[Gromova, V.] [Marsh rhinoceroses (Amynodontidae) from Mongolia.] Trav. Inst. Paleont. Acad. Sci. USSR 55 1954 (Tertiary Mammals pt. 3): 85–189 10 pls. 28 figs.
- 624.—Gromova, V. Le genre Equus. Translation into French by Saint-Aubin, P. de, of Gromova, 1949, Histoire des Chevaux (genre Equus) de l'ancien monde. Trav. Inst. Paleont. Acad. Sci. URSS 17 1: 1-373. Ann. Cent. Etud. Docum. Paleont. Paris 13 1955: 1-203 (tables, pls. figs. separately).
- 625.—Grüneberg, H. Developmental genetics in the mouse. Caryologia 6 Suppl. 1954: 382-389.
- 626.—Grüneberg, H. Heterosis and variability in the mouse. Proc. roy. Soc. 144B 1955: 220-221.
- 627.—Gruneberg, H. Genetical studies on the skeleton of the mouse. XV. Relations between major and minor variants. pp. 515-533. XVI. Tail-kinks. pp. 536-550 6 pls. 9 figs. XVII. Bentail. pp. 551-562 4 figs. J. Genet. 53 1955.

Gruneberg, H. see Deol.

- 628.—Grzimek, B. Abweichende Färbung bei einem Flachlandgorilla, Gorilla g. gorilla (Wyman, 1847). Säugetierk. Mitt. 3 1955: 34.
- 629.—Grzimek, B. Fliegenmaden als Ursache von Hautbeulen bei Schimpansen. Zool. Gart., Lpz. 21 1955: 192.
- 630.—Guenther, E. W. Diluviale Grossäuger aus Schleswig-Holstein und ihre zeitliche Einordnung. Schr. naturw. Ver. Schl.-Holst. 27 2 1955: 99–112 1 fig.
- 631.—Guiguet, C. J. A record of Baird's Dolphin (*Delphinus bairdii* Dall) in British Columbia. Canad. Fld Nat. 68 1954: 136 1 fig.

- 632.—Guiguet, C. J. Undescribed mammals (*Peromyscus* and *Microtus*) from the islands of British Columbia. Rep. Prov. Mus. Victoria, B.C. 1954 1955: 65–76 8 figs.
- 633.—Guillery, R. W. A quantitative study of the mamillary bodies and their connexions. J. Anat., Lond. 89 1955: 19-32 1 pl. 5 figs.

Guimaraes, L. R. see Vanzolini.

Guislain, R. see Heim de Balsac.

- 634.—Gunderson, H. L. Nutria, Myocastor coypus, in Minnesota. J. Mammal. 36 1955: 465.
- 635.—Gunderson, H. L., Breckenridge, W. J. and Jarosz, J. A. Mammal observations at Lower Back River, Northwest Territories, Canada. J. Mammal. 36 1955: 254-259.
- **636.**—**Gunter**, G. Mammals of the Gulf of Mexico. Fish. Bull. U.S. **55** 1954: 543–551.
- 637.—Gunter, G. Blainville's beaked whale, *Mesoplodon densirostris*, on the Texas coast. J. Mammal. 36 1955: 573-574.
- 638.—Gunter, G., Hubbs, C. L. and Beal, M. A. Records of Kogia breviceps Texas, with remarks on movements and distribution. J. Mammal. 36 1955: 263-270 2 pls.
- 639.—Gurney, S. M. Shortage of Grey Squirrels. Ctry. Life, Lond. 117 1955: 988.

Gurri, J. see Talice.

- 640.—[Gusev, V. M.] [Reproduction of *Mustela altaica* in the IIa delta.] Bull. Soc. Nat. Moscow Biol. 60 1955: 13–20 fig. [In Russian.]
- **641.**—**Haagen**, G. and **Arnold**, J. Zur Überwinterung von *Pipistrellus p. pipistrellus* (Schreber, 1774). Säugetierk. Mitt. **3** 1955: 122.
- 642.—Hadek, R. A study of the round pigment cells in the uterus of the ewe. Quart. J. micr. Sci. 96 1955: 489-493 1 pl.
- 643.—Hadek, R. The secretory process in the sheep's oviduct. Anat. Rec. 121 1955: 187-205 13 figs.

Hadfield, G. J. see Sissons.

Hadlow, W. J. see Bell.

- **644.**—**Hafez**, E. S. E. Puberty in the buffalo-cow. J. agric. Sci. **46** 1955: 137–142 1 fig.
- 645.—Hafez, E. S. E., Badreldin, A. L. and Darwish, Y. H. Seasonal variations in semen characteristics of sheep in the subtropics. J. agric. Sci. 45 1955: 283-292 1 fig.
- 646.—Hafez, E. S. E., Badreldin, A. L. and Shafei, M. M. Skin structure of Egyptian buffaloes and cattle with particular reference to sweat glands. J. agric. Sci. 46 1955: 19-29 1 pl. 8 figs.
- 647.—Hagen, B. Eine neue Methode der Altersbestimmung von Kleinsäugern. (Durchgeführt an *Microtus arvalis*). Bonn. zool. Beitr. 6 1955: 1-72 figs.
- **648.**—**Hainard**, R. Le campagnol des neiges *Microtus nivalis* Martens. Bull. murith. No. 71 1954: 62-64.
- 649.—Haines, R. W. The anatomy of the hand of certain insectivores. Proc. Zool. Soc. Lond. 125 1955: 761-777 16 figs.
- 650.—Haldane, J. B. S. Origin of man. Nature, Lond. 176 1955: 169–170.
- 651.—Hall, E. R. Nuevos murcielagos para la fauna mexicana. Acta Zool., Mex. 1 3 1955: 1–2.
- 652.—Hall, E. R. A new subspecies of wood rat from Nayarit, Mexico, with new name—combinations for the *Neotoma mexicana* group. J. Wash. Acad. Sci. 45 1955: 328–332 map.
- 653.—Hall, E. R. Handbook of mammals of Kansas. Misc. Pub. Univ. Kansas Mus. Nat. Hist. 7, 1955: 1–303 99 figs.
- 654.—Halley, G. The placodal relations of the neural crest in the domestic cat. J. Anat., Lond. 89 1955; 133–152 2 pls. 13 figs.
- 655.—Halliday, R. The absorption of antibodies from immune sera by the gut of the young rat. Proc. roy. Soc. 143B 1955: 408–413.
- 656.—Halliday, R. Prenatal and postnatal transmission of passive immunity to young rats. Proc. roy. Soc. 144B 1955: 427-430.
- 657.—Halpern, M. H. Blood supply to the atrioventricular system of the dog. Anat. Rec. 121 1955: 753-762 3 figs.

- 658.—Hamer, D. Biochemical variations in inbred mice. Nature, Lond. 175 1955; 1132–1133.
- 659.—Hamilton, W. J., Jr. Mammalogy in North America. A Century of Progress in the Natural Sciences 1853–1953. San Francisco, 1955: 661–688 2 figs.
- 660.—Hamilton, W. J., Jr. Coprophagy in the swamp rabbit. J. Mammal. 36 1955: 303–304.
- 661.—Hamilton, W. J., Jr. A new subspecies of *Blarina brevicauda* from Florida. Proc. biol. Soc. Wash. 68 1955: 37–40.
- 662.—Hamilton, W. J., Jr. Two new rice rats (genus *Oryzomys*) from Florida. Proc. biol. Soc. Wash. 68 1955: 83–86.
- 663.—Hamilton, W. J., Jr. and W. J., III. The food of some small mammals from the Gaspe Peninsula, P.Q. Canad. Fld Nat. 68 1954: 108–109.

Hammond, L. E. see Bentley.

664.—Hancock, J. L. and Shaw, I. G. A new difference between live and dead spermatozoa. Nature, Lond. 176 1955: 260.

Handler, P. see White.

- 665.—Handley, C. O. Nomenclature of some Tertiary Chiroptera. J. Mammal. 36 1955: 128-130.
- 666.—Handley, C. O. A new species of Free-tailed bat (genus *Eumops*) from Brazil. Proc. biol. Soc. Wash. 68 1955: 177–178.
- 667.—Handley, C. O. A new Pleistocene bat (Corynorhinus) from Mexico. J. Wash. Acad. Sci. 45 1955: 48-49.
- 668.—Handley, C. O. New bats of the genus *Corynorhinus*. J. Wash. Acad. Sci. 45 1955: 147-149.
- 669.—Hansen, R. M. Two new subspecies of antelope ground squirrels from Utah. J. Mammal. 36 1955: 273–277.

Hansen, R. M. see Durrant.

670.—Hanström, B. Nyare uppgifter om björkmusens (Sicista betulina) utbredning i Bergslagen. Fauna och Flora No. 4–5 1955: 128–138 8 figs. [English summary.]

- 671.—Hanström, B. Further studies on the hypophysis and on the hypothalamic neurosecretory tracts in the Monotremata. Acta Univ. lund. N.F. Avd. 2 50 5 1955: 1–13 11 figs.
- 672.—Hanzák, J. Kotázce výskytu hraboše severniho, *Microtus oeconomus méhelyi* Éhik v Československa. Čas. nár. Mus. 123 1954: 164–167. [German summary.]

Haque, A. see Darlington.

- 673.—Harde, K. W. Die Organproportionierung bei zwei Mäuse-Zuchtstämmen mit sehr verschiedener Körpergrosse. Zool. Jb. (Allg. Zool.) 65 1955: 439–458 13 figs.
- 674.—Harde, K. W. Quantitative Differenzen cytoarchitekonischer Einheiten im Grosshirn indischer Sciuriden-Arten von stark unterschiedener Körpergrosse. Zool. Jb. (Allg. Zool.) 66 1955: 179–197.

Harde, K. W. see Rensch.

- 675.—Hardy, G. A. The natural history of the Forbidden Plateau area Vancouver Island, British Columbia. Rep. Prov. Mus. Victoria, B.C. 1954 1955: 24-64 figs., maps.
- 676.—Hare, W. C. D. The bronchopulmonary segments in the sheep. J. Anat., Lond. 89 1955: 387-402 1 pl. 6 figs.

Harker, K. W. see Rollinson.

Harker, K. W. see Taylor.

- 677.—Harper, F. The Barren Ground Caribou of Keewatin. Misc. Pub. Univ. Kansas Mus. Nat. Hist. 6 1955: 1-16428 figs. map.
- 678.—Harrison, D. L. On a collection of mammals from Oman, Arabia, with the description of two new bats. Ann. Mag. nat. Hist. (12) 8 1955: 897–910 2 pls. 2 figs.
- 679.—Harrison, J. L. Malayan squirrels (including tree-shrews and the flying lemur). Pop. Pamphlet Mus. Dept. Fed. Malaya, No. 7 1954: 1–22 17 figs.
- 680.—Harrison, J. L. The primates of British Malaysia, pp. 10, typescript, Kuala Lumpur, 1954 (Med. Circ. Inst. Med. Res. No. 32).

- 681.—Harrison, J. L. Data on the reproduction of some Malayan mammals. Proc. Zool. Soc. Lond. 125 1955: 445–460 3 figs.
- 682.—Harrison, R. G. and Asling, C. W. The anatomy and functional significance of the vascularization of the adrenal gland in the rhesus monkey (*Macaca mulatta*). J. Anat., Lond. 89 1955: 106–113 l pl. 4 figs.
- 683.—Harrison, R. J. Adaptations in diving mammals. Sci. News No. 35 1955: 74–90 9 pls. 2 figs.
- 684.—Harrisson, T. Borneo fauna anxieties. Oryx 3 1955: 134-137.
- **685.—Harrisson,** T. Maias v. Man. Sarawak Mus. J. **6** 1955 : 600–632 4 pls.
- 686.—Hausman, S. A. A venous anomaly in the domestic cat. Anat. Rec. 121 1955: 109-112 3 figs.
- 687.—Havekost, H. Biskerige Ergebnisse der Fledermausforschung im Oldenburger Land. Beitr. Naturk. niedersachs. 8 1955: 98–102.
- **688.—Hawbecker**, A. C. Occurrence of *Peromyscus*. J. Mammal. **36** 1955: 569-571 1 fig.
- 689.—Hayes, K. J. and C. in Gavan, J. A. The cultural capacity of chimpanzee. 110-125 2 figs.
- 690.—Hayman, R. W. A new rodent from Uganda and Ruanda. Rev. Zool. Bot. Afr. 52 1955: 323–325.
- 691.—Hayman, R. W. Mammals of Sierra Leone. Zoo Life 10 1955: 2-6 7 figs.
- 692.—Hazelwood, A. Mammalia. (Yorkshire Naturalists' Union: 93rd Ann. Report). Naturalist, No. 852 1955: 13.
- 693.—Hazelwood, A. Status of mammals in the Bolton area as at July 1949. Rep. Lancs. Chesh. Fauna Comm. 30th [1955]: 18–19.
- 694.—Heberer, G. Die geographische Verbreitung der fossilen Hominiden (ausser Eusapiens) nach neuer Gruppierung). Naturwissenschaften 42 1955: 85–90 9 figs.

Heckmann, V. see Frick.

695.—**Hediger**, H. Mäuse im Zoo. Zool. Gart., Lpz. **22** 1955 : 76–85 10 figs.

- 696.—Heerdt, P. F. van and Sluiter, J. W. Longevity in bats. Natuurh. Maandbl. 44 1955: 35-36.
- 697.—Heim de Balsac, H. Caractères écologiques et répartitions inédits de quelques micromammifères dans le Sud-Est de la France. C.R. Acad. Sci. Paris 240 1955 : 238–240.
- 698.—Heim de Balsac, H. Notions nouvelles sur l'évolution des Soricidae (mammifères insectivores). C.R. Acad. Sci. Paris 241 1955: 1997-1998.
- 699.—Heim de Balsac, H. and Guislain, R. Evolution et spéciation des campagnols du genre *Arvicola* en territoire français. Mammalia, Paris 19 1955: 367–390 6 figs.

Heim de Balsac, H. see Grassé.

- 700.—Heintz, A. The mammoth teeth from Norway. Norsk. Geol. Tidskr. 34 1955: 73–104 2 pls. 7 figs.
- 701.—Heinzelin de Braucourt, J. de. Le fossé tectonique sous le parallèle d'Ishango. Explor. Parc nat. Albert de Braucourt No. 1 1955: 1-150 3 pls. figs.
- **702.**—**Heldt**, J.-H. Tursiops truncatus Montagu dans le Golfe de Tunis. Bull. Soc. Sci. nat. Tunis **6** 1954 : 61–62.
- 703.—Heller, F. Ein kleinerer Bär (*Ursus sackdillingensis* n. sp.) in der cromerischen Fauna der Sackdillinger-Höhle (Oberpfalz). N. Jb. Geol. Pal. Monatsh. 12 1955: 520-530 2 figs.
- 704.—Heller, F. Zur Diluvialfauna des Fuchsenloches bei Siegmannsbrunn, Ldkr. Pegnitz (die Funde der Gumpert'schen Grabungen). Geol. Blatt. N.O. Bayern 5 2 1955: 49–70 2 figs.
- 705.—Hemming, F. Proposed acceptance of the specific name australis Kerr, 1792, as published in the combination Canis australis as the name for the Falkland Islands Wolf. Bull. zool. Nom. 11 1955: 122–123.
- 706.—Hemming, F. Second report on the status of the generic names "Odobenus" Brisson, 1762, and "Rosmarus" Brünnich, 1771 (Class Mammalia) (A report prepared at the request of the Thirteenth International Congress of Zoology, Paris, 1948). Bull. zool. Nom. 11 1955: 196–198.
- 707.—Hennig, E. Quartärfaunen und Urgeschichte Ostafrikas. Naturwiss. Rdsch. Jahrg. 1 Hft. 5 1948: 212–217.

- 708.—Henschel, J. Stoffwechselversuche an Wildratten und Goldhamstern. Z. angew. Zool. 1954: 19-41 text illust.
- 709.—Henschel, J. Versuche über den Wasserhaushalt von Haus und Wanderratten. Z. angew. Zool. 1954: 243–259 9 figs.

Heppenstall, C. A. see Krutzsch.

Heptner, V. G. see Geptner.

- 710.—Herlant, M. Etude comparative sur l'activite genitale des Cheiropteres. Ann. Soc. zool. Belg. 84 1953: 87-116 8 figs.
- 711.—Hernández-Camacho, J. Una nueva especie Colombiana del genero Diclidurus (Mammalia: Chiroptera): Diclidurus ingens. Caldasia 7 1955: 87-98 2 pls.
- 712.—Herold, W. Zahnverschmelzung bei einer Gelbhalsmaus (*Apodemus flavicollis* Melch.). Z. Säugetierk. **20** 1955: 184–186.
- 713.—Herre, W. Das Ren als Haustier. Eine zoologische Monographie. Leipzig (Geest and Portig) 1955: 1–324 79 figs.
- 714.—Herre, W. and Röhrs, M. Über die Formenmannigfaltigkreit des Gehörns der *Caprini* Simpson 1945. Zool. Gart. Lpz. 22 1955: 85–110 29 figs.
- 715.—Herrtein, H. G., Coursen, G. B., Randall, R. and Slanetz, C. A. A handbook of laboratory animals. Nat. Acad. Sci., Nat. Res. Council, Washington, 1954. [N.V.]
- 716.—Hershkovitz, P. Notes on American monkeys of the genus *Cebus*, J. Mammal. 36 1955: 449–452.
- 717.—Hershkovitz, P. On the cheek pouches of the tropical American paca, *Agouti paca* (Linnaeus, 1766). Säugetierk. Mitt. 3 1955: 67-70 1 fig.
- 718.—Hershkovitz, P. South American marsh rats, genus *Holochilus*, with a summary of sigmodont rodents. Fieldiana, Zool. 37 1955: 639-687 13 pls. 5 figs.
- **719.**—**Hershkovitz**, P. Know your rabbits. Sports Afield, N.Y. **134** 6 1955: 36–41, 88.

- 720.—Hershkovitz, P. Status of the generic name Zorilla (Mammalia): nomenclature by rule or by caprice. Proc. Biol. Soc. Washington 68 1955: 185-192.
- 721.—Herter, K. and Lauterbach, G. Die Überwinterung syrischer Goldhamster (*Mesocricetus auratus* Waterh.) in Norddeutschland. Z. Säugetierk. 20 1955: 37-54 10 figs.
- 722.—Herter, K. and M. Über eine scheinträchtige Iltisfähe mit untergeschobenem Katzenjungen. Zool. Gart., Lpz. 22 1955: 33–46 13 figs.
- 723.—Hess, L. Try, try again. Nat. Hist., N.Y. 64 1955: 533-536 8 figs.
- 724.—Heuertz, M. Quelques observations morphologiques sur le crâne des rhinocérotidés. Arch. Inst. Gr.-Duc. Luxemb. N.S. 17 1947: 65-72 3 figs.
- 725.—Heuertz, M. Le gisement préhistorique no. 1 (Loschbour) de la vallée de l'Ernz-Noire (G. D. de Luxembourg). Arch. Inst. Gr.-Duc. Luxemb. N.S. 19 1950: 409-441 24 pls. 5 figs.

Heuser, C. H. see Gilbert.

- 726.—Heuvelmans, B. Sur la piste des bêtes ignorées. I. Indo-Malaisie, Oceanie: 1–376, 48 pls. 65 figs.; II. Amerique, Siberie, Afrique: 1–369 31 pls. 46 figs., Paris (Librairie Plon), 1955.
- 727.—Hewer, H. R. Notes on the marking of Atlantic Seals in Pembrokeshire. Proc. Zool, Soc. Lond. 125 1955: 87-93 6 figs.
- 728.—Hewett, H. P. Record heads. Ctry. Life, Lond. 118 1955: 733 1 fig.
- 729.—Hewson, R. The mountain hare in Scotland in 1951. Scot. Nat. 66 1954 [1955]: 70-88 4 figs.
 - Hey, R. W. see Bate.
- 730.—Hibbard, C. W. Pleistocene vertebrates from the Upper Becerra (Becerra Superior) formation, valley of Tequixquinac, Mexico, with notes on other Pleistocene forms. Contr. Mus. Paleont. Univ. Michigan 12 1955: 47–96 9 pls. 5 figs.
- 731.—Hibbard, C. W. Notes on the microtine rodents from the Port Kennedy cave deposit. Proc. Acad. Nat. Sci. Philad. 107 1955: 87-97 2 figs.

Hibbard, C. W. see Fries.

Hibbard, C. W. see Taylor.

732.—Hibben, F. C. Specimens from Sandia Cave and their possible significance. Science 122 1955: 688-689.

733.—Hickling, G., Jones, A. W. and Telfer, I. M. The grey seals of the Farne Islands—a report on investigations carried out in 1953 and 1954. Trans. nat. Hist. Soc. Northumb. N.S. 11 1955: 153-163.

734.—Hildebrand, M. Skeletal, differences between deer, sheep, and goats. Calif. Fish Game 41 1955: 327–346 9 figs.

735.—Hill, F. L. Notes on the natural history of the Monte Bello islands. Proc. Linn. Soc. Lond. 165 2 1955: 113–124 1 pl. 1 fig.

736.—Hill, J. P. and Hill, W. C. O. The growth-stages of the pouch-young of the Native Cat (*Dasyurus viverrinus*) together with observations on the anatomy of the new-born young. Trans. Zool. Soc. Lond. 28 1955: 349–452 13 pls. 3 figs.

737.—Hill, W. C. O. Primates in the Royal Scottish Museum. Part 2, Platyrrhini. Proc. R. phys. Soc. Edinb. 24 1955: 49-62 4 pls. 2 figs.

738.—Hill, W. C. O. Primates. Comparative anatomy and taxonomy. II. Haplorhini: Tarsioidea. A monograph. Edinburgh (Edinburgh University Press) 1955: xx + 374, 14 pls. 49 figs.

739.—Hill, W. C. O. A note on integumental colours with special reference to the genus *Mandrillus*. Säugetierk. Mitt. 3 1955: 145–151 3 figs.

740.—Hill, W. C. O. Report of the Society's Prosector for the year 1954. Proc. zool. Soc. Lond. 125 1955: 533-539.

Hill, W. C. O. see Hill, J. P.

741.—Hillemann, H. H. Organization, histology and circulatory pattern of the near-term placenta of the Guinea Baboon, *Papio cynocephalus*, Desmarest. Ore. St. Monogr. Zool. No. 9 1955: 1–47 13 pls.

742.—Hilton, W. A. Brain chorioid plexuses of mammals. Bull. S. Calif. Acad. Sci. 54 1955: 116–125 4 pls.

Hind, J. E. see Neff.

743.—Hinrichsen, K. Funktionsentwicklung des Paradontium beim Goldhamstermolaren. Acta anat. 23 1955: 161–180 13 figs.

744.—**Hislop**, J. A. Bertie—the sun bear. Nat. Hist., N.Y. **64** 1955 : 407–409 5 figs.

745.—Hitchcock, H. B. A summer colony of the Least bat, Myotis subulatus leibii (Audubon and Bachman). Canad. Fld Nat. 69 1955: 31.

Hjortsjo, C. H. see Vallois.

746.—Hock, R. J. Southwestern exotic felids. Amer. Midl. Nat. 53 1955: 324–328.

747.—Hoecker, G. and others. Agitans, a new mutation in the house mouse. J. Hered. 45 1954: 10-14 2 figs.

748.—Hoehne, L. and Rosenfeld, G. Estudos de hematologia comparada IV. Dados hematologicos de *Bradypus tridactylus* L. 1758 (Preguica). Mem. Inst. Butantan 26 1954: 75-77.

749.—Hoffman, A. C. Important contributions of the Orange Free State to our knowledge of primitive man. S. Afr. J. Sci. 51 1955: 163-168 2 figs.

750.—Hoffman, R. S. Merriam shrew in California. J. Mammal. 36 1955: 561.

751.—Hoffmann, R. S. A populationhigh for *Peromyscus maniculatus*. J. Mammal. 36 1955: 571–572.

752.—Hoffmeister, D. F. Descriptions of pocket gophers (*Thomomys bottae*) from northeastern Arizona. J. Wash. Acad. Sci. 45 1955: 126–128.

753.—Hoffmeister, D. F. Mammals new to Grand Canyon National Park, Arizona. Plateau 28 1955: 1-7 1 fig.

754.—Hoffmeister, D. F. and Krutzsch, P. H. A new subspecies of *Myotis evotis* (H. Allen) from southeastern Arizona and Mexico. Nat. Hist. Misc. Chicago 151 1955: 1-4.

755.—Hoffstetter, R. Les mammifères fossiles de l'Amerique du Sud et la biogéographie. Rev. gén. Sci. pur. appl. 61 1954 : 348–377 3 figs.

756.—Hoffstetter, R. Les gravigrades (Édentés Xénarthres) des cavernes de Lagoa Santa. (Minas Gerais, Brésil). Ann. Sci. nat. (Zool.) (11) 16 1955: 741-764 4 figs.

- 757.—Hoffstetter, R. Un Mégalonychidé (édenté gravidade) fossile de Saint-Domingue (Ile d'Haiti). Bull. Mus. Hist. nat. Paris (2) 27 1955 : 100–104 1 fig.
- 758.—Hoffstetter, R. Sur le génotype de Glyptodon Owen. Bull. Mus. Hist. nat., Paris 27 (2) 1955: 408-413 1 fig.

Hoffstetter, R. see Arambourg.

759.—Hoier, R. Gorille de Volcan. *Gorilla gorilla beringei* Matchie. Zooleo No. 30 1955: 8–12 figs.

Hoier, R. see Edmond-Blanc.

- 760.—Holling, C. S. The selection by certain small mammals of dead, parasitized, and healthy prepupae of the European pine sawfly, *Neodiprion sertifer* (Geoff). Canad. J. 2001. 33 1955: 404–419 6 figs.
- 761.—Holmes, W. N. Histological variations in the adrenal cortex of the golden hamster with special reference to the X zone. Anat. Rec. 122 1955: 271–293 21 figs.
- **762.**—**Holmgren**, N. On the original mammalian carpal pattern. Acta Zool., Stockh. **36** 1955: 329-330.
- 763.—Homberger, P. W. European Bison. Ctry. Life, Lond. 117 1955: 405.
- 764.—Hoogstraal, H., Wassif, K. and Kaiser, M. N. New mammal records from the Western Desert of Egypt. Bull. Zool. Soc. Egypt 12 1954 (1955): 7-12.

Hoogstraal, H. see Sanborn.

- 765.—Hooijer, D. A. Fossil Proboscidea from the Malay Archipelago and the Punjab. Zool. Verh. No. 28 1955: 1-146 17 pls.
- 766.—Hooijer, D. A. Gewervelde dieren uit het Quartair van Celebes. Vakbl. v. Biol. 34 1955: 153-163.
- 767.—Hooper, E. T. Extra teeth in the pygmy mouse, *Baiomys musculus*. J. Mammal. 36 1955: 298–299.
- 768.—Hooper, E. T. Notes on mammals of western Mexico. Occ. Pap. Mus. Zool. Univ. Michigan 565 1955: 1-26.
- 769.—Hooper, J. H. D. The greater horseshoe bat. Oryx 3 1955: 40.
- 770.—Hooper, J. H. D. The camera used for research: bats photographed for later study. Ill. Lond. News 226 1955: 9 photos.

- 771.—Hooton, E. in Gavan, J. A. The importance of primate studies in anthropology: 1-10.
- 772.—Hoover, S. R. and others. Protein of the grain membrane of cattle hide. Science 121 1955: 672–673 1 fig.
- 773.—Hopkins, M. L. Skull of fossil camelid from American Falls Lake bed area of Idaho. J. Mammal. 36 1955: 278-282 1 pl.
- 774.—Hosokawa, H. Cross-sections of a 12-mm. dolphin embryo. Sci. Rep. Whales Res. Inst. Tokyo No. 10 1955: 1-68 4 pls. 46 figs.
- 775.—Hosono, A. A. A record of Japanese dormouse (Glirulus japonicus) from Mt. Jonen, Japan Alps. Trans. Mammal. Soc. Japan 8 1954: 68. [N.V.]
- 776.—Hotchkiss, N. Wildlife Abstracts 1935–51. An annotated bibliography of the publications abstracted in the Wildlife Review Nos. 1–66. Washington, D.C. (U.S. Fish & Wildlife Service) 1954, pp. iv + 434. [Mammals 91–202.]
- 777.—Hough, J. An upper Eocene fauna from the Sage Creek area, Beaverhead County, Montana. J. Paleont. 29 1955: 22–36 2 pls. 3 figs.
- 778.—Howard, A., McLaren, A., Michie, D. and Sander, G. Genetic and environmental influences on the secondary sex ratio in mice. J. Genet. 53 1955: 200-214 1 fig.
- 779.—Howes, P. G. The giant cactus forest and its world. New York 1954: i-xxx, 1-258 51 pls. figs.
- 780.—Howland, L. and Greenway, J. C., Jr. Howland Island, its birds and rats as observed by a certain Mr. Stetson in 1854. Pacif. Sci. 9 1955: 95–106.
- 781.—Hoyte, H. M. D. Observations on reproduction in some small mammals of arctic Norway. J. Anim. Ecol. 24 1955: 412-425.

Hubbs, C. L. see Gunter.

Hubert, H. see Edmond-Blanc.

- 782.—Hudson, J. R., Thompson, H. V. and Mansi, W. Myxoma virus in Britain. Nature, Lond. 176 1955: 783.
- 783.—Huey, L. M. A new race of *Dipodomys* and a new race of *Thomomys* from Arizona. Trans. S. Diego Soc. nat. Hist. 12 1955: 99-102.

Hughes, A. F. see Toerien.

784.—Hume, A. N. A Royal Menagerie at the Tower. Ctry. Life, Lond. 117 1955: 103 2 figs.

785.—Hunter, G. L., Adams, C. E. and Rowson, L. E. Inter-breed ovum transfer in sheep. J. agric. Sci. 46 1955: 143–148 2 pls. 1 fig.

786.—Hurrell, H. G. British Mammals. The mammals of Devon, Oryx 3 1955: 99-101.

787.—Hurrell, H. G. Sixth report on mammals. Rep. Devons. Ass. **87** 1955: 360–363.

788.—Hürzeler, J. Zur systematischen Stellung von Oreopithecus. Verh. naturf. Ges. Basel 65 1954: 88–95 4 figs.

789.—Husson, A. M. Tabel voor het determineren van de landzoogdieren van Nederlands Nieuw-Guinea. Zool. Bijd. Leiden No. 1 1955: 1–35 11 figs.

790.—Husson, A. M. Note on the cotypes of *Vespertilio harpia* Temminck, 1840. (Mammalia, Chiroptera, genus Harpiocephalus.) Zool. Meded. 33 1955: 121–125.

791.—Husson, A. M. Notes on the mammals collected by the Swedish New Guinea Expedition 1948–1949. Nova Guinea (N.S.) 6 1955: 283–306 4 pls. map.

792.—Hylen, A., Jonsgard, A., Pike, G. C. and Ruud, J. T. A preliminary report on the age composition of Antarctic fin whale catches 1945/46 to 1952/53 and some reflections on total mortality rates of fin whales. Norsk Hyalfangsttid. 44 1955: 577-589.

793.—Hysing-Dahl, C. Den Norske grevling, *Meles meles* (L.). Univ. Bergen Arbok 1954, Naturvitenskapelig rekke No. 16: 1-55 16 figs., tables. [English summary.]

Igi, S. see Minato.

794.—Illige, D. J. and Erling, H. G. Unusual twin fawns in desert mule deer doe. J. Mammal. 36 1955: 145.

795.—Ilse, D. R. Olfactory marking of territory in two young male loris, Loris tardigradus lydekkerianus, kept in captivity in Poona. Brit. J. Anim. Behav. 3 1955: 118–120 1 pl.

796.—Imaizumi, Y. Notes on Sorex hawkeri tscherskii Ognev from South Sakhalin. Trans. Mammal. Soc. Japan 9 1954: 73-75 figs. [N.V.]

797.—Imaizumi, Y. Taxonomic studies on the Japanese mountain mole (Talpa mizura), with descriptions of two new subspecies. Bull. nat. Sci. Mus. Tokyo 2 1955: 26–38 5 figs.

798.—Imaizumi, Y. Systematic notes on the Korean and Japanese bats of *Pipistrellus savii* group. Bull. nat. Sci. Mus. Tokyo 2 1955: 54-63 2 pls. 5 figs.

799.—Ingles, L. G. Mammals of California and its coastal waters. Stanford, Calif. (Stanford Univ. Press) 1954: xiii, 1–396 46 pls. 25 figs. [Revised and retitled edit. of 1947 work.]

800.—Inhelder, E. Über das Spielen mit Gegenständen bei Huftieren. Rev. suisse Zool. 62 1955: 240–250 6 figs.

801.—Inhelder, E. Zur Psychologie einiger Verhaltensweisen—besonders des Spiels—von Zootieren. Z. Tierpsychol. 12 1955: 88–144 32 figs.

802.—Ionides, C. J. P. Nature notes (8). Okapi (Okapia johnstoni). Afr. Wild Life 9 1955: 63-65 1 fig.

Irons, J. V. see Grimes.

803.—Irving, L., Krog, H. and Monson, M. The metabolism of some Alaskan animals in winter and summer. Physiol. Zoöl. 28 1955: 173-185 15 figs.

Isaev, G. B. see Verdiev.

804.—[Ismagilov, M. I.] [Winter sleep of *Citellus maximus* on the island Barsa-Kelmes.] Zool. Zh. 34 1955; 454–459. [In Russian.]

805.—[Ivanova, E. I.] [The proportions of the body of *Physeter catodon*.] Trud. Inst. Okeanol. 18 1955: 100–112 2 figs. [In Russian.]

806.—Iversen, B. Whaling activity in Iceland. Norsk Hvalfangsttid. 44 1955: 598-606 5 figs.

807.—Jackson, H. H. T. The Wisconsin puma. Proc. biol. Soc. Wash. 68 1955: 149-150.

808.—Jacobshagen, V. Eine spätglaziale Wirbeltierfauna vom Wildweiberhaus-Felsen bei Langenaubach (Dillkreis). Notizbl. hess. Landesamt. Bodenforsch. 83 1955: 32–43 1 pl. 1 fig. 809.—Jacobson, I. Collateral connections of the medial lemniscus in the brain-stem of the cat. S. Afr. J. Sci. 51 1955: 236-238.

34

- 810.—Jaczewski, J. Regeneration of antlers in red deer, *Cervus elaphus* L. Bull. Acad. polon. Sci. (2) 3 1955: 373-378 2 pls.
- 811.—Jaczewski, Z. and Swierzynski, K. Anaesthesia in the European bison (*Bison bonasus* L.) by chloralhydrate (Chloralum Hydratum). Zool. Polon. 6 1955: 80-87.
- 812.—Jameson, E. W. Some factors affecting fluctuations of *Microtus* and *Peromyscus*. J. Mammal. 36 1955: 206-209.
- 813.—Jameson, E. W. Observations on the biology of Sorex troubridgei in the Sierra Nevada, California. J. Mammal. 36 1955: 339-345 3 figs.
- 814.—Janossy, D. Neues Vorkommen seltener Säugetiere (Sicista, Apodemus, Asinus) aus dem ungarländischen Spätpleistozän. Foldt. Kozlon. 83 1953: 419-436. [German summary.]
- 815.—Jánossy, D. Fossile Microtinen aus dem Karpatenbecken. I. Lemminge. Ann. hist.-nat. Mus. hung. N.S. 5 1954: 39-48 1 pl. figs.
- 816.—Jánossy, D. Stosszahnfund eines zygodonten Mastodons aus dem Levantikum von Balatonszentgyörgy. Ann. hist.-nat. Mus. hung. N.S. 6 1955: 87-92 1 pl. 1 fig.

Jarosz, J. A. see Gunderson.

Jeannin, A. see Edmond-Blanc.

- 817.—Jeffords, D. B. The toy deer of Hatteras. Frontiers 19 1955: 150.
- 818.—Jelinka, V. The blood picture of a rat. Mem. Soc. zool. teheosl. 19 1955: 175–182 3 figs. [Czech. with English summary.]

Jellison, W. L. see Bell.

- 818a.—Jewett, S. G. Free-tailed bats, and melanistic mice in Oregon. J. Mammal. 36 1955: 458–459.
- 819.—Jirsik, J. Die Hausratte, Rattus rattus (Linné, 1758), wieder in der Tschechoslowakei. Säugetierk. Mitt. 3 1955: 21–28.
- 820.—Jobaert, A. J. Le rhinocéros noir. Zooleo N.S. No. 31 1955: 50-60 figs.

- 821.—Johnson, A. L. Seal catching. Nature in Wales 1 1955: 54-56.
- **822.—Johnson,** D. H. The incredible kangaroo. Nat. geogr. Mag. **108** 1955: 487–500 22 figs.
- 823.—Johnson, D. H. and Jones, J. K., Jr. Three new rodents of the genera *Micromys* and *Apodemus* from Korea. Proc. biol. Soc. Wash. 68 1955: 167-172.
- 824.—Johnson, D. H. and Jones, J. K., Jr. A new chipmunk from Korea. Proc. biol. Soc. Wash. 68 1955: 175–176.

Johnson, D. H. see Jones.

- 825.—Johnston, C. S. and Savage, D. E. A survey of various late Cenozoic vertebrate faunas of the Panhandle of Texas. Part I. Introduction, description of localities, preliminary faunal lists. Publ. Geol. Sci. Univ. Calif. 31 1955: 27–50 6 figs.
- 826.—Johnstone, W. B. A revision of the pocket gopher *Thomomys talpoides* in British Columbia. Canad. Fld Nat. 68 1954: 155-164 2 pls. 1 map 3 figs.
- 827.—Joly, J. Découverte de restes néandertaleens en Côte-d'Or. C.R. Acad. Sci. Paris 240 1955 : 2253-2255.

Jones, A. W. see Hickling.

- 828.—Jones, B. A Giraffe-necked antelope. Field 206 1955: 860 1 fig.
- 829.—Jones, F. L. A low altitudinal record of the Sierra Nevada pine marten. J. Mammal. 36 1955: 568-569.
- 830.—Jones, F. L. Records of southern wolverine, *Gulo luscus luteus*, in California. J. Mammal. 36 1955: 569.
- 831.—Jones, J. K., Jr. and Johnson, D. H. A new reed vole, genus *Microtus*, from Central Korea. Proc. biol. Soc. Wash. 68 1955: 193–195.

Jones, J. K. see Johnson.

Jones, R. D. see Kirkpatrick.

- 832.—Jonsgard, A. Recent investigations of whale parasites. Norsk Hvalfangsttid. 44 1955: 258–260.
- 833.—Jonsgard, A. The stocks of blue whales (*Balaenoptera musculus*) in the Northern Atlantic Ocean and adjacent Arctic waters. Norsk Hvalfangsttid. 44 1955: 505–519 map.

834.—Jonsgard, A. Development of the modern Norwegian small whale industry. Norsk Hvalfangsttid. 44 1955: 697-718 14 figs.

Jonsgard, A. see Hylen.

- 835.—Jordan, K. H. G. Nutztiere und tierische Rohstoffe. Eine Einfuhrung für Studierende der Naturwissenschaft und Landwirtschaft. Leipzig (Geest & Portig) 1954 pp. 215 110 figs.
- 836.—Joubert, D. M. Growth of muscle fibre in foetal sheep. Nature, Lond. 175 1955: 936-937 1 fig.
- 837.—Joysey, V. C. A study of the blood groups of the rabbit, with reference to the inheritance of three antigens, and the agglutinability of the red cells carrying them. J. exp. Biol. 32 1955: 440-450.

Judd, J. M. see Edwards.

- 838.—Judd, W. W. Gray squirrels feeding upon samaras of elm. J. Mammal. 36 1955: 296.
- 839.—Jugovics, L., Kretzoi, M. and Elemerne, C. Restes de mammifères du pléistocène superieur du cone basaltique du Badaesony. Jb. ung. geol. Anst. 1953 (1954) 1: 89-97 2 figs. [French summary.]

Julivert, M. see Crusafont Pairo.

840.—Jullien, A. and Moreau, R. Un mammifère franc comtois oublié le Loup; étude de faunistique. Bull. Soc. Hist. nat. Doubs No. 57 1955: 41-51.

Kahan, M. see Waring.

- 841.—Kahmann, H. Eptesicus serotinus, chauve-souris nouvelle pour la Corse. Mammalia, Paris 19 1955: 459–463 1 fig.
- 842.—Kahmann, H. and Brotzler, A. Das Bild der Fledermauslebewelt auf der Insel Korsika. Säugetierk. Mitt. 3 1955: 53-66 4 figs.
- 843.—Kahmann, H. and Frisch, O. v. Die Schlafmäuse (Glirinae) auf der Insel Korsika. Zool. Anz. 155 1955: 11–20 6 figs.

Kaiser, M. N. see Hoogstraal.

844.—Kakawa, Z. Habitats of whales. Nat. Sci. & Mus., Tokyo 21 9-10 1954: 1-7 figs. [In Japanese.]

- Kakimi, T. see Minato.
- 845.—[Kalabukhov, N. I.] [Ecological and morphological peculiarities of "living form" among the rodents of the forest-steppes and steppes of the left border of Ukraine and the European part of R.S.F.S.R.] Zool. Zh. 34 1955: 734–746 2 pls. [In Russian.]
- 846.—Kälin, J. Zur Systematik und evolutiven Deutung der höheren Primaten. Experientia 11 1955: 1-17 10 figs.
- 847.—Källén, B. On the significance of the neuromeres and similar structures in vertebrate embryos. J. Embryol. exp. Morph. 1 1953: 387–392 3 pls.
- 848.—Källén, B. Notes on the development of the neural crest in the head of *Mus musculus*. J. Embryol. exp. Morph. 1 1953: 393–398 3 figs.
- 849.—Källén, B. The embryology of the telencephalic fibre systems in the mouse. J. Embryol. exp. Morph. 2 1954: 87-100 1 pl. 6 figs.
- 850.—Källén, B. Cell degeneration during normal ontogenesis of the rabbit brain. J. Anat., Lond. 89 1955: 153–161 2 pls. 5 figs.
- 851.—Kalmus, H. The discrimination by the nose of the dog of individual human odours and in particular of the odours of twins. Brit. J. Anim. Behav. 3 1955: 25–31 4 figs.

Kamell, S. A. see Gluecksohn-Waelsch.

852.—[Kamenskaya, N. L.] [Some peculiarities in structures of kidney arteries and veins.] C.R. Acad. Sci. URSS 100 1955: 1001–1004 3 figs. [In Russian.]

Kampfe, L. see Eble.

- 853.—Kamrin, B. B. and Kamrin, R. P. Auto and homotransplantation of kidney tissues in single and parabiotic albino rats. Anat. Rec. 122 1955: 223–239 13 figs.
- 854.—Kartman, L. The body temperature of wild *Rattus* spp. on the island of Hawaii. Pacif. Sci. 9 1955: 369–371.
- 855.—[Kasyanenko, V. G.] [Functional analysis of the foot in Ungulata.] Trud. Inst. Zool. Akad. Nauk Ukr. SSR 9 1952: 9-77 33 figs. [In Russian.]

856.—Keeler, C. and Vicari, A. Sinus arythmia, a hereditary characteristic in the house mouse. J. Hered. 45 1954: 73-74.

Keen, E. N. see Singer.

36

Keener, H. A. see Teeri.

857.—Kellas, L. M. Observations on the reproductive activities, measurements, and growth rate of the Dikdik (Rhynchotragus kirkii thomasi Neumann). Proc. Zool. Soc. Lond. 124 1955: 751-784 11 figs.

Kellerman, G. M. see Rendel.

858.—Kellogg, R. Three Miocene porpoises from the Calvert Cliffs, Maryland. Proc. U.S. nat. Mus. 105 1955: 101-154 21 pls. 1 fig.

Kellogg, R. see Miller.

- 859.—Kemna, A. Knockensystem— Erkrankung bei Kapuzineraffen. Zool. Gart., Lpzg. 21 1955: 167-170 5 figs.
- 860.—Kenyon, K. W. Last of the Tlingit sealers. Nat. Hist., N.Y. 64 1955: 294-298 figs.
- 861.—Kenyon, K. W. and Scheffer, V. B. The seals, sea-lions and sea otter of the Pacific Coast. Descriptions, life history notes, photographs and drawings. Circ. U.S. Fish Wild. Serv. 32 1955: 1-34 text illust.
- 862.—Kerr, N. S. The homologies and nomenclature of the thigh muscles of the opossum, cat, rabbit and rhesus monkey. Anat. Rec. 121 1955: 481-493 4 figs.
- 863.—Kerruish, B. M. The effect of sexual stimulation prior to service on the behaviour and conception rate of bulls. Brit. J. Anim. Behav. 3 1955: 125-130 1 fig.
- 864.—Kettlewell, H. B. D. and Rand, B. Elephant seal cow and pup on South African coast. Nature, Lond. 175 1955: 1000-1001.
- **865.—Key,** H. A. S. Mammals. Beds. Nat, No. 9 1955: 40.
- 866.—Khajuria, H. Mammalian fauna of the semi-arid tracts of the Deccan and its bearing on the appearance of aridity in the region. Sci. & Cult. 21 1955: 293–295.

Khajuria, H. see Biswas.

- 867.—[Khalilov, F.] [Comparative morphology of the mammal intestines in connection with the character of food.] Zool. Zh. 34 1955: 415-426 9 figs. [In Russian.]
- 868.—[Khaveson, Y. I.] [Tertiary Camels of the eastern hemisphere (genus Paracamelus). Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 47 1954 (Tertiary Mammals, pt. 2): 100–162 10 pls. 6 figs.
- 869.—[Khirpichnikov, A. A.] Two new genera of dolphins from the Sarmatian, U.S.S.R.] Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 47 1954 (Tertiary Mammals pt. 2): 181–190 3 pls. 2 figs.
- 870.—Killpack, M. L. Notes on the thirteen-lined ground squirrel in Utah. J. Mammal. 36 1955: 296-297.

Kimura, S. see Omura.

- 871.—Kimura, T. A record of *Apodemus speciosus speciosus* from Mt. Yarigatake, Japan Alps. Trans. Mammal. Soc. Japan 8 1954: 67.
- 872.—King, J. A. Social behavior, social organization, and population dynamics in a black-tailed prairiedog town in the Black Hills of South Dakota. Contr. Lab. Vert. Biol. Michigan 67 1955: 1–123 4 pls.
- 873.—King, J. A. and Connon, H. Effects of social relationships upon mortality in C57BL/10 mice. Physiol. Zoöl. 28 1955: 233-239 1 fig.
- 874.—King, J. W. B. Observations on the mutant 'pygmy' in the house mouse. J. Genet. 53 1955: 487–497 1 pl. 5 figs.
- 875.—Kinloch, B. G. Uganda Protectorate Annual Report of the Game and Fisheries Department for 1953. Entebbe, 1955: 1–153.
- **876.—Kinloch,** B. G. Karamoja Bell. Captain W. D. M. Bell. Uganda J. **19** 1955: 106–109.

Kinloch, B. G. see Simpson.

- 877.—Kipp, F. A. Die Enstehung der menschlichen Lautbildungsfähigkeit als Evolutions-problem. Experientia 11 1955: 89–94 3 figs.
- 878.—Kirchner, H.-A. Das Vordringen der Bisamratte nach Mecklenburg. Arch. Fr. Naturg. Mecklenburg 1 1954: 118-124 2 maps.

- 879.—Kirkpatrick, C. M., Stullken, D. E. and Jones, R. D. Notes on captive sea otters. Arctic 8 1 1955: 46-59 figs. [N.V.]
- 880.—Kishida, K. Notes on the autochthony and endemicity of the Japanese macaque with a description of its present haunts in Japan and of the bearing upon human life. Orn. Mamm. Rept., Forestry Agency, Min. Agr. For. Tokyo 14 1953: 1–92 figs. [N.V.]
- 881.—Kittel, R. Beiträge zur topographischen Anatomie der Körperhöhlen bei *Cricetus cricetus* L. Wiss. Z. Univ. Halle-Wittenberg. Math.-Nat. R. 4 1955: 203–223 20 figs.

Kittel, R. see Eble.

Klapperstuck, J. see Eble.

- 882.—Klatt, B. Reziproke Kreuzungen bei Hunden gegensatzlicher Wuchsform. Roux Arch. Entw. Mech. Organ. 148 1955: 1–36 10 figs.
- 883.—Klein, M. Unilateral hermaphroditism in the mouse. Anat. Rec. 122 1955: 341-347 6 figs.
- 884.—[Klumov, S. K.] [On the reproduction of the Black-Sea dolphin.] Trud. Inst. Okeanol. 8 1954: 206–219. [In Russian.]
- 885.—[Klumov, S. K.] [On the local stocks of whales.] Trud. Inst. Okeanol. 18 1955: 7–27 map. [In Russian.]
- 886.—Knepton, J. C. The occurrence of *Tamias striatus* in Georgia. J. Mammal. 36 1955: 136.
- 887.—Knight, A. E. Giant horns. Ctry. Life, Lond. 118 1955: 860 1 fig.
- 888.—Knowles, T. W. Myxomatosis rabbits. Field 206 1955: 713.
- 889.—Koenigswald, G. H. R. von. *Pithecanthropus* and the Australopithecinae. C.R. Congrès Internat. Geol. 19th, Alger (1952): 5 5 1953: 31–38 3 figs.
- Koenigswald, G. H. R. von see Vallois.
- 890.—Koford, C. B. New rodent records for Chile and for two Chilean provinces. J. Mammal. 36 1955: 465–466.
- 891.—Koford, C. B. Nuevos mamiferos para Chile. Invest. zool. chil. 2 1954: 95–96.

- 892.—Köhler, W., Neff, W. D. and Wegener, J. Currents of the auditory cortex in the cat. J. cell. comp. Physiol. 45 Suppl. 1 1955: 1-24 31 figs.
- 893.—Kolaczkowski, J. and Wender, M. The grey protuberance of marmot. Folia morph. Warszawa 6 1955: 75–77.
- 894.—Kolaczkowski, J. and Wender, M. Cytology of the macrocellular nuclei of marmot's hypothalamus. Folia morph. Warszawa 6 1955: 79-83 15 figs.
- 895.—Kolb, A. Wie schnell fliegt eine Fledermaus? Säugetierk. Mitt. 3 1955: 176-177.

Komarek, J. see Feriancova.

König, C. see Felten.

- 896.—Koopman, K. F. A new subspecies of *Chilonycteris* from the West Indies and a discussion of the mammals of La Gonave. J. Mammal. 36 1955: 109–113 1 pl.
- 897.—Koopman, K. F. and Ruibal, R. Cave-fossil vertebrates from Camaguey, Cuba. Breviora No. 46 1955: 1–8.
- 898.—[Koshkina, T. V.] [Method of age determination of *Clethrionomys* and its application.] Zool. Zh. 34 1955: 631–639 7 figs. [In Russian.]
- 899.—Koskimies, J. Ultimate causes of cyclic fluctuations in numbers in animal populations. Pap. Game Res., Helsingf. No. 15 1955: 1-29.
- 900.—Kovalick, E. Inventory of Mastodon remains found in Brooke County, W. Va. Proc. W. Va Acad. Sci. 26 1955: 11-12.
- 901.—Kowalski, K. The daily rhythm of activity in the mouse-eared bat Myotis myotis Borkhausen. Folia biol., Warszawa 3 1955: 55-64 5 figs. [English summary.]
- 902.—[Kozlov, V. V.] [Method of quantitative calculation of wolf population.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 104–124 7 figs. [In Russian.]
- 903.—[Krasovski, V. P.] [Desman census methods.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial

vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 139–147 4 figs. [In Russian.]

38

- 904.—Kratochvil, J. Origin and constitution of the mammalian fauna of Czechoslovakia. Přírod. Sborn. Ostravsk. Kraje 12 1951: 74–101, 6 maps. [English summary.]
- 905.—Kratochvíl, J. Nejstarší sou stavné práce o obratlovcích Moravy a Slezska. Čas. Moravsk. Mus. 40 1955: 138–155. [Czech only.]
- 906.—Kratochvil, J. and Rosicky, B. Zur Bionomie und Taxonomie in der Tschechoslovakei lebenden Apodemus-Arten. Zool. Ent. Listy, Brno 1 1952: 57-70 2 1953: 47-68. [Czech with German summary.]
- 907.—Kretzoi, M. The Hipparionfauna from Csakvar. Foldt. Kozlon 81 1951: 384-417. [German summary.]
- 908.—Kretzoi, M. Rapport final des fouilles paléontologiques dans la Grotte de Csákvár. Jb. ung. geol. Anst. 1952 (1954): 37–69. In French p. 55.
- 909.—Kretzoi, M. Bericht über die Calabrische (Villafranchische) Fauna von Kislang, Kom. Fejer. Jb. ung. geol. Anst. 1953 (1954): 213–265 2 figs. [Hungarian and German.]
- 910.—Kretzoi, M. Promimomys cor n.g. n. sp. ein altertümlicher Arvicolide aus dem ungarischen Unterpleistozän. Acta Geol, Hung. 3 1955: 89-94 1 pl. 1 fig.
- 911.—Kretzoi, M. Dolomys and Ondatra. Acta Geol. Hung. 3 1955: 347–355.

Kretzoi, M. see Jugovics.

- 912.—Krieg, H. Ortsfremder Geweihspross bei *Cervus elaphus hippelaphus* Erxleben, 1777. Säugetierk. Mitt. 3 1955: 30–31 1 fig.
- 913.—[Kriltzov, A. I.] [Reproduction of *Microtus gregalis* and *Lagurus lagurus* in Northern Kazakhstan.] Zool. Zh. 34 1955: 928–942 4 figs. [In Russian.]
- 914.—[Kriltzov, A. I.] [The breeding of Murid rodents under the snow-cover in the Northern Kazakhstan.] Bull. Soc. Nat. Moscow biol. 60 1955: 3–8. [In Russian.]

- 915.—Krishna, D. and Prakash, I. Hedgehogs of the desert of Rajasthan. J. Bombay nat. Hist. Soc. 53 1955: 38-43 4 figs.
- 916.—Krog, H. and Monson, M. Notes on the metabolism of a mountain goat. Amer. J. Physiol. 178 1954: 515-516 l fig.

Krog, H. see Irving.

- 917.—Krohn, P. L. The behaviour of autografts and homografts of vaginal tissue in rabbits. J. Anat., Lond. 89 1955: 269–2824 pls.
- 918.—Krumbiegel, I. Biologie der Säugetiere. Bd. 2. Krefeld (Agis Verlag) 1955, pp. 362–844, text illust.
- 919.—Krumbiegel, I. Die Saugetierfauna von Wangerooge, mit Bemerkungen über die übrigen ostfriesischen Inseln. Säugetierk. Mitt. 3 1955: 12–18.
- 920.—Krumbiegel, I. Waldrückgang und Entwaldung im Lichte der Wirbeltierkunde. Z. angew. Zool. 1954: 287–312 11 figs.
- 921.—Krutzsch, P. H. Observations on the Mexican free-tailed bat, *Tadarida mexicana*. J. Mammal. 36 1955: 236–242.
- 922.—Krutzsch, P. H. Observations on the California mastiff bat. J. Mammal. 36 1955: 407-414.
- 923.—Krutzsch, P. H. Ectoparasites from some species of bats from western North America. J. Mammal. 36 1955: 457–458.
- 924.—Krutzsch, P. H. and Heppenstall, C. A. Additional distributional records of bats in Utah. J. Mammal. 36 1955: 126–127.
- 925.—Krutzsch, P. H. and Vaughan, T. A. Additional data on the bacula of North American bats, J. Mammal. 36 1955: 96–100 1 fig.

Krutzsch, P. H. see Hoffmeister.

- 926.—Krzanowski, A. [On the necessity of introduction to European forests of new species of bats.] Sylwan, Warsaw 98 1954: 96–99, 222. [N.V. In Polish. See Biol. Abstr. 30 1956: 40.]
- 927.—[Kucheruk, V. V.] [Numerical calculation of the more important species of harmful rodents.] Methods of calculating the number and geographical distribution of terrestrial

- vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 9-46 11 figs. [In Russian.]
- 928.—[Kucheruk, V. V. and Kulik, I. L.] [Analysis of the water-rat population, based on craniological features.] Bull. Soc. Nat. Moscow Biol. 60 1955: 45-52 figs. [In Russian.]
- 929.—[Kucheruk, V. V., Sidorova, G. A. and Zhmaeva, Z. M.] [Self-protection by small rodents against tick larvae.] Zool. Zh. 34 1955: 948-950 2 figs. [In Russian.]
- 930.—Kühlhorn, F. Säugetierkundliche Studien aus Süd-Mattogrosso. 4. Teil. (Artiodactyla, Primates). Säugetierk. Mitt. 3 1955: 156-164 1 fig.
- 931.—Kühlhorn, F. Säugetierkundliche Studien aus Süd-Mattogrosso. 3. Teil: Carnivora, Perissodactyla. Säugetierk. Mitt. 3 1955: 77–82 1 fig.
- **932.**—**K**ühlhorn, J. Der Auerochs von 1595. Z. Säugetierk. **20** 1955 : 186.

Kulik, I. L. see Kucheruk.

Kulzer, E. see Mohres.

- 933.—Kumar, S. B. Strange behaviour of monkeys in the presence of a panther. J. Bombay nat. Hist. Soc. 52 1955: 913-914.
- 934.—Kuroda, N. A record of Rattus r. alexandrinus from the Marcus Island. Trans. Mammal. Soc. Japan 8 1954: 65-66. [N.V.]
- 935.—Kuroda, N. On the affinity of Dall's and True's porpoises. Misc. Rep. Yamashina Inst. Orn. Zool. No. 5 1954: 44–46. [Japanese with English rés.]
- 936.—Kuroda, N. The present status of the introduced mammals in Japan. J. Mamm. Soc. Japan 1 2 1955: 13–18.
- 937.—Kurtén, B. Contribution to the history of a mutation during 1,000,000 years. Evolution 9 1955: 107-118 7 figs.
- 938.—Kurtén, B. Sex dimorphism and size trends in the cave bear, *Ursus spelaeus* Rosenmüller and Heinroth. Acta zool. fenn. 90 1955: 1–48 10 figs.
- 939.—[Kuzyakin, A. P.] [Bats (Systematics, life history and utility to agriculture and forestry).] Moscow (Acad. Sci.) 1950: 1–443 frontisp. col. 135 figs. [In Russian.]

Labbé, A. see Deleuil.

- 940.—Lacy, D. Recent studies on the Golgi apparatus of the exocrine and endocrine cells of the mammalian pancreas and the cytoplasmic inclusions of other cells. J.R. micr. Soc. (3) 74 1955: 226-240 l pl. 5 figs.
- 941.—Lami, R. Grampus griseus Cuv. dans la région malouine. Bull. Lab. marit. Dinard No. 41 1955 : 60.
- 942.—Lampio, T. On the sex ratio, sex differentiation, and regional variation in the marten in Finland. Pap. Game Res. Helsingf. 7 1951: 1–20.
- 943.—Lance, J. F. Problems in dating early man in North America by paleontology. Plateau 27 1955: 1–5.
- 944.—Lancum, F. H. Badgers' Year. London (Crosby Lockwood & Son) 1954 71 pp. 24 figs.
- 945.—Lane, F. W. Nature Parade, London (Jarrolds) 1955, 4th edit. pp. 288, frontis. col. 48 pls.
- 946.—Lane, P. W. and Dickie, M. M. Fertile, obese male mice. Relative sterility in obese males corrected by dietary restriction. J. Hered. 45 1954; 56–58.
- 947.—Lane-Petter, W. Breeding laboratory animals. Nature, Lond. 176 1955: 243–245.
- 948.—Lang, E. M. Beobachtungen während zweier Giraffengeburten. Saugetierk. Mitt. 3 1955: 1-5 5 figs.
- 949.—Lange, R. In Gebäuden eines Erzgebirgs-Dorfes überwinternde Kleinsäuger. Z. Säugetierk. 20 1955: 187–189.

Lanning, R. G. see Brown.

- **950.—Lapage,** G. Myxomatosis of rabbits. Nature, Lond. **175** 1955: 628-629.
- **951.—Latham**, R. L. Hairless squirrels. J. Mammal. **36** 1955: 136.
- 952.—Latimer, H. B. and Sawin, P. B. Morphogenetic studies of the rabbit. XII. Organ size in relation to body weights in adults of small sized race X. Anat. Rec. 123 1955: 81–102.
- 953.—Laughlin, J. River otter noted east of Sierran crest. Calif. Fish Game 41 1955: 189.
- 954.—Laurie, E. M. O. Notes on some mammals from Ecuador. Ann. Mag. nat. Hist. (12) 8 1955: 268–276.

Lauterbach, G. see Herter.

955.—Lavocat, R. Origine et repartition primitive des mammifères tertiaires. Mammalia, Paris 19 1955: 302-308.

956.—Lavocat, R. Sur les relations systématiques entre les Théridomyidés et divers rongeurs fossiles d'Afrique. C.R. Acad. Sci. Paris 240 1955: 634-635.

957.—Lavocat, R. Sur un squelette de *Pseudosciurus* provenant du gisement d'Armissan (Aude). Ann. Paleont. 41 1955: 77–89 11 figs.

Lavocat, R. see Grassé.

958.—[Lavrov, L. S.] [Beaver colony census methods.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 148–155 3 figs. [In Russian.]

959.—[Lavrov, N. P.] [Status and economic importance of muskrat in USSR.] Zool. Zh. 34 1955: 441-453 3 figs. [In Russian.]

960.—Layne, J. N. Seminole bat, Lasiurus seminolus, in central New York. J. Mammal. 36 1955: 453.

961.—Leakey, L. S. B. and Le Gros Clark, W. E. British-Kenya Miocene expeditions. Interim report. Nature, Lond. 175 1955: 234.

Leakey, L. S. B. see Vallois.

962.—Lecomte, J. and Richard, B. La construction de barrages par les castors de France. Terre et la Vie 101 1954: 177–182 2 pls. 2 figs.

Lee, M. R. see Dearden.

Lee, M. R. see Durrant.

963.—Le Gros Clark, W. E. Reason and fallacy in the study of fossil man. Discovery 16 1955: 6-15 figs.

964.—Le Gros Clark, W. E. Sir Arthur Keith, F.R.S. Nature, Lond. 175 1955: 192–193.

965.—Le Gros Clark, Sir W. The Rev. Pierre Teilhard de Chardin, S.J. Nature, Lond. 175 1955: 795.

966.—Le Gros Clark, W. E. The exposure of the Piltdown forgery. Nature, Lond. 175 1955: 973-974.

967.—Le Gros Clark, W. E. The os innominatum of the recent Ponginae with special reference to that of the Australopithecinae. Amer. J. Phys. Anthrop. 13 1955: 19-27 4 figs.

Le Gros Clark, W. E. see Leakey.

Le Gros Clark, W. E. see Weiner.

968.—Lehmann, A. Einige Bemerkungen zur Robbendressur. Zool. Gart., Lpz. 22 1955: 47-56 6 figs.

969.—Lehmann, E. v. Über die Untergrundmaus und Waldspitzmaus in N.W.-Europa. Bonn. zool. Beitr. 6 1955: 8–27 4 figs.

970.—Lehmann, E. v. Die Säugetiere aus Fukien (S.O.-China) im Museum A. Koenig, Bonn. Bonn. Zool. Beitr. 6 1955: 147-170 map.

971.—Lehmann, E. v. Neue Säugetierrassen aus Südwestafrika. Bonn Zool. Beitr. 6 1955: 171–172.

972.—Leonardi, P. Le origini del corpo umano alla luce delle piu recenti scoperte. Ann. Univ. Ferrara N.S. Sez. IX 2 1955: 1-63 49 figs.

973.—Leslie, P. H., Tener, J. S., Vizoso, M. and Chitty, H. The longevity and fertility of the Orkney Vole, *Microtus orcadensis*, as observed in the laboratory. Proc. Zool. Soc. Lond. 125 1955: 115-125.

974.—Lewis, F. A. Notes on the larger fauna of the Benue Valley. Niger. Fld 20 1955: 18–24 map.

Lewis, G. E. see Buwalda.

Lewis, R. E. see Myers.

Lewis, W. L. see Warwick.

975.—Lhoste, J. Compte rendu des travaux de la IV assemblée générale de l'Union Internationale pour la Protection de la Nature concernant la faune arctique. Bull. Soc. zool. Fr. 79 1955: 458-462.

Libersa, C. see Olivier.

Lidicker, W. Z. see Davis.

976.—Liederman, M. B. Size variations in Tasmanian rabbits. Pap. roy. Soc. Tasm. 89 1955: 125-130 2 figs.

977.—[Likhachev, G. N.] [The time of emergence and the range of dormouse.] Bull. Soc. Nat. Moscow biol. 60 1955: 123-124. [In Russian.]

- 978.—Lillie, H. R. Seals of the pack ice. Oryx 3 1955: 75-88 map.
- 979.—Lincoln, M. M. The Californian Wapiti. Quart. Los Angeles Co. Mus. 6 1948: 11-13 1 fig.
- 980.—Lindemann, W. Über die Jugendentwicklung beim luchs. (Lynx l. lynx Kerr) und bei der wildkatze (Felis s. silvestris Schreb.). Behaviour 8 1955: 1-45 12 figs.
- 981.—Linzell, J. L. and Mount, L. E. Variations in the direction of venous blood-flow in the mammary region of sheep and goat. Nature, Lond. 176 1955: 37-38 1 fig.

Lishman, W. A. see Eayrs.

- 982.—Llewellyn, L. M. and Enders, R. K. Trans-uterine migration of blastocysts in the eastern skunk. J. Mammal. 36 1955: 459.
- 983.—Lochte, Th. Das Haar des Braunbären, Grizzlybären und ihres Mischlings. Zool. Gart., Lpzg. 21 1955: 163–167 2 figs.
- 984.—Lockley, R. M. Failure of myxomatosis on Skokholm Island. Nature, Lond. 175 1955: 906–907.
- 985.—Lockley, R. M. Observations on myxomatosis in Wales in 1954. Nature in Wales 1 1955: 57-62.

Logothetopoulos, J. H. see Cohen.

- 986.—Löhrl, H. Die Kleine Wasserspitzmaus (Neomys anomalus milleri) in Württemberg. Jh. Ver. vaterl. Naturh. Württemb. 110 1955: 271–272.
- 987.—Löhrl, H. Die Fledermäuse Myotis bechsteini und Nyctalus leisleri in Nordwürttemberg. Jh. Ver. vaterl. Naturh. Württemb. 110 1955: 270–271.
- 988.—Löhrl, H. Männchengesellschaften und Quartierwechsel bei Fledermäusen. Säugetierk. Mitt. 3 1955: 103–104.
- 989.—Löhrl, H. Ziehende Fledermäuse. Säugetierk. Mitt. 3 1955 : 128.
- 990.—Löhrl, H. Sammeltrieb bei der Waldspitzmaus, *Sorex araneus* Linné, 1758. Säugetierk. Mitt. **3** 1955 : 171.
- 991.—Löhrl, H. Vermehrungsausfall beim Siebenschläfer, Glis glis glis (Linné, 1758), im Jahr 1954. Säugetierk. Mitt. 3 1955: 177.

- 992.—Looman, J. De Canadesi prairies, IV. De valleeién, het gebied van de bevers. Levende Nat. 58 1955: 196–201 3 figs.
- 993.—Lotze, Fr. Vorläufige Mitteilung über einen Moorhundfund bei Papenburg a.d. Ems. N. Jb. Geol. Pal. Monatsh. 3 1955: 137-138 1 fig.

Lovat, D. see Waring.

994.—Lüdike-Spannenkrebs, R. Studien über die Anzahl der Eizellen von Wildkaninchen und verschiedenen Hauskaninchenrassen. Z. mikr. anat. Forsch. 61 1955: 454–486 2 figs.

Lukens, P. see Beer.

- 995.—Lundholm, B. G. Descriptions of new mammals. Ann. Transv. Mus. 22 1955: 279–303 7 figs.
- 996.—Lundholm, B. G. A taxonomic study of *Cynictis penicillata* (G. Cuvier). Ann. Transv. Mus. 22 1955: 305–319 1 fig. 10 graphs.
- 997.—Lundholm, B. G. Remarks on some South African Murinae. Ann. Transv. Mus. 22 1955: 321–329 4 figs. 1 graph.
- 998.—Lush, J. L. Rates of genetic changes in populations of farm animals. Caryologia 6 Suppl. 1954: 589–599.
- 999.—Lutwak-Mann, C. Some properties of the rabbit blastocyst. J. Embryol. exp. Morph. 2 1954: 1-13.
- 1000.—Lyon, M. F. The development of the otoliths of the mouse. J. Embryol, exp. Morph. 3 1955: 213-229 2 pls.
- 1001.—Lyon, M. F. The developmental origin of hereditary absence of otoliths in mice. J. Embryol. exp. Morph. 3 1955: 230–241 2 pls.
- 1002.—Lyon, M. F. Ataxia—a new recessive mutant of the house mouse. J. Hered. 46 1955: 77-80 1 fig.

Lyon, M. F. see Carter.

- 1003.—Lyon-Fellowes, E. Colour vision in animals. Ctry. Life, Lond. 117 1955: 1315.
 - McBurney, C. B. M. see Bate.
- 1004.—Mcc., R. M. We have a Callimico, but is it a marmoset or a monkey? Anim. Kingd. 58 1955: 29-30 1 fig.

- 1005.—McCarley, W. H. The ecological distribution of the *Peromyscus leucopus* species group in Eastern Texas. Ecology 35 3 1954: 375-379 5 figs.
- 1006.—McCulloch, C. Y. Breeding record of javelina, *Tayassu angulatus*, in southern Arizona. J. Mammal. 36 1955: 146.

McDonough, J. J. see Chang.

McGregor, I. A. see Scothorne, R. J.

1007.—Macintyre, D. The weaning of Grey Seals. Field 206 1955: 713.

1008.—McKenna, M. C. A new species of mylagaulid from the Chalk Cliffs local fauna, Montana. J. Wash. Acad. Sci. 45 1955: 107–110 1 fig.

1009.—McKenna, M. C. Paleocene mammal, Goler formation, Mojave Desert, California. Bull. Amer. Assoc. Petrol. Geol. 39 1955: 512-515 1 fig.

1010.—Mackenzie, P. Z. Catalogue of wild mammals of the Sudan occurring in the natural orders Artiodactyla and Perissodactyla. Publ. Sudan Mus. (Nat. Hist.) No. 4 1954: 1–21 68 figs.

1011.—Mackintosh, N. A. Whale marks recently recovered. Norsk Hvalfangsttid. 44 1955: 24-26.

1012.—Mackintosh, N. A. Whale marks recently recovered. Norsk Hvalfangsttid. 44 1955: 718–719.

1013.—McLaren, A. and Michie, D. Factors affecting vertebral variation in mice. I. Variation within an inbred strain. J. Embryol. exp. Morph. 2 1954: 149-160 l pl.

McLaren, A. see Howard.

Maclatchy, A. see Edmond-Blanc.

MacLeod, C. F. see Beer.

1014.—McMillan, R. P. The Quenda in the Riverton area. W. Austral. Nat. 4 1955: 194.

1015.—McMillin, M. Little wild sheep of California fight gallantly to survive. Frontiers 19 1955: 131-134 3 figs.

1016.—McNamara, F. J. Gilbert's note-book on marsupials. W. Austral. Nat. 4 1955: 195–196.

1017.—McNutt, W. Gene expression as influenced by genetic background. J. Hered. 45 1954: 235–240 2 figs.

- 1018.—[Makarov, N. I., Makarova, E. P. and Bagaeva, V. T.] [Seasonal and recurrent sensitivity of Citellus pygmaeus to tularemia.] Zool. Zh. 34 1955: 652-657. [In Russian.]
- 1019.—Makino, S. Notes on the cytological feature of male sterility in the mule. Experientia 11 1955: 224-226 7 figs.

1020.—Makino, S. and others. Breeding experiments of white rats and mice, V. Further data on breeding of rats with descriptions of sixteen rat strains. Misc. Rep. Yamashina Inst. Orn. Zool. No. 6 1955: 248-255. [Japanese with English rés.]

Malbrant, R. see Edmond-Blanc.

1021.—Maldonado-Koerdell, M. Sobre un rinoceronte fosil de Sinaloa, Mexico. Rev. Soc. mex. Hist. nat. 15 1954: 141-146 4 figs.

1022.—Maldonado-Koerdell, M. Nuevos hallazgos de antilocapridos en el pleistoceno superior de Tequixquiac, Mexico. Acta zool. Mexicana 1 No. 7 1955: 1-7 10 figs.

1023.—Mamy, R. L'elevage du Vison: quelques conseils pour la prochaine saison d'accouplement. Terre et la Vie 101 1954: 143-145.

1024.—Mann, P. H. Two unusual anatomical anomalies occurring in the biliary tract of the cat and chicken. J. Tenn. Acad. Sci. 30 1955: 312-315.

1025.—Manning, T. H. Remarks on the reproduction, sex ratio, and life expectancy of the varying lemming, Dicrostonyx groenlandicus, in nature and captivity. Arctic 7 1954: 36-47. [N.V.]

Mansi, W. see Hudson.

1026.—Manville, R. H. Dichromatism in Michigan rodents. J. Mammal. 36 1955: 293.

1027.—Manville, R. H. Report of deer attacking cougar. J. Mammal. 36 1955: 476–477.

1028.—[Manziï, S. F.] [The carpus in some Selenodontia, its structure and function.] Trud. Inst. Zool. Akad. Nauk ukr. S.S.R. 9 1952: 78–119 12 figs. [In Russian.]

1029.—[Manzii, S. F.] [Analysis of metacarpus functioning in Perissodaetyla.] Trud. Inst. Zool. Akad. Nauk ukr. S.S.R. 11 1954: 44-78 10 figs. [In Russian.]

- 1030.—Maquet, E. La pelleterie dans le Ruanda ancien. Congo-Tervuren 1 1955: 144-146 4 figs.
- 1031.—Marinelli, W. Der Schultergürtel von Echidna. Zur Diskussion konstruktionsanalytischer Untersuchungen. Verh. dtsch. zool. Ges. 1954 (Zool. Anz. Suppl. 18) 1955: 183–196 6 figs.
- 1032.—Marlow, B. J. G. A commensal nematode in the African bush pig. J. Mammal. 36 1955; 147.
- 1033.—Marlow, B. J. G. Observations on the Herero Musk Shrew, Crocidura flavescens herero St. Leger, in captivity. Proc. Zool. Soc. Lond. 124 1955: 803-808.
- 1034.—Marples, R. R. Rattus exulans in Western Samoa. Pacif. Sci. 9 1955: 171–176.

Marshall, I. D. see Fenner.

- 1035.—Marshall, J. T., Jr. Rats of Arno Atoll, Marshall Islands. J. Mammal. 36 1955: 259-263.
- 1036.—Martin, A. W. and Fuhrman, F. A. The relationship between summated tissue respiration and metabolic rate in the mouse and dog. Physiol. Zoöl. 28 1955: 18-34 1 fig.
- **1037.**—[**Martinov**, N. M.] [The elks in lower Volga.] Priroda **9** 1955 : 104–106 2 figs. [In Russian.]
- 1038.—Martinovitch, P. N. and Radivojevitch, D. V. Long-term transplants of infantile rat pituitaries cultivated in vitro and grafted into the anterior eye chamber of young cats. Nature, Lond. 176 1955: 699-700 1 fig.
- 1039.—Marty, J.-P. Les antilopes d'Afrique sont-elles menacées par l'industrie des peaux. Mammalia, Paris 19 1955: 344-346.
- 1040.—Mas, A. Contribution à l'étude des carnivores fossiles de Kifanbel-Ghomari (Taza). Mem. Soc. Sci. Nat. Maroc N.S. (Geol.) 1 1955 : 1–40 14 pls. 10 figs.
- 1041.—Mason, I. L. A genetical analysis of the British Toggenburg breed of goats. J. Hered. 45 1954: 129-133 2 figs.
- 1042.—Matheson, C. The carnivores of Wales. Nature in Wales 1 1955: 22-24.

- **1043.**—Matheson, C. The rodents of Wales. Nature in Wales **1** 1955: 111-115 2 figs.
 - Mathis, M. see Durand.
- 1044.—Mathur, K. M. Umbilical sphincter in Indian antelope Antilope bezoartica. Sci. & Cult. 21 1955: 278–280 4 figs.
- 1045.—Matsushita, T. Daily rhythmic activity of the sperm whales in the Antarctic Ocean. Bull. Jap. Soc. Sci. Fish. 20 1955: 770-773 3 figs.
- 1046.—Matthews, L. H. Zoological Society of London: exhibition of whales and whaling. Nature, Lond. 175 1955: 970-971.
- 1047.—Matthews, L. H. Marine mammals of West Wales. Nature in Wales 1 1955: 49-53.
- 1048.—Matthey, R. La polyploidie animale naturelle. Caryologia, suppl. 1954: 302-306.
- 1049.—Matthey, R. Nouveaux documents sur les chromosomes des Muridae. Problèmes de cytologie comparée et de taxonomie chez les Microtinae. Rev. suisse Zool. 62 1955: 163–206 114 figs.
- 1050.—Matthey, R. Les chromosomes de Galago senegalensis (Prosimii—Lorisidae—Galaginae). Rev. Suisse Zool. 62 (Suppl.) 1955: 190-197 8 figs.
- 1051.—Maviglia, C. Ossami fossili trovati nella Grotta delle Striare (Otranto). Natura, Milano 46 1955: 92–95.
- 1052.—Maviglia, C. Resti di fauna Pleistocenica rinvenuti a Zaudobbio (Bergamo). Natura, Milano 46 1955: 120-122.
- 1053.—May, I. Isolation of organic carbon from bones for C¹⁴ dating. Science 121 1955: 508-509.
- 1054.—May, R.-M. Études récentes sur la cicatrisation de la peau. Nature, Paris No. 3246 1955 : 398-401 8 figs.
- 1055.—[Mazhuga, P. M.] [Internal blood vessels of the knee-joint.] Trud. Inst. Zool. Akad. Nauk Ukr. SSR 11 1954: 104-126 7 figs. [In Russian.]

Mead, A. P. see Chance.

Medawar, P. B. see Billingham.

1056.—Meester, J. Fossil shrews of South Africa. Ann. Transv. Mus. 22 1955: 271-278 2 figs.

- 1057.—Meinertzhagen, R. The speed and altitude of bird flight (with notes on other animals). Ibis 97 1955: 81-117. [Mammals 114-115.]
- 1058.—Meiring, A. J. D. Fossil Proboscidean teeth and ulna from Virginia, O.F.S. Navors. Nas. Mus. 1 1955: 187–202 4 pls. 8 figs.
- 1059.—Mellor, J. E. M. Report on mammals for 1954 including January and February 1955. Trans. Woolhope Nat. Fld Cl. 34 3 1955: 307-308.
- 1060.—Mendez-Arocha, J. L. El nombre científico de los venados caramudos o caramerados venezolanos. Mem. Soc. Cienc. nat. La Salle 15 1955: 132-136 map.
- 1061.—Mendheim, H. Ein Fuchs, Vulpes v. crucigera (Bechstein, 1798), mit Massenbefall von Echinococcus. Säugetierk. Mitt. 3 1955: 10–12 2 figs.
- 1062.—Menefee, M. G. The differentiation of keratin-containing cells in the epidermis of embryo mice. Anat. Rec. 122 1955: 181-191 5 figs.
- 1063.—Meng, M. Das Verhalten der Pigmentzellen gescheckter Meerschweinchen während der Ontogenie und bei Regenerations und Transplantationsversuchen. Roux Arch. Entw. Mech. Organ 148 1955: 92-122.

Menzies, G. C. see Eads.

- 1064.—[Merkova, M. A.] [Some data on ecology of Clethrionomys glareolus and Apodemus flavicollis in south of Moscow province and Tellermanov forest reserve.] Bull. Soc. Nat. Moscow Biol. 60 1 1955: 21-31 4 figs. [In Russian.]
- 1065.—Merrifield, G. C. Occurrence of a mountain lion in Oklahoma. Proc. Oklahoma Acad. Sci. 34 1953 (1955); 75 figs.
- 1066.—Metzger, B. Notes on mammals of Perry County, Ohio. J. Mammal. 36 1955: 101-105.
- 1067.—Michie, D. 'Affinity.' Proc. roy. Soc. 144B 1955: 241-259.
- 1068.—Michie, D. Genetical studies with 'vestigial tail' mice. I. The sex difference in crossing over between vestigial and Rex. II. The position of vestigial in the seventh linkage group. III. New independence data. J. Genet. 53 1955: 270-294 1 fig.

Michie, D. see McLaren.

- Michie, D. see Howard.
- 1069.—[Migulin, A. A.] [Principles in fluctuation of number of Microtinae in the fields of Ukraine.] Zool. Zh. 34 1955: 1389-1403. [In Russian.]

Mikulska, Z. B. see Amos.

- 1070.—Miller, D. S. and Potas, M. Z. Cordovan, a new allele of black and brown color in the mouse. J. Hered. 46 1955: 293-296.
- 1071.—Miller, G. S. and Kellogg, R. List of North American Recent Mammals. Bull. U.S. Nat. Mus. 205 1955: xii + 954.

Miller, J. S. see Quay.

- 1072.—Miller, L. Color change in the black bear, *Ursus americanus*. J. Mammal. 36 1955: 460.
- 1073.—Miller, L. S. Some mammal locality records from Iowa. J. Mammal. 36 1955: 121-122.
- 1074.—Miller, R. S. Activity rhythms in the Wood Mouse, Apodemus sylvaticus and the Bank Vole, Clethrionomys glareolus. Proc. Zool. Soc. Lond. 125 1955: 505-519 5 figs.

Miller, R. S. see Scherman.

- 1075.—Miller, W. T. A Zeb-donk. Afr. Wild Life 9 1955: 114 1 fig.
- 1076.—Mills, H. D. The pattern of bone fusion in the equine metacarpus and metatarsus. Proc. Zool. Soc. Lond. 124 1955: 809-813 1 fig.
- 1077.—Mills, J. R. E. Ideal dental occlusion in the primates. Dental Practit. 6 1955: 47-61 17 figs.
- 1078.—Minato, K. Zu den Mammonteus-faunen Hokkaidos. Jap. J. Geol. Geogr. 26 1955: 105–113 1 pl. 4 figs.
- 1079.—Minato, M., Igi, S. and Kakimi, T. New discovery of the molars of Mammonteus primigenius Blumenbach from Erimo-misaki, Hokkaido. J. Geol. Soc. Japan 61 1955: 274. [Japanese only.]
- 1080.—Minchell, A. L. Hungry foxes but more grass. Field 206 1955: 1197.
- 1081.—Mitra, N. L. Quantitative analysis of cell types in Mammalian neo-cortex. J. Anat., Lond. 89 1955: 467-483 9 figs.

- 1082.—Miyazaki, I. Survey of whaling operations from land stations in Japan in 1954. Norsk Hvalfangsttid. 44 1955: 189–200 4 figs.
- 1083.—Mohl-Hansen, U. Investigations on reproduction and growth of the porpoise (*Phocaena phocaena* (L.) from the Baltic. Vidensk. Medd. dansk naturh. Foren. Kbh. 116 1954: 369-396 2 pls. 12 figs.
- 1084.—Mohr, E. Der Seehund. Neue Brehm-Bucherei (A. Ziemsen, Wittenberg Lutherstadt) 1955: 1–55 48 figs.
- 1085.—Mohr, E. Das Geschlecht Hagenbeek. Zool. Gart., Lpzg. 21 1955: 2-9 15 figs.
- 1086.—Mohr, E. Cervus canadensis bactrianus Lydekker 1900 und der "Hagenbeck-Hirsch" im Stellinger Tierpark. Zool. Gart., Lpzg. 21 1955: 44-58 19 figs.
- 1087.—Möhres, F. P. and Kulzer, E. Ein neuer, kombinierten Typ der Ultraschalloruntierung bei Fledermäusen. Naturwissenschaften 42 5 1955: 131–132 2 figs.

Mollison, B. C. see Rowley.

1088.—Molloy, P. G. Giant Eland of the Southern Sudan. Ctry. Life, Lond. **117** 1955: 1560-1561 2 figs.

Momigliano, E. see Talice.

- 1089.—Monaierg, A. M. El. Situation of wild mammals in Egypt. Bull. zool. Soc. Egypt 12 1954 (1955): 1.
- 1090.—Monod, T. Le phoque moine dans l'Atlantique. An. Fac. Ciênc. Pórto 32 1947: 221-233 6 figs.

Monson, M. see Irving.

Monson, M. see Krog.

- 1091.—Montagna, W. and Formisano, V. R. Esterase activity in the skin of mammals. J. Anat., Lond. 89 1955: 425-429 4 pls.
- 1092.—Moore, J. C. Bottle-nosed dolphins support remains of young. J. Mammal. 36 1955; 466-467.
- **1093.**—**Moore**, J. C. Opossum taking refuge under water. J. Mammal. **36** 1955: 559-560.
- 1094.—Moore, J. C. and Palmer, R. S. More piked whales from southern North Atlantic. J. Mammal. 36 1955: 429-433 2 pls.

- Moore, J. C. see Wood.
- Moreau, R. see Jullien.
- Moreira, L. P. see Talice.
- 1095.—Morgan, W. C. Some abnormalities found in tail-short heterozygotes. J. Tenn. Acad. Sci. 30 1955; 316-324 3 figs.
- 1096.—Morgan, W. C. and Holman, S. P. Eight mosaic mice in thirty years. J. Hered. 46 1955: 46-48 1 fig.
- 1097.—Morgan-Davies, A. M. The reserves and sanctuaries of Ceylon. Oryx 3 1955: 129-133 2 pls. 1 map.
- 1098.—Moriarty, C. Behaviour of hares on mud flats. Irish Nat. J. 11 1955: 310.

Morozova-Turova, L. G. see Geptner.

- 1099.—Morris, B. The yolk-sacs of Erinaceus europea and Putorius furo. J. Embryol. exp. Morph. 1 1953: 147–160 1 pl. 4 figs.
- 1100.—Morris, R. C. Extraordinary behaviour of a solitary bull bison (gaur). J. Bombay nat. Hist. Soc. 52 1955: 916.
- 1101.—Morris, R. F. Population studies on some small forest mammals in Eastern Canada. J. Mammal. 36 1955: 21–35.
- 1102.—Morrison-Scott, T. C. S. Proposed rejection for nomenclatorial purposes of Eberhard (J. P.), 1768, "Versuch eines neuen Entwurfs der Thiergeschichte," Bull. zool. Nomencl, 11 1955: 95-96.
- 1103.—Morrison-Scott, T. C. S. Proposed use of the plenary powers to validate the well known generic name *Muntiacus* in the Class Mammalia first published by Rafinesque in 1815. Bull. zool. Nomencl. 11 1955: 167–168.
- 1104.—Morrison-Scott, T. C. S. Support for Dr. Tate's proposed use of the plenary powers to validate the specific name dingo Meyer, 1793, as published in the combination Canis dingo as the name for the dingo (Class Mammalia). Bull. zool. Nomencl. 11 1955: 168.
- 1105.—Morrison-Scott, T. C. S. Proposed addition to the "Official list of generic names in Zoology" of the generic name "Mormoops" Leach, 1821 (Class Mammalia). Bull. zool, Nomencl. 11 1955: 183–185.

- 1106.—Morrison-Scott, T. C. S. Proposed use of the plenary powers for the purpose of designating for the genus "Heliosciurus" Trouessart, 1880, a type species in harmony with accustomed usage and for validating the specific name "gambianus" Ogilby, 1835, as published in the combination "Sciurus gambianus" as the name for the sun squirrel. (Class Mammalia.) Bull. 2001. Nomencl. 11 1955: 186-188.
- 1107.—Morrison-Scott, T. C. S. Proposed use of the plenary powers to validate the specific name "silvestris" Schreber, [1777], as published in the combination "Felis (Catus) silvestris" for the European wild cat. Bull. zool. Nomencl. 11 1955: 189-190.
- 1108.—Morrison-Scott, T. C. S. Proposed use of the plenary powers to validate the generic name "Phacochoerus" as from Cuvier (F.), 1826, as the generic name for the wart hog. Bull. zool. Nomencl. 11 1955: 191-195.

Morrison-Scott, T. C. S. see Ellerman.

- 1109.—Mossman, A. S. Light penetration in relation to small mammal abundance. J. Mammal. 36 1955: 564-566.
- 1110.—Mortimer Batten, H. Controlling beaver dams. Ctry. Life, Lond. 117 1955: 1512, 1514 2 figs.

Mossera, S. L. de see Talice.

- 1111.—Mossman, A. S. Reproduction of the brush rabbit in California. J. Wildlife Mngmt. 19 1955: 177-184.
- 1112.—Mostachfi, P. Dimorphisme sexuel des glandes sous-maxillaires du rat. Ses relations avec la thyroide et l'action goitrigène du soja. Rev. suisse Zool. 62 1955: 539-583 2 figs.

Mosti, M. E. see Wotton.

Mottl, M. see Vallois.

- 1113.—Moustafa, Y. S. Canis familiaris aegyptica from predynastic Maadi, Egypt. Bull. Inst. égypt. 36 1955: 105–109 4 figs.
- 1114.—Moustafa, Y. S. An interpretation of *Arsinoitherium*. Bull. Inst. égypt. 36 1955: 111–118.
- 1115.—Moustafa, Y. S. The Fayum fossil bone field. Bull. Inst. égypt. 36 1955: 119–127 2 figs.

Movius, H. L. see Vallois.

1116.—Müller-Using, D. Igel als Marderfrass, Säugetierk Mitt. 3 1955: 83.

Mumford, R. E. see Cope.

- 1117.—Münch, H. Zwei neue Wildkatzenfunde in Thüringen. Säugetierk. Mitt. 3 1955: 31-32 1 fig.
- 1118.—Munro, J. A. Additional observations of birds and mammals in the Vanderhoof region, British Columbia. Amer. Midl. Nat. 53 1955: 56-60.
- 1119.—Murie, O. A field guide to animal tracks. Boston (Houghton Miffin Co.), 1954: xxii + 374 pp. 196 figs. [N.V. Review J. Mammal. 36 1955: 478-479.]
- 1120.—Musacchia, X. J., Wilber, C. G. and Gorski, T. W. Hematological studies on mammals from Alaska. J. Mammal. 36 1955: 362-368.
- 1121.—Musil, R. Ein Elephantidenfund aus der Ziegelei in der Hohlweggasse (Na Üvoze) in Brünn. Čas. Moravsk. Mus. 40 1955; 38–59 4 pls. [German summary.]

Myant, N. B. see Cohen.

- 1122.—Myers, R. F. and Lewis, R. E. Unusual concentration of bats of the genus *Lasiurus* found in a Missouri cave. Proc. Ind. Acad. Sci. 64 1955: 257.
- 1123.—Narkiewicz, O. Variations in the departure of the splanchnic nerves from the sympathetic trunk at man and apes. Folia morph. Warszawa 6 1955: 43–50.

Naruse, M. see Yoshikawa.

- 1124.—[Nasimovich, A. A.] [Quantitative counting of wolverine, bear and wild cats.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 204–213. [In Russian.]
- 1125.—[Naumov, N. P. and Siroechkovski, E. E.] [On the northern limit of distribution of *Paradipus ctenodactylus*.] Bull. Soc. Nat. Moscow **60** 1955: 96–97. [In Russian.]
- 1126.—Nay, T. and Fraser, A. S. Growth of the mouse coat. V. Effects of pregnancy and lactation. Aust. J. biol. Sci. 8 1955: 428-433 5 figs.

Nay, T. see Fraser.

1127.—Neal, E. G. Badgers in woodlands. Forest. Commiss. Leaflet No. 34, 1955: 1-10 8 figs.

1128.—Neff, W. D. and Hind, J. E. Auditory thresholds of the cat. J. Acoust. Soc. Amer. 27 1955: 480-483.

Neff, W. D. see Köhler.

1129.—Nehaul, B. B. G. Rabies transmitted by bats in British Guiana. Amer. J. trop. Med. Hyg. 4 1955: 550-553.

1130.—Neill, W. T. and Boyles, J. M. Notes on the Florida pine mouse, *Pitymys parvulus* Howell. J. Mammal. 36 1955: 138-139.

1131.—Neill, W. T. and Bullen, R. P. Muskrat remains from a prehistoric Indian site in Jackson County, Florida. J. Mammal. 36 1955: 138.

1132.—Nemoto, T. White scars on whales. (1) Lamprey marks. Sci. Rep. Whales Res. Inst. Tokyo No. 10 1955: 69-77 10 figs.

Nemoto, T. see Omura.

1133.—Newby, F. E. and Wright, P. L. Distribution and status of the wolverine in Montana. J. Mammal. 36 1955: 248–253 1 fig.

1134.—Nicholson, B. D. The African elephant (*Loxodonta africana*). Part III: The tuskless "Boody." Afr. Wild Life 9 1955: 31–40 4 figs.

Nicol, T. see Bilbey.

1135.—[Nikiforov, L. P.] [New data on distribution of *Sorex tsherskii* Ogn. Bull. Soc. Nat. Moscow biol. 60 1955: 93. [In Russian.]

1136.—[Nikiforov, L. P.] [The distribution of Rangifer tarandus in N. Russia.] Priroda 11 1955: 98-100 2 figs. [In Russian.]

1137.—Niort, P.-L. Cétacés parvenus récemment sur les côtes Ouest. Bull. Soc. Sci. nat. Ouest (6) 1 1952: 51-53 1 fig.

1138.—Nishiwaki, M. On the sexual maturity of the Antarctic sperm whale (*Physeter catodon* L.). Sci. Rep. Whales Res. Inst. Tokyo No. 10 1955: 143–149 4 figs.

1139.—Nissen, H. in Gavan, J. A. Problems of mental evolution in the primates: 99-109.

Noguer, A. see Vallois.

1140.—Nolte, A. Freilandbeobachtungen über das Verhalten von *Macaca* radiata in Südindien. Z. Tierpsychol. 12 1955: 77-87 7 figs.

1141.—Nordmann, V. En fossil Hvalrostand fra Esbjerg. Medd. dansk geol. Foren. 12 1952: 244-249 text-figs. 1-3.

Nordmann, V. see Vallois.

1142.—Norton, P. A new Blancan vertebrate locality. J. Paleont. 28 1954: 487.

1143.—Nouvel, J. and Rinjard, J. Septicémie à Welchia perfringens observée sur des éléphants de mer—Mirounga leonina (L.). Bull. Mus. Hist. nat., Paris (2) 26 1955 : 655-656.

Novakowski, N. S. see Fuller.

Novick, A. see Griffin.

1144.—[Novikov, G. A.] [Muskrat census methods.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 156–164. [In Russian.]

1145.—[Novozhilov, N. I.] [Distribution of mammals in lower Eocene and upper Paleocene of Mongolia.] Trav. Mongol. Comm. Acad. Sci. USSR No. 59 1954: 33–46 5 pls.

1146.—Nowosielski-Slepowron, B.J.A. and Peacock, A. D. Chromosome numbers in the blue, fin and sperm whales. Proc. roy. Soc. Edinb. 65B 1955: 358-368 2 pls.

1147.—Oakley, K. P. and Weiner, J. S. Piltdown Man. Amer. Scient. 43 1955: 573-583 7 figs.

Oakley, K. P. see Vallois.

Oakley, K. P. see Weiner.

1148.—Oboussier, H. Zur Kenntnis der Hypophyse des Panda (Ailurus fulgens F. Cuv.). Zool. Anz. 154 1955: 1-8 3 figs.

1149.—Oboussier, H. Untersuchungen über die Grossenbeziehungen der Hypophyse und ihrer Teile bei Säugern. Roux Arch. Entw. Mech. Organ. 147 1955: 405–433 12 figs.

1150.—O'Connor, J. L., Rowan, L. C. and Lawrence, J. J. Relationships between the flying fox (genus *Pteropus*) and arthropod-borne fevers of North Queensland. Nature, Lond. 176 1955: 472.

48

- 1151.—Odlum, W. P. Two bats hitherto unrecorded from Co. Leix. Irish Nat. J. 11 1955: 310.
- 1152.—Odum, E. P. An eleven year history of a Sigmodon population. J. Mammal. 36 1955; 368–378 1 pl. 2 figs.
- 1153.—Oesau, W. Hamburgs Grönlandfahrt auf Walfischfang und Robbenschlag vom 17–19 Jahrhundert, Gluckstadt-Hamburg (Verlag J. J. Augustin) 1955 pp. 316 60 pis. (3 col.) 7 maps 1 graph.
- 1154.—Ogilvie, C. S. A game warden looks at the Malayan Seladang. Anim. Kingd. 58 1955: 2–12 8 figs.
- 1155.—Ogilvie, S. Chokecherry toxic to an antelope. J. Mammal. 36 1955: 146.
- 1156.—Ogose, S. Stratigraphical boundary between the Pliocene and Pleistocene strata in the Bôsô Peninsula, South Kanto, Japan. J. Fac. Sci. Tokyo Univ. (2) 9 1954: 287–299 1 fig.
- 1157.—Ohta, K. and others. Composition of fin whale milk. Sci. Rep. Whales Res. Inst. Tokyo No. 10 1955: 151-167.
- 1158.—Oksala, T. Genetics of the dark phases of the red fox in experiment and in nature. Pap. Game Res. Helsingf. 11 1954: 1–16 1 fig.
- 1159.—Oksala, T. On the Samson character of the red fox. Pap. Game Res. Helsingf. 11 1954: 17-23 1 fig.
- 1160.—Olbrycht, T. Development of the mammary gland and permanent lactation in a heifer. Folia biol., Warszawa 3 1955: 31-40 2 figs. [English summary.]
- 1161.—Oliver, J. A. Is the mongoose a snake killer? Nat. Hist., N.Y. 64 1955: 426-429 3 figs.
- 1162.—Olivier, G. Le grand cerf d'Endsleigh. Terre et la Vie 100 1953 : 127-131 1 pl.
- 1163.—Olivier, G. Le cerf du Pere David. Terre et la Vie 101 1954: 183-191 l pl.

1164.—Olivier, G., Libersa, C. and Fenart, R. Le crâne du Semnopithèque. Mammalia, Paris 19 1955: 1-292: 159 figs.

Olson, D. see Beer.

- 1165.—Ommen, F. van. Was wird aus dem Geweihbast des Rothirsches, Cervus elaphus Linné, 1758. Säugetierk. Mitt. 3 1955: 34–35.
- 1166.—Omura, H. Whales in the northern part of the North Pacific. Norsk Hvalfangsttid. 44 1955: 323–342 figs. 395–405.
- 1167.—Omura, H., Fujino, K. and Kimura, S. Beaked whale *Berardius bairdi* of Japan, with notes on *Ziphius cavirostris*. Sci. Rep. Whales Res. Inst. Tokyo No. 10 1955: 89–132 10 pls. 30 figs.
- 1168.—Omura, H. and Nemoto, T. Sei whales in the adjacent waters of Japan. III. Relation between movement and water temperature of the sea. Sci. Rep. Whales Res. Inst. Tokyo No. 10 1955: 79-87 18 figs.

Orghidan, T. see Dumitrescu.

- 1169.—[Orlova, A. F.] [Influence of dry summer on the rate of reproduction of ground squirrels.] C.R. Acad. Sci. URSS 105 1955: 1368-1370. [In Russian.]
- 1170.—Orowan, E. The origin of man. Nature, Lond. 175 1955: 683-684.
- 1171.—Ortiz, E. The relation of advancing age to reactivity of the reproductive system in the female hamster. Anat. Rec. 122 1955: 517-537 7 figs.
- 1172.—Osborn, D. J. Techniques of sexing beaver, Castor canadensis. J. Mammal. 36 1955: 141-142.
- 1173.—Ottow, B. Symmetrische hyperplastische Osteoperiostose eines Löwenskeletts aus der Gefangenschaft. Säugetierk. Mitt. 3 1955: 97–101 5 figs.
- 1174.—Owers, N. The nature of the allanto-chorionic placenta in the insectivore, *Crocidura caerulea*. Proc. Indian sci. Congr. 38th 3 [1952]: 233.
- 1175.—Ozansoy, F. Sur les gisements continentaux et les mammifères du Néogène et du Villafranchien d'Ankara (Turquie). C.R. Acad. Sci. Paris 240 1955: 992–994.

1176.—Packard, R. L. Release, dispersal, and reproduction of fallow deer in Nebraska. J. Mammal. 36 1955: 471–473.

Packard, R. L. see Fitch.

Packard, R. L. see Stains.

1177.—Page, F. J. T. Revival of the study of British deer. Bull. Mammal Soc. Brit. Isles 3 1955: 4–8.

Palaus, R. see Balcells.

Palic, D. see Simic.

Pallie, W. see Weddell.

1178.—Palmans, M. Un chimpanzé pas comme les autres: le *Pan paniscus*. Zoo D'Anvers 21 1955: 80-83 7 figs.

Palmer, E. see Weddell.

Palmer, R. S. see Moore.

1179.—Pan, I. del. Hallazgo de restos de *Elephas antiquus* Falc. en Logrono, Bol. Soc. esp. Hist. nat. 1950 47 pp. 193–201 3 pls.

Parkes, A. S. see Billingham.

Parmalee, P. W. see Smith.

1180.—Pasa, A. Primè indagini sistematiche e quantitative sui Micromammiferi delle associazioni forestali trentini. Studi trentini 31 1954: 54-60.

1181.—Pascual, R. Los toxodóntidos del "Colloncurense" descriptos por Roth y su presencia en el Santacruciano. Notas Mus. Eva Perón 17 1954: 95–111 4 figs.

Pashkov, V. N. see Demchuk.

Passmore, R. C. see Peterson.

1182.—Patt, H. M. Factors in the radiosensitivity of mammalian cells. Ann. N.Y. Acad. Sci. 59 1955: 649-664.

1183.—Patte, E. Un Éléphant Archidiskodon des brêches de Langson (Vietnam). Bull. Soc. Geol. France (6) 4 1954: 505-508 1 fig.

1184.—Patte, E. Paleontologie et expérimentation. Experientia 11 1955 : 359-361.

1185.—Patterson, B. A symmetrodont from the early Cretaceous of Northern Texas. Fieldiana, Zool. 37 1955: 689-693 1 fig.

1186.—Patterson, B. in Gavan, J. A. The geologic history of non-hominid primates in the Old World: 13-31 3 figs.

1187.—Patzelt, V. Über das Ovarium der Karnivoren und seine Zwischenzellen. Z. mikr. anat. Forsch. 61 1955: 309–359 21 figs.

1188.—Patzelt, V. Hermaphroditismus und Intersexualität. Roux Arch. Entw. Mech. 148 1955: 195–217 3 figs.

1189.—Paulian, R. Observation sur la reproduction du *Lemur variegatus* Kerr. Nat. malgache 7 1955 : 223.

1190.—Paulian, P. Sur l'âge et la croissance du léopard de mer, *Hydrurga leptonyx* (de Blainville). Mammalia, Paris 19 1955: 347–356 2 figs.

1191.—Paulus, M. Sur quelques naissances de Makis au Jardin Zoologique de Marseille pendant les années 1940–1941–1942. Bull. Soc. linn. Provence 14 1943: 35–37.

1192.—Pavlansky, R. and Bubenik, A. Von welchem Gewebe geht der eigentliche Reiz zur Geweihentwicklung aus?
1. Mitteilung: Ein Versuch der Transplantation eines Geweihzapfens bei einem Damspiesser, Dama dama dama (Linné 1758). Säugetierk. Mitt. 3 1955: 49–53 4 figs.

1193.—Pavlovsky, E. N. Quelques considérations sur les conditions écologiques de l'existence du mammouth. Ann. Sci. nat. (Zool.) (11) 16 1955: 413-418 2 figs.

1194.—Peabody, F. E. Travertines and cave deposits of the Kaap escarpment of South Africa, and the type locality of Australopithecus africanus Dart. Bull. Geol. Soc. Amer. 67 1954: 671-706.

Pearson, R. see Svihla.

1195.—**Pedersen**, C. Vore mindste gnavere. Nat. og Mus. **4** 3 1955 : 3–13 16 figs.

1196.—[Pegelman, S. G.] [The distribution and the harmful activity of Citellus pygmaeus in Ukraine.] Zool. Zh. 34 1955: 1153-1161. [In Russian.]

1197.—Peng, O. H. The geographical distribution of bats in the Indonesian Archipelago. Penggemar Alam 34 1954: 127–128.

Penhos, J. C. see Foglia.

1198.—Perry, J. S. Fecundity and embryonic mortality in pigs. J. Embryol, exp. Morph. 2 1954: 308–322 3 figs.

- 1199.—Pesonen, S. On the fertilization of ova in the rat. Arch. Soc. zool.bot. fenn. 9 Suppl. 1955: 245–250 9 figs.
- 1200.—Petersen, G. Condiciones geograficas y geologicas de la Cuenca del Rio Zarumilla. Bol. Soc. geol. Peru 25 1949: fasc. 7 1–39 text-figs. & 1 map.
- 1201.—Peterson, R. L. North American Moose. Univ. Toronto Press, 1955: xi + 280 66 figs. Appendix A. A study of mandibular tooth-wear as an index to age of moose. R. C. Passmore, R. L. Peterson and A. T. Cringan. Appendix B. Studies of moose antler development in relation to age. A. T. Cringan.
- **1202.—Peterson**, W. Better not badger the badger. Nat. Hist., N.Y. **64** 1955: 436-437 3 figs.
- 1203.—Peterson, W. Arizona's operation beaver lift. Nat. geogr. Mag. 107 1955: 666-680 17 figs.
- 1204.—Petit, G. and Schachter, D. La Camargue. Étude écologique et faunistique. Année biol. (3) 30 5-6 1954: 193-253. (Mammals pp. 224-225.)

Petit, G. see Grassé.

1205.—Petrides, G. A. A report on Kenya's wild-life resources and the National Parks, November, 1953—July, 1954. Nairobi (Trustees of the Royal National Parks of Kenya) 1955 pp. 30.

Petrides, G. A. see Swank.

- **1206.**—**Petrocchi**, C. I Proboscidati di Sahabi. Rend. Accad. Naz. XL **IV** 4 & 5 1954 : 1-66 23 pls. 20 figs.
- 1207.—Petronijevic, Z. M. Neue Funde des Dinotherium giganteum Kaup in Serbien. Ann. Geol. Pen. Balkan 22 1954: 99–113. [German summary.]
- 1208.—Petter, F. Une question d'actualite: myxomatose et acclimatation. Terre et la Vie 100 1953: 144-147 l fig.
- 1209.—Petter, F. Les terriers de Meriones crassus et de Pachyuromys duprasi (Rongeurs, Gerbillides). Mammalia, Paris 19 1955: 325-334 8 figs.
- 1210.—Petter, F. Contribution à l'etude de *Meriones vinogradovi* Heptner 1931 (Rongeurs, Gerbillidae). Mammalia, Paris 19 1955: 391–398 3 figs.

- 1211.—Petter, F. Note sur l'estivation et l'hibernation observées chez plusieurs espèces de rongeurs. Mammalia, Paris 19 1955: 444–446.
- 1212.—Petzsch, H. Bemerkenswerte Bewegungsstereotypie bei einem gehaltenen Feldhamster-♀, *Cricetus cr.* cricetus (Linné, 1758). Säugetierk, Mitt. 3 1955: 33–34.
- 1213.—Petzsch, H. Zum Problem der Färbung von *Lycaon pictus* (Temminck, 1820). Säugetierk. Mitt. 3 1955; 82–83.
- 1214.—Petzsch, H. Beobachtungen an den Elbe-Bibern (Castor fiber albicus Matschie) des halleschen Tiergartens. Zool. Gart. Lpzg. 21 1955: 156–160 2 figs.
- 1215.—Petzsch, H. Gesellschaftshaltung einer grosseren Anzahl von Iltissen (Putorius putorius [L.]) und Frettehen (Putorius furo [L.]) verschiedener Altersstufen. Zool. Gart. Lpzg. 21 1955: 188–190 1 fig.
- 1216.—Peyre, A. Sécrétion épididymaire et persistance de spermatozoides vivants dans les voies efférentes mâles du Desman des Pyrénées (Galemys pyrenaicus G.) au cours du cycle sexuel. C.R. Soc. Biol., Paris 148 1954: 1873–1875.
- 1217.—Peyre, A. Intersexualité du tractus génital femelle du Desman des Pyrénées Galemys pyrenaicus G. Bull. Soc. zool. Fr. 80 1955: 132–138 1 pl. 4 figs.
- 1218.—Peyre, A. Évolution de la zone médullaire de l'ovaire chez le Desman (Galemys pyrenaicus) prépubère. C.R. Acad. Sci. Paris 240 1955: 1139-1141.
- 1219.—Pezone, L. B. Lunghezza delle ossa fossili di *Mustela nivalis* L. Mem. Soc. tosc. Sci. nat. 61A 1954: 150-155.
- 1220.—Pfeiffer, E. W. Hormonally induced "mammary pairs" of a primitive rodent *Aplodonta rufa*. Anat. Rec. 122 1955: 241–255 7 figs.

Phillips, R. J. S. see Carter.

- 1221.—Phillips, W. M. The effect of commercial trapping on rabbit populations. Ann. appl. Biol. 43 1955: 247–257.
- 1222.—Phillips, W. M. An experiment in rabbit control. Ann. appl. Biol. 43 1955: 258-264.

1223.—[Pidoplichko, I. G.] [New data on the vertebrate fauna of Anthropogenic deposits of Tarnopol province.] C.R. Acad. Sci. URSS 100 1955: 989-991. [In Russian.]

1224.—Piechockl, R. Beobachtungen an Zwergmäusen *Micromys minutus* Pall., in Gefangenschaft. Zool. Gart. Lpz. 22 1955: 11–29 16 figs.

Pike, G. C. see Hylon.

1225.—Pilters, H. Observations éthologiques sur les Tylopodes. Mâmmalia, Paris 19 1955 : 399-415 3 figs.

1226.—Pimentel, D. Biology of the Indian mongoose in Puerto Rico. J. Mammal. 36 1955: 62-68.

1227.—Pimentel, D. The control of the mongoose in Puerto Rico. Amer. J. Trop. Med. Hyg. 4 1955: 147-151.

1228.—Pirlot, P. L. Variabilité intragénérique chez un Rongeur africain (*Tatera* Lataste). Ann. Mus. Congo belg. Zool. 8vo 39 1955: 1–66 5 pls. 24 figs.

1229.—Pitelka, F. A., Tomich, P. Q. and Treichel, G. W. Ecological relations of jaegers and owls as lemming predators near Barrow, Alaska. Ecol. Monogr. 25 1955: 85–117 12 figs.

1230.—Pitman, C. R. S. Sir William Gowers: a tribute. Uganda J. **19** 1955: 105–106.

Pitman, C. R. S. see Edmond-Blanc.

1231.—Pitt, F. The Woburn Animals. Ctry. Life, Lond. 117 1955: 866-868 6 figs.

1232.—Pitt, F. White Squirrels. Ctry. Life, Lond. 117 1955: 1438.

1233.—Pitt, F. Family life of the Red Squirrel. Field **205** 1955; 392–393 5 figs.

1234.—Piveteau, J. Tout était faux á Piltdown. Nature, Paris No. 3237 1955: 30-31 3 figs.

1235.—Piveteau, J. Quelques traits structuraux d'un jeune néandertalien et leur signification phylétique. C.R. Acad. Sci. Paris 241 1955: 1173-1175.

Piveteau, J. see Grassé.

1236.—Planchuelo, G. Aparición de una foca en la Ria de Avilés. Bol. Soc. esp. Hist. nat. 50 Biol. 1952: 417–418 1 fig.

1237.—Po-Chedley, D. S. and Shadle, A. R. Pelage of the porcupine, Efethizon dorsatum dorsatum. J. Mammal. 36 1955: 84-94 1 fig.

1238.—Pohl, L. Le boeuf musqué. Terre et la Vie **101** 1954 : 152-153.

1239.—Poles, W. E. The courtship of African elephants. Oryx 3 1955: 71-74 2 pls.

1240.—Politzer, G. and Weizenberg, J. Zur Homologie des Schneidezahnes bei den simplicidentaten Nagetieren. Öst. zool. Z. 5 1955: 457-463 2 figs.

1241.—Poll, M. Instructions pour la préparation des vertébrés. IV.—Préparation des mammiferes. Congo-Tervueren 1 1955 : 98–102 12 figs.

1242.—Polutoff, N. Das Mammut von Taimyr (Neue Erkentnisse zur Ökologie des sibirischen Mammuts). Eiszeitalter und Gegenwart. Jb. deutsch. Quärtarvereinigung 6 1955: 152–158 2 figs.

Pomerantz, E. see Teeri.

1243.—Pomeroy, R. W. Ovulation and the passage of the ova through the Fallopian tubes in the pig. J. agric. Sci. 45 1955: 327-330 1 fig.

1244.—Popovici, Z. and Angelescu, V. La economia del Mar y sus relaciones con la alimentacion de la humanidad. Publ. Ext. cult. Mus. argent. Cienc. nat. No. 8 1954: 2 vols. [Mammals Vol. 1 pp. 513-549.]

1245.—Postel, E. Sur quelques captures et échouages d'animaux rares en Tunisie. Bull, Sta. oceanogr. Salammbo No. 52 1955 : 47–48.

Potas, M. Z. see Miller.

1246.—Pournelle, G. H. Notes on the reproduction of a Baringo giraffe. J. Mammal. 36 1955: 574.

Powell, E. K. see Smith.

1247.—Pożaryska, K. Ortogeneza. Przegląd Geol. 8 1954 : 314–319 6 figs.

1248.—Prakash, I. Notes on the desert hedgehog (Hemiechinus auritus collaris Gray). J. Bombay nat. Hist. Soc. 52 1955: 921-922.

1249.—Prakash, I. Cannibalism in hedgehogs. J. Bombay nat. Hist. Soc. 52 1955: 922–923.

1250.—Prakash, I. and Sharma, S. C. Nematodes and hedgehog mortality. J. Bombay nat. Hist. Soc. 53 1955: 123.

Prakash, I. see Krishna.

Prichard, M. M. L. see Reynolds.

1251.—Prince, R. H., Graham, M. A. and Barr, M. L. Nuclear morphology, according to sex, in *Macacus rhesus*. Anat. Rec. 122 1955: 153-171 18 figs.

1252.—Prychodko, W. Verkehrsopfer und Aasfresser. Säugetierk. Mitt. 8 1955: 29.

1253.—Psarianos, P. and Thenius, E. Ein fossiles Cerviden "Gehirn" aus dem Quartär des Peloponnes (Griechenland). Ann. Geol. Pays Hellen. (1) 6 1955: 13–32 3 pls. 5 figs.

1254.—Pujman, V. and others. Remarks to the blood picture of mice. Mém. Soc. zool. tchéosl. 18 1954: 289–297 4 figs. [Czech with English rés.]

1255.—Pujman, V. and others. The blood picture of the rabbit. Mém. Soc. zool. tchéosl. 19 1955; 287-295 5 figs. [Czech. with English summary.]

1256.—Purrington, P. A whale and her calf. Nat. Hist., N.Y. 64 1955: 363.

1257.—Purves, P. E. The wax plug in the external auditory meatus of the Mysticeti. 'Discovery' Rep. 27 1955: 293-302 5 pls. 2 figs.

Purves, P. E. see Fraser.

Putnam, E. F. see Grasse.

1258.—Quay, W. B. Distributional notes on small mammals in northern Manitoba, Canada. J. Mammal. 36 1955: 123.

1259.—Quay, W. B. Histology and cytochemistry of skin gland areas in the caribou, *Rangifer*. J. Mammal. 36 1955: 187–201 6 pls.

1260.—Quay, W. B. and Miller, J. S. Occurrence of the red bat, *Lasiurus borealis*, in caves. J. Mammal. 36 1955: 454-455.

1261.—Quick, H. F. Small mammal populations in northern British Columbia. Canad. Fld Nat. 68 1954: 95–102.

1262.—Quinn, J. H. Miocene Equidae of the Texas Gulf coastal plain. Publ. Univ. Texas No. 5516 1955: 1–102 14 pls. 5 figs.

1263.—[Radilovskaya, R. G.] [The peculiarities of the structures in the joints of phalangaedigitrum, carpus and pes in some mammals.] Trud. Inst. Zool. Akad. Nauk ukr. S.S.R. 9 1952: 141-148 4 figs. [In Russian.]

Radivojevitch, D. V. see Martinovitch.

1264.—[Raevski, V. V.] [Estimation of the sable population.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 173–178 2 fig. [In Russian.]

1265.—Rageot, R. H. A new northernmost record of the yellow bat, *Dasy*pterus floridanus. J. Mammal. 36 1955: 456.

1266.—Rahm, U. Beobachtungen an den Schuppentieren *Manis tricuspis* and *Manis longicaudata* der Elfenbeinküste. Rev. suisse Zool. 62 1955: 361–369 2 figs.

1267.—Rainey, D. G. Observations on the white-footed mouse in eastern Kansas. Trans. Kansas Acad. Sci. 58 1955: 225–228.

1268.—Rainey, D. G. and Baker, R. H. The pigmy woodrat, *Neotoma goldmani*, its distribution and systematic position. Publ. Mus. nat. Hist. Univ. Kansas 7 1955: 619-624 2 figs.

1269.—Rakovec, I. On the new find of Mastodont remains in Slovenia. Geol. Razprave Porocila 2 1954 (1955): 94–112 2 pls. [English summary.]

1270.—Rakovec, I. On elephant's remains in Slovenia. Razpr. Akad. Ljubljani Cl. IV 2 1954: 215-275 4 pls. [English summary.]

1271.—Rakovec, I. Libralces aff. gallicus Azzaroli from the Vič Terrace near Ljubljani. Razpr. Akad. Ljubljani Cl. IV 2 1954: 277-296. [English summary.]

1272.—Rakovec, I. Hippopotamus from the Postojna Basin. Razpr. Akad. Ljubljani Cl. IV 2 1954: 297-318 4 figs. [English summary.]

Ramecourt, G. de see Edmond-Blanc.

1273.—Ramm, G. M. and Swarts, G. E. The development of the hamster metanephros correlated with general body growth and compared with the metanephroi of other species. Anat. Rec. 123 1955: 259-277 2 figs.

- 1274.—Ramsbottom, J. Mr. W. R. Sherrin. Nature, Lond. 175 1955: 750-751.
- 1275.—Ramsey, E. M. Venous drainage of the placenta of the rhesus monkey (*Macaca mulatta*). Contr. Embryol. Carneg. Instn. 35 1954: 151-173 7 pls.

Rand, B. see Kettlewell.

- 1276.—Rand, R. W. Reproduction in the female Cape Fur Seal, Arctocephalus pusillus (Schreber). Proc. zool. Soc. Lond. 124 1955: 717-740 6 figs.
- 1277.—Rand, R. W. Marion Island—home of South Africa's elephant seal. Afr. Wild Life 9 1955: 7-9 3 figs.
- 1278.—Ratcliffe, H. L. Die vom Zoo Philadelphia für gefangen gehaltene Wildtiere entwickelte Kost. Zool. Gart. Lpzg. 21 1955: 173–177.

Rausch, R. see Wright.

- 1279.—Ravninger, R. Report on the whale marking voyage of the "Enern" to the Antarctic 1954. Norsk Hvalfangsttid. 44 1955: 310-315.
- 1280.—Reagan, R. L., Chang, S. and Brueckner, A. L. Response of the cave bat (Myotis lucifugus) to the Saukett (Leon type) strain of poliomyelitis virus. Trans. Amer. micr. Soc. 74 1955: 401-403.
- 1281.—Reed, E. B. January breeding of *Peromyscus* in north central Colorado. J. Mammal. 36 1955: 462–463.
- 1282.—Reed, E. K. Bison beyond the Pecos. Texas J. Sci. 7 1955: 130-135.
- 1283.—Reger, J. F. Electron microscopy of the motor end-plate in rat intercostal muscle. Anat. Rec. 122 1955: 1-15 9 figs.
- 1284.—Reig, O. A. Noticia preliminar sobre la presencia de microbiotherinos vivientes en la fauna sudamericana. Invest. zool. chil. 2 1955: 121-130 5 figs.
- 1285.—Reig, O. A. Un nuevo genero y especie de cenolestinos del Plioceno de la Provincia de Buenos Aires (Republica Argentina). Rev. Asoc. Geol. Argent. 10 1955: 60-71 3 figs.
- 1286.—Reinwaldt, E. Besteht die Nahrung der Soriciden ausschliesschlich aus tierischen Stoffen? Säugetierk. Mitt. 3 1955: 124–125.

- 1287.—Reinwaldt, E. Zur Kenntnis der Gelbhalsmaus, Apodemus flavicollis alpicola Heinrich, 1951. Säugetierk. Mitt. 3 1955: 151-154.
- 1288.—Reményi, K. A. Der fossile Säugetier-Fundort von Kislang. Földt. Közl. 84 1954: 376–388 pl. 52. [German summary.]

Remington, J. D. see Beidleman.

- 1289.—Rendel, J. M. and Kellerman, G. M. Deoxyribonucleic acid content of marsupial nuclei. Nature, Lond. 176 1955: 829.
- 1290.—Rensch, B. and Altevogt, R. Dressurleistungen indischer Arbeitselefanten. Verh. dtsch. zool. Ges. 1954 1955: 325–327. (Zool. Anz. Suppl. 18.)
- 1291.—Rensch, B. and Altevogt, R. Das Ausmass visueller Lernfähigkeit eines Indischen Elefanten. Z. Tierpsychol. 12 1955: 68-76 2 figs.
- 1292.—Rensch, B. and Harde, K. W. Growth gradients of Indian elephants. J. Bombay nat. Hist. Soc. 52 1955: 841-851 11 figs.
- 1293.—Requate, H. Ein Fund von Microtus oeconomus stimmingi Nehring, 1899, aus dem 4. Jahrhundert auf der Insel Föhr. Säugetierk. Mitt. 3 1955: 123-124.
- 1294.—Reventlow, A. Nordliche See-Elefanten (*Mirounga angustirostris*) im Zoologischen Garten Kopenhagen. Zool. Gart. Lpz. 22 1955: 73-76 2 figs.
- 1295.—Reynolds, E. A. P. Burma rhino. Burmese For. 4 1954: 104-108.
- 1296.—Reynolds, J. K. Distribution and populations of the European hare in southern Ontario. Canad. Fld Nat. 69 1955: 14-20 2 maps.
- 1297.—Reynolds, S. R. M., Ardran, G. M. and Prichard, M. M. L. Observations on regional circulation times in the lamb under fetal and neonatal conditions. Contr. Embryol. Carneg. Instn 35 1954: 73-92.

Rezinko, D. S. see Semenov.

- 1298.—Rice, D. W. Status of *Myotis grisescens* in Florida. J. Mammal. 36 1955: 289-290.
- 1299.—Rice, D. W. Myotis keenii in Florida. J. Mammal. 36 1955: 567.

- 1300.—Rice, D. W. A new race of *Myotis austroriparius* from the Upper Mississippi Valley. Quart. J. Fla Acad. Sci. 18 1955: 67-68.
- **1301.**—**Richard**, B. Le castor du Rhone. Terre et la Vie **101** 1954 : 129–137 7 figs.
- 1302.—Richard, P.-B. Bièvres constructeurs de barrages. Mammalia, Paris 19 1955: 293-301 9 figs.

Richard, B. see Lecomte.

Richie, B. G. see Archdeacon.

- 1303.—Richter, C. P. The effects of domestication and selection on the behavior of the Norway rat. J. Nation. Cancer Inst. 15 1954: 727-738. (U.S. Dept. Hlth.]
- 1304.—Rieck, W. Wildkatze, Felis s. silvestris Schreber, 1777, im Knüllgebirge, Hessen. Säugetierk. Mitt. 3 1955: 32-33.
- 1305.—Riese, W. The brain of the chimpanzee at the time of birth (myelogenesis). J. Mammal. 36 1955: 78-83 l pl.
- 1306.—Rigden, R. G. The fishes, amphibians, reptiles and mammals of Woolwich and surrounding localities. Lond. Nat. No. 34 1955: 48-53.
- 1307.—Riney, T. Evaluating condition of free-ranging red deer (*Cervus elaphus*), with special reference to New Zealand. N.Z. J. Sci. Tech. 36B 5 1955; 429–463 7 figs.
- 1308.—Ring, P. A. Ossification and growth of the distal ulnar epiphysis of the rabbit. J. Anat., Lond. 89 1955: 457-463 2 pls. 1 fig.
- 1309.—Ringuelet, A. B. de. Revision de los didelfidos fosiles Argentinos. Rev. Mus. Univ. Eva Peron (N.S.) 3 (2) Paleont. 1953: 265–308 7 pls.

Rinjard, J. see Nouvel.

Ritchie, A. T. see Edmond-Blanc.

- 1310.—R., N. D. L. Une remarkable decouverte paleontologique l'atlanthrope de Ternifine. Terre et la Vie 101 1954 : 260 1 pl.
- 1311.—Robinette, W. L. and Aldous, C. M. "Parrot mouth" in Rocky Mountain mule deer. J. Mammal, 36 1955: 308-310.

1312.—Robinette, W. L. and Gashwiler, J. S. Antlerless mule deer bucks. J. Mammal. 36 1955: 202–205 1 pl.

Robinette, W. L. see Draney.

- 1313.—Robinson, J. T. The origin of man. S. Afr. J. Sci. 51 1955: 353-354.
- 1314.—Robinson, J. T. On understanding fossils. Bull. Transv. Mus. No. 2 1955: 5-6.
- 1315.—Robinson, R. Two new mutations in the Syrian hamster. Nature, Lond. 176 1955: 353-354.
- 1316.—Roding, G. M. Het gebit van de mammoet en vondsten hiervan in twente. Levende Nat. 58 3 1955: 48-55 6 figs.
- 1317.—Röhrs, M. Zur Kenntnis von Ovis ammon anatolica (Valenciennes 1856). Zool. Anz. 154 1955: 8-16 4 figs.
- 1318.—Röhrs, M. Vergleichende Untersuchungen an Wild- und Hauskatzen. Zool. Anz. 155 1955: 53-69 3 figs.

Röhrs, M. see Herre.

- 1319.—Rollais, G. and Biname, J. Note sur la capture des singes en Afrique centrale. Zooleo No. 30 1955: 16-20 figs.
- 1320.—Rollinson, D. H. L. Oestrus in zebu cattle in Uganda. Nature, Lond. 176 1955: 352-353.
- 1321.—Rollinson, D. H. L., Harker, K. W. and Taylor, J. I. Studies on the habits of zebu cattle. III. Water consumption of zebu cattle. J. agric. Sci. 46 1955: 123-129.

Rollinson, D. H. L. see Taylor.

- 1322.—Romankowowa, A. On the morphology of the hand of the mouse as a grasping organ. Zool. Polon. 6 1955: 71-79 8 figs.
- 1323.—Romer, A. S. The vertebrate body, Philadelphia & London (W. B. Saunders Co.) 2nd edition, 1955, pp. viii + 644, 390 figs.
- 1324.—Romer, J. D. Cetaceans recorded from within or near Hong Kong territorial waters. Mem. Hong Kong biol. Circle No. 3 1955: 1-4 3 figs.

Romer, J. I. see Chapman.

1325.—Ronchetti, C. R. Nuova segnalazione di *Elephas antiquus* Falc. nella valle Latina. Riv. Ital. Paleont. 61 1955: 127–136 1 pl.

- 1326.—Ronchetti, C. R. Sopra un singolare carattere morfologico dell' Ursus spelaeus Ros. Riv. Ital. Paleont. 61 1955: 181–186 1 pl.
- 1327.—Roos, T. B. and Shackelford, R. M. Some observations on the gross anatomy of the genital system and two endocrine organs and body weights in the chinchilla. Anat. Rec. 123 1955: 301-311 4 figs.

Rosicky, B. see Kratochvil.

1328.—[Rossolimo, O. L.] [Oh' the biology of two species of hedgehogs in Eastern Pre-Caucasus.] Bull. Soc. Nat. Moscow biol. 60 1955: 3-8. [In Russian.]

Rowan, L. C. see O'Connor.

1329.—Rowley, I. and Mollison, B. C. Copulation in the wild rabbit, *Oryctolagus cuniculus*. Behaviour 8 1955: 81-84.

Rowson, L. E. A. see Averill.

Rowson, L. E. see Hunter.

- 1330.—Rudd, R. L. Age, sex and weight comparisons in three species of shrews. J. Mammal. 36 1955: 323–339 5 figs.
- 1331.—Rudd, R. L. Population variation and hybridization in some Californian shrews. Syst. Zool. 4 1955: 21–34 7 figs.

Ruibal, R. see Koopman.

- 1332.—[Rukovski, N. N.] [The reproduction of the wild cat of the Caucasus.] Bull. Soc. Nat. Moscow biol. 60 1955: 94-96 2 figs. [In Russian.]
- 1333.—Runner, M. N. and Gates, A. Sterile, obese mothers. J. Hered. 45 1954:51-55 4 figs.
- 1334.—Rusconi, C. Material teratologico en el Museo de Mendoza. Rev. Mus. Hist. nat. Mendoza 3 1949: 95–137 36 figs.
- 1335.—Rusconi, C. Lista de familias, generos y especies fundadas por Carlos Rusconi desde 1927 a 1948. Rev. Mus. Hist. Nat. Mendoza 3 1949: 138–156.
- 1336.—Russell, E. D. B. A shortage of grey squirrels. Ctry. Life, Lond. 117 1955: 816, 819.

Russell, E. S. see Silvers.

- 1337.—Russell, R. J. and Baker, R. H. Geographic variation in the pocket gopher, *Cratogeomys castanops*, in Coahuila, México. Publ. Mus. nat. Hist. Univ. Kansas 7 1955: 591-608 1 fig.
 - Rutherford, G. see Wagstaffe.
- 1338.—Rutterford, M. G. Coypu in West Suffolk. Trans. Suffolk Nat. Soc. 9 [1955]: 58.
- 1339.—Rutterford, M. G. Harvest mouse. Trans. Suffolk Nat. Soc. 9 [1955]: 58.
- 1340.—Ruttledge, R. F. Leisler's bat in Co. Kilkenny. Irish Nat. J. 11 1955: 310.
- 1341.—Ruud, J. T. International co-operation in whale marking in the Antarctic 1954. Norsk Hvalfangsttid. 44 1955: 309–310.
- 1342.—Ruud, J. T. The mortality rates of Antarctic fin whale stocks. Deep-Sea Res. 3 Suppl. 1955: 257–260 1 fig.

Ruud, J. T. see Hylen.

- 1343.—Ryder, M. L. Studies on the nutrition of wool follicles in sheep: the anatomy of the general blood supply to the skin, J. agric. Sci. 45 1955: 311-326 4 pls. 4 figs.
- 1344.—Ryziewicz, Z. Systematic place of the fossil Musk-ox from the Eurasian Diluvian. C.R. Soc. Sci. Wrocław 4 1955: 59-61.
- 1345.—Ryziewicz, Z. Systematic place of the fossil musk-ox from the Eurasian diluvium. Trav. Soc. Sci. Lett. Wrocław B 49 1955: 1-72 55 figs.
- 1346.—Saban, R. Contribution á l'étude de la genèse et de la croissance de l'os temporal chez le macaque. Mammalia, Paris 19 1955: 447-458 7 figs.
- 1347.—[Sablina, T. B.] [Ungulata of Bialowieza Forest.] Trud. Inst. Morf. Zhiv. 15 1955: 1–191 52 figs. [In Russian.]
- 1348.—Sachs, L. Chromosome numbers and experimental polyploidy in the pig. J. Hered. 45 1954: 21-24 2 figs.
- 1349.—Sachs, L. The possibilities of crossing-over between the sex chromosomes of the house mouse. Genetica 27 1955: 309-322 8 figs.

1350.—Sahni, M. R. and Tripathi, C. Recent researches in the palaeontologic division, Geological Survey of India. 6. A new classification of the Indian Deinotheres and description of *D. orlovii* sp. nov. Curr. Sci. 24 1955: 187–188.

Saint-Aubin, P. de see Gromova.

1351.—Saint Girons, M. C. Notes sur l'ecologie des petits mammiferes du Bocage atlantique. Terre et la Vie 102 1955: 4-41 23 figs.

1352.—Saleem, M. A flying squirrel from Petriata (Murree Hills). Proc. Pakist. sci. Conf. 6th 3 1954: 147-148.

Salez, M. see Edmond-Blanc.

1353.—Sanborn, C. C. Remarks on the bats of the genus *Vampyrops*. Fieldiana, Zool. 37 1955: 403-413.

1354.—Sanborn, C. C. and Hoogstraal, H. The identification of Egyptian bats. J. Egypt. Publ. Hith. Ass. 30 1955: 103-121 4 figs.

Sander, G. see Howard.

1355.—Sanderson, I. T. Living mammals of the world. London (Hamish Hamilton) 1955: 1-303, 330 photos (190 in col.). [Review, Nature, Lond. 177 1956: 445-446.]

1356.—Sankey, J. The long-tailed field mouse. Oryx 3 1955; 102-103.

Santapau, H. see Ali.

1357.—Sapieha, J. Memories of the wolf. Field 206 1955: 1188-1189 4 figs.

Sarajas, H. S. S. see Forssberg.

1358.—Sarvella, P. A. Pearl, a new spontaneous coat and eye color mutation. J. Hered. 45 1954: 19–20.

Sather, J. H. see Fichter.

1359.—Sauerzopf, F. Fossile Säugetierreste aus dem Südburgenland. Burgenland. Heimat Bl. 15 1953: 145-154 figs.

1360.—Saunders, J. K. Fetus in yearling cow elk, *Cervus canadensis*. J. Mammal. 36 1955: 145.

Sauter, M. R. see Vallois.

1361.—Savage, D. E. Nonmarine Lower Pliocene sediments in California. Univ. Calif. Publ. Geol. Sci. 31 1955: 1-26 13 figs. 1362.—Savage, D. E. A survey of various late Cenozoic vertebrate faunas of the Panhandle of Texas. Part II. Proboscidea. Univ. Calif. Publ. Geol. Sci. 31 1955: 51-74 2 pls. 8 figs.

Savage, D. E. see Johnston.

1363.—Savage, R. J. G. Giant deer from Lough Beg. Irish Nat. J. 11 1955: 241-246 2 figs.

1364.—Sawin, P. B. Recent genetics of the domestic rabbit. Adv. Genet. 7 1955: 183-226 4 figs.

Sawin, P. B. see Crary.

Sawin, P. B. see Latimer.

1365.—Sawyer, F. C. Books of reference in zoology, chiefly bibliographical. J. Soc. Bibl. nat. Hist. 3 1955: 72-91. [Mammalia: 90-91.]

Schachter, D. see Petit.

1366.—Schäfer, W. Fossilisations—Bedingungen der Meeressäuger und Vögel. Senckenbergiana Letheae 36 1-2 1955: 1-26 2 pls. 3 figs.

1367.—Schaub, S. Remarks on the distribution and classification of the "Hystricomorpha." Verh. naturf. Ges. Basel 64 2 1953: 389-400.

1368.—Scheffer, V. B. Son exclusivos del Oeste de Norteamérica los Micromonticulos del tipo Mima? Invest. zool. chil. 2 1954: 89-94 3 figs.

1369.—Scheffer, V. B. Body size with relation to population density in mammals. J. Mammal. 36 1955: 493-515.

Scheffer, V. B. see Kenyon.

1370.—Schein, M. W. and Fohrman, M. H. Social dominance relationships in a herd of dairy cattle. Brit. J. Anim. Behav. 3 1955: 45-55 7 figs.

1371.—Scherman, K. and Miller, R. S. Creatures of sea ice and tundra barrens. Anim. Kingd. 58 1955: 56-61 4 figs.

Schevill, W. E. see Scholander.

Schildman, G. see Fichter.

1372.—Schneider, K. M. 'Vom Baumkänguruh (*Dendrolagus leucogenys* Matschie). Zool. Gart., Lpzg. 21 1955: 63–106 33 figs.

1373.—Schneider, K. M. Axel Reventlow †. Zool. Gart., Lpzg. 21 1955: 181-186 1 fig.

- 1374.—Scholander, P. F. Evolution of climatic adaptation in homeotherms. Evolution 9 1955: 15-26 5 figs.
- 1375.—Scholander, P. F. and Schevill, W. E. Counter-current vascular heat exchange in the fins of whales. J. Appl. Physiol. 8 1955: 279–282 4 figs.
- 1376.—Schroeder, C. R. The role of bats in the transmission of rabies. Essays in the nat. Sciences in Honor of Capt. A. Hancock, Los Angeles 1955: 221-232 4 figs.
- 1377.—Schultz, A. H. The position of the occipital condyles and of the face relative to the skull base in primates. Amer. J. phys. Anthrop. 13 1955: 97–120 3 figs.
- 1378.—Schultz, C. B. and Stout, T. M. Classification of Oligocene sediments in Nebraska. A guide for the stratigraphic collecting of fossil mammals. Bull. Univ. Neb. St. Mus. 4 1955: 1–52 12 figs.
- 1379.—Schultz, V. Status of the black bear in Tennessee. J. Tenn. Acad. Sci. 30 1955: 40–43.
- 1380.—Schultz, V. Status of the coyote and related forms in Tennessee. J. Tenn. Acad. Sci. 30 1955: 44-46.
- 1381.—Schultz, V. Status of the white-tailed deer in Tennessee. J. Tenn. Acad. Sci. 30 1955: 66–75 2 figs.
- 1382.—Schulze, W. Nephritis beim Zwergflusspferd. Zool. Gart. Lpzg. 21 1955: 188.
- 1383.—Schuman, E. L. and Brace, C. L. in Gavan, J. A. Metric and morphologic variations in the dentition of the Liberian chimpanzee: comparisons with anthropoid and human dentitions: 61-90 5 figs.
- 1384.—Schwartz, A. The status of the species of the brasiliensis group of the genus Tadarida. J. Mammal. 36 1955: 106-109.
- 1385.—Schwartz, A. A record of the smoky shrew, *Sorex f. fumeus* Miller, in South Carolina. J. Mammal. 36 1955: 286-287.
- 1386.—Schwilling, M. D. Records of the New-Mexican bridled weasel in Kansas. J. Mammal. 36 1955: 292.

- 1387.-Scothorne, R. J. and McGregor, I. A. Cellular changes in lymph nodes and spleen following skin homografting in the rabbit. J. Anat., Lond. 89 1955: 283-292 3 pls.
- 1388.—Scott, T. G. An evaluation of the red fox. Biol. Notes, Urbana No. 35 1955: 1-16 figs.
- 1389.—Scott, T. G. Dietary patterns of red and gray foxes. Ecology 36 1955: 366–367.
- 1390.—[Sdobnikov, V. M.] [Numerical interrelationships of the populations of Lemmus obensis and Dicrostonyx torquatus.] Zool. Zh. 34 1955: 1424-1428. [In Russian.]
 - Sealander, J. A. see Davis.
- **1391.—Sears**, H. S. and **Browman**, L. G. Quadruplets in mule deer. Anat. Rec. **122** 1955: 335–339 1 fig.
 - Sears, H. S. see Browman.
- 1392.—Seidel, F. Das entwicklungsphysiologische Verhalten des Saugerkeimes beim Beginn seiner Uteruswanderung. Verh. dtsch. zool. Ges. 1954 (Zool. Anz. Suppl. 18) 1955: 371–380 5 figs.
- 1393.—Seitz, A. Eisbärenzucht 1952 in Nürnberg. Zool. Gart., Lpzg. 21 1955: 161–163 2 figs.
- 1394.—Sellaeg, J. Sealing. Norsk Hvalfangsttid. 44 1955: 316–323 figs.
- 1395.—Sellwood, R. V. and Verney, E. B. The effect of water and of isotonic saline administration on the renal plasma and glomerular filtrate flows in the dog, with incidental observations of the effects on these flows of compression of the carotid and renal arteries. Philos. Trans. 238B 1955: 361-3967 figs.
- 1396.—Sellwood, R. V. and Verney, E. B. Enumeration of glomeruli in the kidney of the dog. J. Anat. 89 1955: 63-68.
- 1397.—Selys-Longchamps, M. de. A propos des enfants-loups: mobiles de l'adoption heterogene. Ann. Soc. zool. Belg. 85 1955: 183–185.
- 1398.—Sembrat, K. Studies on the cleavage of the rat eggs. Zool. Polon. 6 1955: 139-184 7 pls. 8 figs.

- 1399.—[Semenov, N. M. and Rezinko, D. S.] [Reaction of Citellus pygmaeus towards various baits and techniques of baiting.] Zool. Zh. 34 1955: 208-215. [In Russian.]
- 1400.—[Semenov-Tyan-Shanski, O. I.] [Census of wild reindeer in Lapland game reserve.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 239-244. [In Russian.]
- 1401.—Senna, G. Su alcuni resti fossili di *Marmota marmota* L. raccolti nel buco delle Pecore (2052 Lo) a Magreglio (Como). Natura, Milano 46 1955: 123-127 9 figs.
- 1402.—Senyurek, M. S. A study of the remains of *Crocuta* from the Kucukyozgat district. Rev. Fac. Lang. Hist. Geogr. Univ. Ankara 12 1954: 29-74 13 figs.
- 1403.—Senyurek, M. S. Pontien cagda Ankara civarinda yasamis olan bir ceylan turu. 9. Cografya Meslek Haftasi (22–29 Aralik 1954): 67–72 1 pl.
- 1404.—Senyurek, M. S. A study of the skull of *Promephitis* from the Pontian of Kucukyozgat. Belleten 18 1954: 279-315 15 figs.
- 1405.—Senyurek, M. S. A note on the teeth of *Meganthropus africanus* Weinert from Tanganyika Territory. Belleten 19 73 1955: 1-55 2 pls.
- 1406.—Serafinski, W. The senescence of the brown rat (*Rattus norvegicus* Berk.) in the light of craniometry. Acta Theriol., Warsaw 1 1955: 1-14 4 figs.
- 1407.—Serafinski, W. Morphological and ecological investigations on Polish species of the genus *Sorex* L. Acta Theriol., Warsaw 1 1955: 27–86. [Polish with English rés.]

Serain, C. see Cabannes.

- 1408.—[Serzhanin, I.] [Past and present status of elk in White Russia.] Sborn. Nauch. Trud., Minsk 1 1950: 141-146. [In Russian.]
- 1409.—[Serzhanin, I. N.] [Formation of mammal-fauna in White-Russia in post-glacial period.] Sborn. Nauch. Trud., Minsk 2 1951: 96–111. [In Russian.]

- 1410.—Setzer, H. W. Two new jerboas from Egypt. Proc. biol. Soc. Wash. 68 1955: 183–184.
- **1411.—Severin**, K. Grazers of the sea. Nat. Hist. N.Y. **64** 1955: 147-149 5 figs.

Shackelford, R. M. see Roos.

- 1412.—Shadle, A. R. Removal of foreign quills by porcupines. J. Mammal. 36 1955: 463–465.
- 1413.—Shadle, A. R. Effects of porcupine quills in humans. Amer. Nat. 89 1955: 47-49.
 - Shadle, A. R. see Po-Chedley, D. S.

Shafei, M. M. see Hafez.

- 1414.—[Shaposhnikov, F. D.] [Contribution to morphology and ecology of the N. Altai reindeer.] Zool. Zh. 34 1955: 191–207 11 figs. [In Russian.]
- 1415.—Sharaf, A. A. Some information on twinning and intersexuality. Bull. zool. Soc. Egypt No. 12 1954 (1955): 28-32.
- **1416.**—[Sharleman, N. V.] [The elks of Ukraine.] Priroda **4** 1955: 119–120. [In Russian.]

Sharma, S. C. see Prakash.

- 1417.—Sharman, G. B. Studies on marsupial reproduction. II. The oestrous cycle of Setonix brachyurus: 44-55 2 pls. 1 fig. III. Normal and delayed pregnancy in Setonix brachyurus: 56-70 2 figs. Aust. J. Zool. 3 1955.
- 1418.—Sharman, G. B. Studies on marsupial reproduction. IV. Delayed birth in *Protemnodon eugenii* Desmarest. Aust. J. Zool. 3 1955: 156–161 2 pls.

Sharman, G. B. see Waring.

Shaw, I. G. see Hancock.

Shcherbina, E. I. see Sukhinin.

- 1419.—Sheaffer, C. I. The x-bivalent of the golden hamster. Va J. Sci. N.S. 6 1955: 46-52 figs.
- 1420.—Shebbeare, E. O. Weapons of the great Indian rhinoceros. Oryx 3 1955: 125-126.
- 1421.—Sherman, H. B. Description of a new race of woodrat from Key Largo, Florida. J. Mammal. 36 1955: 113-120 4 figs.
- 1422.—Sherman, H. B. A record of Lasiurus and of Vampyrops from Paraguay. J. Mammal. 36 1955: 130.

- Shikama, T. see Abai.
- 1423.—[Shilov, I. A.] [Peculiarity in distribution and the mode of life of water rats in various natural conditions.] Bull. Soc. Nat. Moscow biol. 60 1955: 35-43. [In Russian.]
 - Shirlaw, D. W. see Duckworth.
- 1424.—[Shmidt, G. A.] [Ecological and evolutionary characteristics of the embryonic development of the domestic mammals.] Trud. Inst. Morf. Zhiv, 14 1955: 7-43 7 figs. [In Russian.]
- 1425.—Sholl, D. A. The organization of the visual cortex in the cat. J. Anat., Lond. 89 1955: 33-46 3 figs.
- 1426.—Shorten, M. and Courtier, F. A. A population study of the grey squirrel (Sciurus carolinensis) in May 1954. Ann. appl. Biol. 43 1955: 494-510 7 figs.
- **1427.—Shotwell**, J. A. Review of the Pliocene beaver *Dipoides*. J. Paleont. **29** 1955: 129–144 6 figs.
- 1428.—Shotwell, J. A. An approach to the paleoecology of mammals. Ecology 36 1955: 327-337 4 figs.
 - Shurrager, H. C. see Castle.
- 1429.—Shute, C. C. D. and Bellairs, A. d'A. A case of polydactyly in the Colugo, *Cynocephalus*. J. Mammal. 36 1955: 131-132 1 fig.
 - Shute, C. C. D. see Fearnhead.
- 1430.—[Shvartz, S. S.] [Biology of Sorex araneus in the forest-steppe of Trans-Ural.] Zool. Zh. 34 1955: 915-927 2 graphs. [In Russian.]
- 1431.—Siah, Y. Observations on the male coloration of banteng in Thailand. Nat. Hist. Bull. Siam Soc. 16 1954: 41-43 2 figs.
- **1432.**—**Sidney**, J. Tree-leaping kangaroos. Nat. Hist. N.Y. **64** 1955: 522–524 3 figs.
- 1433.—Silvers, W. K. and Russell, E.S. An experimental approach to action of genes at the agouti locus in the mouse. J. exp. Zool. 130 1955: 199-220 I fig.
- 1434.—Simić, V. and Palić, D. Morphologische Eigenschaften des Schlundkopfes von *Bubalus bubalus* L. Anat. Anz. 102 1955: 179–186 7 figs.

- 1435.—Simon, E. Vordere und mittlere Schädelgrube bei Laboratoriums und Haussäugethieren. II. Domestizierte Ungulaten. Acta Anat. 23 1955: 206–241 14 figs.
- 1436.—Simpson, C. J. H. and Kinloch, B. G. Elephant numbers and breeding. Uganda Protect. Ann. Rept. Game and Fish. Dept. 1953 (1955): 134–140.
- 1437.—Simpson, G. G. The Phenacolemuridae, new family of early primates. Bull. Amer. Mus. nat. Hist. 105 1955: 411-442 6 pls.
- 1438.—Simpson, G. G. Un Glyptodonte del Mioceno de Venezuela. Bol. Geol. Caracas 3 1955: 95-107 4 figs. (Translation from Amer. Mus. Nov. 1368, 1947, revised and corrected by author.)
- 1439.—Simpson, G. G. and Couto, C. de P. Os mastodontes do Brasil. Bol. Cons. nac. Pesq. No. 2 1955: 1-20 3 figs.
- 1440.—Singer, R. and Keen, E. N. Fossil Suiformes from Hopefield. Ann. S. Afr. Mus. 42 1955: 169-179 5 pls. 1 fig.
 - Singer, R. see Drennan.
 - Sirvechkovski, E. E. see Naumov.
- 1441.—Sissons, H. A. and Hadfield, G. J. The influence of cortisone on the structure and growth of bone. J. Anat., Lond. 89 1955: 69-78 1 pl. 5 figs.
- 1442.—Skalon, V. N. [Les castors de l'Asie septentrionale.] Moscow (Soc. Nat. Mosc.) 1951: 1–208, 21 figs. [N.V. Review Mammalia, Paris 19 1955: 359.]
 - Skerlj, B. see Vallois.
- 1443.—Skorkowski, E. Studies on the systematical position of species belonging to the genus Equus. Zool. polon. 6 1955: 283–292. [Polish with English summary.]
- 1444.—Skreb, N. Influence des gonadotrophines sur les noctules (*Nyctalus noctula*) en hibernation. C.R. Soc. Biol., Paris 149 1955: 71–74.
- 1445.—Skreb, N. and Gjulic, B. Contribution a l'étude des noctules (*Nyctalus noctula* Schreb.) en liberté et en captivité. Mammalia, Paris 19 1955: 335–343.

- 1446.—[Slentzov, M. M.] [Some peculiarities in the development of Cetacea in the early embryonic stages.] Trud. Inst. Okeanol. 18 1955: 48-59 21 figs. [In Russian.]
- 1447. [Slentzov, M. M.] [Lagenorhynchus ognevi spec. nov. a new species of dolphin from the Far-East seas.] Trud. Inst. Okeanol. 18 1955: 60-68 4 figs. [In Russian.]
- 1448.—[Slentzov, M. M.] [Whale marking in Kurile waters, 1954.] Trud. Inst. Okeanol. 18 1955: 134–141.
- **1449.**—Slijper, E. J. Geluiden van walvissen en dolfijnen. Vakbl. Biol. **35** 1955: 193–200.
- 1450.—Slizynski, B. M. The sex bivalent of *Mus musculus* L. J. Genet. 53 1955: 591-596 1 pl. 1 fig.
- **1451.—Slizynski,** B. M. Chiasmata in the male mouse. J. Genet. **53** 1955: 597–605.
- 1452.—Sluiter, J. W. Merkwaardige vondst in een vleermuizenkraamkamer. Levende Nat. 58 1955: 16–19 1 fig.

Sluiter, J. W. see Heerdt.

- 1453.—Smith, A. Microfilaraemia in rock rabbits. Nature, Lond. 176 1955: 38-39.
- 1454.—Smith, C. Studies on the thymus of the mammal. VIII. Intrathymic lymphatic vessels. Anat. Rec, 122 1955: 173-179 4 figs.

Smith, E. L. see White.

- 1455.—Smith, G. G. An instrument for obtaining measurements of small mammals. Bull. S. Afr. Mus. Ass. 6 1955: 104 1 fig.
- 1456.—Smith, P. W. and Parmalee, P. W. Notes on distribution and habits of some bats from Illinois. Trans. Kans. Acad. Sci. 57 1954: 200–205.
- 1457.—Smith, R. N. The arrangement of the ansa spiralis of the sheep colon. J. Anat., Lond. 89 1955: 246–249 2 figs.
- 1458.—Smith, W. I. and Powell, E. K. The role of emotionality in hoarding. Behaviour 8 1955: 57-62.
- 1459.—Smith, W. V. Status of the hare, Lepus europaeus occidentalis de Winton, in Wirral as at March, 1950. Rep. Lancs. Chesh. Fauna Comm. 30th [1955]: 16.

- 1460.—Smith, W. W. Relation of certain environmental factors to the abundance and distribution of house mouse ectoparasites in Mississippi. Trans. Amer. micr. Soc. 74 1955: 170–175 1 fig.
- 1461.—[Snigirevskaya, E. M.] [Data on food and population cycles of yellownecked mouse at Zhigula.] Zool. Zh. 34 1955: 432-440. [In Russian.]
- 1462.—Snell, G. D. Ducky, a new second chromosome mutation in the mouse. J. Hered. 46 1955: 27-29 1 fig.
- 1463.—Soderwall, A. L. and Britenbaker, A. L. A recorded instance of superfetation in the golden hamster. J. Mammal. 36 1955: 573.
- 1464.—Soergel, W. Unter welchen klimatischen Verhältnissen lebten zur Bildungszeit der altdiluvialen Kiese von Süssenborn Rangifer, Ovibos und Elephas trogontherii in Mittel- und Norddeutschland? Z. deutsch. Geol. Ges. 91 1939: 828–835.
- 1465.—[Sokolov, I. I.] [Biological peculiarities of domestic animals and their wild ancestors.] [Why only some species have been domesticated?] Priroda 3 1955: 48–55 figs. [In Russian.]
- 1466.—[Sokolov, l. I.] [New species of antelope in Tertiary fauna of the South of U.S.S.R.] Trav. Inst. Zool. Acad. Sci. URSS 17 1955: 215-223 2 figs. [In Russian.]
- 1467.—[Sokolova, V. E.] [Structure of skin in some Cetacea.] Bull. Soc. Nat. Moscow biol. 60 (6) 1955: 45–60 9 figs. [In Russian.]
- 1468.—Soper, E. A. When badgers wake. London (Routledge and Kegan Paul Ltd.), 1955: 1-220 figs.
- 1469.—[Sosnovski, I. P.] [Panda.] Priroda 5 1955: 118–119 1 fig. [In Russian.]
- 1470.—Soulié, J. Notes sur l'Ondatra. Bull. Soc. Hist. nat. Toulouse 89 1954: 39-46 4 figs.
- 1471.—Southern, H. N. A Britain without rabbits. Discovery 16 1955: 186-188 4 figs.
- 1472.—Southern, H. N. The study of British mammals. Countryside N.S. 17 1955: 231-235 2 figs.

- **1473.—Southern,** H. N. Animals at night. Ctry. Life, Lond. **117** 1955: 1030–1032 5 figs.
- **1474.—Southern,** H. N. Plagues of rodents. Ctry. Life, Lond. **117** 1955: 1606–1607 5 figs.
- 1475.—Southern, H. N. A second year of myxomatosis. Ctry. Life, Lond. 118 1955: 1134-1135 3 figs.

Southern, H. N. see Southwick.

- 1476.—Southwick, C. H. The black howlers of Barro Colorado. Anim. Kingd. 58 1955: 104-109 4 figs.
- 1477.—Southwick, C. H. The population dynamics of confined house mice supplied with unlimited food. Ecology 36 1955: 212–225 14 figs.
- 1478.—Southwick, C. H. Regulatory mechanisms of house mouse populations: social behaviour affecting litter survival. Ecology 36 1955: 627–634.
- 1479.—Southwick, C. H. and Southern, H. N. A note on the abundance of harvest mice (*Micromys minutus*) in Hampshire and Berkshire. Bull. Mammal. Soc. Brit. Isles 3 1955: 9-10.
- 1480.—Spencer, H. E. P. The Pleistocene period and work for the amateur geologist. S. East. Nat. 59 1954: 26-31.

Squire, F. A. see Edwards.

1481.—Stains, H. J. and Packard, R. L. Occurrence of the mink, west of the hundredth meridian, in Kansas. Trans. Kansas Acad. Sci. 58 1955: 222-224.

Stains, H. J. see Baker.

1482.—Stanton, J. Is the giraffe mute? Nat. Hist., N.Y. **64** 1955: 128-129 figs.

Stark, J. see Chapman.

- 1483.—Starrett, A. and Starrett, P. Observations on young blackfish, Globicephala. J. Mammal. 36 1955: 424–429 1 pl.
- 1484.—Stegeman, L. C. Record of a female hoary bat, *Lasiurus cinereus*, and young in Syracuse, New York. J. Mammal. 36 1955: 455-456.
- -1485.—Stein, G. H. W. Die Kleinsäuger ostdeutscher Ackerflächen. Z. Säugetierk. 20 1955: 89-113.

- 1486.—Steinbacher, G. Zum Geweihgebrauch beim Rothirsch, Cervus elaphus Linné, 1758. Säugetierk. Mitt. 3 1955: 35.
- 1487.—Steinmetz, H. Beiträge zur Geschichte unserer Kenntnisse vom See-Elefanten. Zool. Gart., Lpzg. 21 1955: 24–43 17 figs.
- 1488 Stenlund, M. H. A recent record of the marten in Minnesota. J. Mammal. 36 1955; 133.
- 1489.—Stenlund, M. H. A field study of the timber wolf (Canis lupus) on the Superior National Forest, Minnesota. Minnesota Dept. Cons. Techn. Bull. 4 1955: 1-55 10 figs.

Stetten, D. see White.

- 1490.—Steuer, H. Brucellose beim Wasserbüffel. Zool. Gart., Lpzg. 21 1955: 171–173.
- 1491.—Steven, D. M. Untersuchungen über die britischen Formen von *Clethrionomys*. Z. Säugetierk. 20 1955: 70–74.
- 1492.—Steven, D. M. Small mammal communities of the north Scandinavian birch forest. J. Anim. Ecol. 24 1955: 403-411.

Stewart, T. D. see Vallois.

- 1493.—Stirton, R. A. Late Tertiary marsupials from South Australia. Rec. S. Austral. Mus. 11 1955: 247-268 11 figs.
- 1494.—Stirton, R. A. Two new species of the equid genus *Neohipparion* from the middle Pliocene, Chihuahua, Mexico. J. Paleont. 29 1955: 886-902 7 figs.

Stohl, G. see Fabian.

- 1495.—Stoneham, H. F. Meat-eating duikers. J.E. Afr. Ug. nat. Hist. Soc. 22 1955: 205.
- 1496.—Stonor, C. The Sherpa and the Snowman. London (Hollis and Carter) 1955: 1-209 figs.
- 1497.—Storer, T. I. and Tevis, L. P. California Grizzly. Berkeley (Univ. Calif. Press) 1955: vii + 335 1 col. pl. 36 figs.

Stout, T. M. see Schultz.

1498.—Strecker, R. L. Regulatory mechanisms in house-mouse populations. The effect of limited food supply on an unconfined population. Ecology 35 1954: 249–253 3 figs.

- 1499.—Strecker, R. L. Food consumption of house mice at low temperatures. J. Mammal. 36 1955: 460–462.
- 1500.—Street, P. The wild horse from Mongolia. Ctry. Life, Lond. 118 1955: 234-235 3 figs.
- **1501.—Street**, P. Giant bears of the far north. Ctry. Life, Lond. **118** 1955: 782-783 2 figs.
- 1502.—Street, P. The edible dormouse in England. Ctry. Life, Lond. 118 1955: 1484-1485 2 figs.
- 1503.—Streete, A. M. Six months without a drink. Ctry. Life, Lond. 117 1955: 914-915 1 fig.
- 1504.—[Stroganova, A. S.] [Mammals of the steppe and semidesert of the Trans-Volga territory.] Trav. Inst. zool. Acad. Sci. URSS 16 1954: 30–116 20 figs. [In Russian.]
 - Stullken, D. E. see Kirkpatrick.
- 1505.—Sturges, F. W. Weasel preys on larval salamander. J. Mammal. 36 1955: 567-568.
 - Suckling, J. A. see Dunn.
- 1506.—[Sukhinin, A. N. and Shcherbina, E. I.] [Mellivora capensis indica in Turkmenia.] Priroda 5 1955: 117–118. [In Russian.]
 - Suomalainen, P. see Uuspää.
- 1507.—Sutton, D. A. A systematic review of Colorado chipmunks (genus *Eutamias*). Univ. Colo. Stud. Gen. Ser. 29 1954: 44-46.
- 1508.—Svilha, A., Bowman, H. and Pearson, R. Blood picture of the American black bear, *Ursus americanus*. J. Mammal. 36 1955: 134-135.
- 1509.—Svihla, A. and Bowman, H. Blood volumes of the golden hamster. J. Mammal. 36 1955: 135-136.
- 1510.—[Sviridenko, P. A.] [Rodents as enemies of the silk worm.] Trud. Inst. zool. Ukr. Acad. Sci. 7 1952: 86-92. [In Russian.]
- 1511.—[Sviridov, N. S.] [River beavers in Volga delta.] Priroda 5 1955: 108-109. [In Russian.]
- 1512.—Swank, W. G. and Petrides, G. A. Establishment and food habits of the nutria in Texas. Ecology 35 1954: 172-176 4 figs.
 - Swartz, G. E. see Ramm.

- 1513.—Swenson, L. E. Less bulky mammal study skins. J. Colo-Wyo. Acad. Sci. 4 1954: 61-62.
 - Swierzynski, K. see Jaczewski.
- 1514.—Switzenberg, D. F. Black bear denning in tree. J. Mammal. 36 1955: 459.
- 1515.—Swynnerton, G. H. Electric fencing against game: experiments in Tanganyika. [Ex 1954 Report of Game Department, Tanganyika.] Oryx 3 1955: 138-143.
- 1516.—Symons, H. W. Do Bryde whales migrate to the Antarctic? Norsk Hvalfangsttid. 44 1955: 84–87 3 figs.
- 1517.—Symons, H. W. The foetal growth rate of whales. Norsk Hvalfangsttid. 44 1955: 519-525 3 figs.
- 1518.—Symons, N. B. B. Alkaline phosphatase activity in the developing teeth of the rat. J. Anat., Lond. 89 1955: 238-245 1 pl. 1 fig.
- 1519. Szostakiewicz Sawicka, H. The skin muscularis of thorax in the lemuridae. Folia morph. Warszawa 6 1955: 245-251. [Polish with English rés.]
- 1520.—Szunyoghy, J. A preliminary notice concerning the collecting of mammals, in connection with the researches on the disease nesophronephritis haemorrhagica in Hungary. Ann. hist. nat. Mus. hung. N.S. 6 1955: 387–390.
 - Taber, R. D. see Dasmann.
- 1521.—Tagand, R. and Barone, R. Anatomie des Équidés domestiques. Tome I. Osteologie, Arthrologie, Myologie. Lyon 1951 [N.V.]. Tome II. Splanchnologie et Angeiologie, by R. Barone. Fasc. 1: Appareil digestif. Lyon (Lab. Anat. Ecole Vet. Lyon) 1954: 1–456 203 figs. [N.V.]
- 1522.—Takahashi, M. Morphological study of the sperm-head in some American rodents. Misc. Rep. Yamashina Inst. Orn. Zool. No. 6 1955: 256-259. [Japanese with English rés.]
- 1523.—Takai, F. An addition to the mammalian fauna of the Japanese Miocene. J. Fac. Sci. Tokyo Univ. (2) 9 1954: 331-335 1 fig.
- 1524.—Takashima, H. Miscellaneous reports of Pére David's deer. Trans. Mammal, Soc. Japan 8 1954: 68-69. [N.V.]

- 1525.—Talice, R. V., Caprio, R. and Momigliano, E. Distribución geográfica y habitat de *Ctenomys torquatus*. Arch. Soc. Biol. Montevideo 21 1954:133-139 3 figs. [English summary.]
- 1526.—Talice, R. V., Gurri, J. and Moreira, L. P. Sensibilidad experimental de Ctenomys torquatus (tucutucu) a Toxoplasma gondii. Arch. Soc. Biol. Montevideo 21 1954: 100-108 10 figs. [English summary.]
- 1527.—Talice, R. V. and Momigliano, E. Apetito especifico en *Ctenomys torquatus*. Arch. Soc. Biol. Montevideo 21 1954: 117-126. [English summary.]
- 1528.—Talice, R. V. and Momigliano, E. Arquitectura y microclima de las tuqueras o moradas de *Ctenomys torquatus*. Arch. Soc. Biol. Montevideo 21 1954: 126-133 7 figs. [English summary.]
- 1529.—Talice, R. V. and Momigliano, E. Actividad fonogénica de *Ctenomys torquatus*. Arch. Soc. Biol. Montevideo 21 1954: 166–173 5 figs.
- 1530.—Talice, R. V. and Momigliano' E. La vision del roedor *Ctenomys torquatus*. Arch. Soc. Biol. Montevideo 21 1954: 173–178 2 figs.
- 1531.—Talice, R. V. and Momigliano, E. Captura, cautividad y manipulación de Ctenomys torquatus. Arch. Soc. Biol. Montevideo 21 1954: 179–185 7 figs.
- 1532.—Talice, R. V., Moreira, L. P. and Mossera, S. L. de. Primer hallazgo de infeccion natural de Ctenomys torquatus (tucu-tucu) por Toxoplasma (T. gondii?). Arch. Soc. Biol. Montevideo 21 1954: 109-116 4 figs. [English summary.]
- 1533.—Tamino, G. Appunti di biomeccanica. Sul movimento del *Dipodomys* (Mamm.-Rod.). Atti Soc. ital. Sci. nat. 94 1955: 5-11 5 figs.
 - Tanasachi, J. see Dumitrescu.
- 1534.—Tansley, K. An inherited retinal degeneration in the mouse. J. Hered. 45 1954: 123-127 5 figs.
- 1535.—Tappen, N. C. in Gavan, J. A. A comparative functional analysis of primate skulls by the split-line technique: 42-60 9 figs.

- 1536.—Tashiro, M. Pregnancy records of the dsinezumi, *Crocidura russula chisai* (Thomas). Trans. Mammal. Soc. Japan 9 1954: 77. [N.V.]
- 1537.—Tate, G. H. H. Proposed use of the plenary powers to validate the specific name dingo Meyer, 1793, as published in the combination Canis dingo as the name for the dingo. Bull. zool. Nomencl. 11 1955; 121.
 - Taylor, D. A. see Weddell.
- 1538.—Taylor, D. W. and Hibbard, C. W. A new Pleistocene fauna from Harper County, Oklahoma. Oklahoma Geol. Survey Circular 37 1955: 1-23 1 fig.
- 1539.—Taylor, F. H. C., Fujinaga, M., and Wilke, F. Distribution and food habits of the fur seals of the North Pacific Ocean. Report of co-operative investigations by the Governments of Canada, Japan, and the United States of America. U.S. Dept. Inst. Fish Wldlf. Serv., Washington 1955: 1–86 50 figs.
- 1540.—Taylor, J. I., Rollinson, D. H. L. and Harker, K. W. Studies on the habits of Zebu cattle. II. Individual and group variation within a herd. J. agric. Sci. 45 1955: 257-263 2 figs.
 - Taylor, J. I. see Rollinson.
 - Taylor, R. H. see Watson.
- 1541.—Taylor, S. and Webb, C. S. Breeding dwarf mongooses. Zoo Life 10 1955: 70-72 3 figs.
- 1542.—Taylor, W. L. Squirrels in Great Britain. Forestry, Lond. 27 1954: 63-68.
- 1543.—Taylor, J. I. The rearing of an African elephant in captivity. Vet. Rec. 67 16 1955: 301-302.
- 1544.—Taylor Page, F. J. Notes on roe deer. An unusual roe deer ring. Oryx 3 1955: 157-158 1 pl.
- 1545.—Tedford, R. H. Report on the extinct mammalian remains at Lake Menindee, New South Wales. Rec. S. Austral. Mus. 11 1955: 299-305.
- 1546.—Teeri, A. E., Pomerantz, E., Colovos, N. F. and Keener, H. A. Vitamin excretion by deer. J. Mammal. 36 1955: 553-557.
- 1547.—Tegner, H. Roe fawns. Oryx 3 1955: 30-32.

- 1548.—Tegner, H. S. The past and present distribution of roe deer in Northumberland. Trans. nat. Hist. Soc. Northumb. N.S. 11 1955: 164-168.
- **1549.**—**Tegner**, H. Roe deer. Countryside N S. **17** 1955: 270-272.
- **1550.—Tegner, H.** Are Roe Deer harmful? Ctry. Life, Lond. **117** 1955: 735 1 fig.
- 1551.—Tegner, H. Caused by a shotgun. Ctry. Life, Lond. 118 1955: 1035 photo.
- 1552.—Tegner, H. The twin fawns of roe deer. Field 205 1955: 396.
- 1553.—Tegner, H. Japanese deer in Britain. Field 205 1955: 826.
- 1554.—Tegner, H. Seven-pointer roe head. Field 205 1955: 882.
- 1555.—Tegner, H. A three-horned roe. Field 206 1955: 812 1 fig.
- 1556.—Teixeira, C. Noticias paleontologicas. II. Um novo Primata fossil da Peninsula Iberica. Naturália 5 l 1955: 42.
- 1557.—Teixeira da Mota, A. Guiné Portuguesa, Lisboa, 2 vol. 1954. (Mammals Vol. 1 pp. 107-119.)

Telfer, I. M. see Hickling.

1558.—Tener, J. S. Polar wolf attacking arctic hare. Canad. Fld. Nat. 68 1954: 181.

Tener, J. S. see Leslie.

- 1559.—[Teplov, V. P.] [Hare census.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 125–128. [In Russian.]
- 1560.—[Teplov, V. P.] [Red squirrel census methods.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 134–138. [In Russian.]
- 1561.—[Teplov, V. P.] [Census methods for otter, sable, marten and smaller mustelids.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 165–172. [In Russian.]

- 1562.—[Teplov, V. P.] [Counting of animals in movement.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 255–259. [In Russian.]
- 1563.—[Teplov, V. P.] [The winter ecology of wolverine in the Pechoro-Ilichsk game reserve.] Bull. Soc. Nat. Moscow Biol. 60 1955: 3-11. [In Russian.]
- 1564.—Tevis, L. Observations on chipmunks and mantled squirrels in Northeastern California. Amer. Midl. Nat. 53 1955: 71–78.

Tevis, L. P. see Storer.

- 1565.—Tewari, H. B. The structure of mitochondria and their probable function in the submaxillary glands of the squirrel. Curr. Sci. 24 1955: 63-64 3 figs.
- 1566.—Thaler, L. Présence de deux espèces éteintes de rongeurs cricetinés dans les brèches ossifères villafranciennes de Sète. C.R. Acad. Sci. Paris 240 1955: 1255-1257 3 figs.
- 1567.—Thaler, M. L. Sur l'âge Pliocène de la fauna des grottes du Lazaret (Sète Hérault). C.R. Acad. Sci. Paris 241 1955: 433-435.
- 1568.—Thenius, E. Studien über fossile Vertebraten Griechenlands. III. Das Maxillargebiss von Ancylotherium pentelicum Gaudry und Lartet. Ann. Geol. Pays Hellen. (1) 5 1953: 97–106 1 fig.
- 1569.—Thenius, E. Studien über fossile Vertebraten Griechenlands. IV. Sus antiquus aus ligniten von Sophades (Thessalanien) und die Alterstellung der Fundschichten. Ann. Geol. Pays Hellen. (1) 6 1955: 199–205 2 figs.
- 1570.—Thenius, E. Studien über fossile Vertebraten Griechenlands. V. *Hippopotamus* aus dem Astien von Elis (Peloponnes). Ann. Geol. Pays Hellen. (1) 6 1955: 206-212 1 fig.
- 1571.—Thenius, E. Über die Alterseinstufung der Arsenal-terrasse von Wien. Mitt. geol. Ges. Wien 45 1954: 135-146 text-figs. 1-2.
- 1572.—Thenius, E. Zur Pälaontologie und Stratigraphie des Jungtertiärs von Vallés-Penedés [N.O.-Spanien]. Mitt. geol. Ges. Wien 45 1954: 171–178 text-figs. 1–2.

1573.—Thenius, E. Die Verknöcherung der Nasenscheidewand bei Rhinocerotiden und ihr systematischer Wert, zum Geschlechtsdimorphismus fossiler Rhinocerotiden. Mem. Suisses Paléont. 71 4 1955: 1–17 1 pl. 21 figs.

1574.—Thenius, E. Zur Entwicklung der jungtertiären Säugetierfaunen des Wiener Beckens. Paläont. Z. 29 1955: 21–26 2 figs.

Thenius, E. see Psarianos.

1575.—Thomas, E. M. Wyoming fur bearers. Their life histories and importance. Bull. Wyoming Game & Fish Dept. No. 7 1954: 1–101 text-figs.

Thompson, A. P. D. see Ashton.

1576.—Thompson, H. V. The wild European rabbit and possible dangers of its introduction into the U.S.A. J. Wildlife Mngmt. 19 1955; 8-13.

Thompson, H. V. see Backhouse.

Thompson, H. V. see Hudson.

1577.—Thompson, J. The xy-bivalent in *Chinchilla laniger*. Va J. Sci. N.S. 6 1 1955: 53-55 1 fig.

1578.—Thompson, S. H. Alaska fishery and fur-seal industries 1951. Statist. Dig. U.S. Fish. Wildl. Serv. 31 1954: 1–70.

1579.—Thompson, S. H. Alaska fishery and fur-seal industries 1952. Statist. Dig. U.S. Fish. Wildl. Serv. 33 1954: 1-68.

1580.—Thomson, A. P. D. and **Zuckerman,** S. Anterior-pituitary-hypothalmic relations in the ferret. Nature, Lond. **175** 1955: 74–76 1 fig.

1581.—Thomson, J. W. A. Palmated antlers. Ctry. Life, Lond. **118** 1955: 973 photo.

1582.—[Tikhomirov, B. A.] [Influence of Lemmus obensis Brants on the vegetation of tundra.] C.R. Acad. Sci. URSS 104 1955: 651-652 fig. [In Russian.]

1583.—Tilley, D. White deer calves. Field 206 1955: 214 1 fig.

1584.—Tindale, N. B. Archaeological site at Lake Menindee, New South Wales. Rec. S. Austral. Mus. 11 1955: 269–298 1 pl. 12 figs.

1585.—Tobien, H. Neue und wenig bekannte Carnivoren aus den unterpliozänen Dinotheriensanden Rheinhessens. Notizbl. hess. Landesamt. Bodenforsch. 83 1955: 7-31 1 pl. 3 figs.

1586.—Toerin, M. J. and Hughes, A. F. The limb bones of Springbok Flats man. S. Afr. J. Sci. 52 1955: 125-128 2 figs.

Tomich, P. Q. see Pitelka.

1587.—[Tomilin, A. G.] [New view on the "fountain" in Cetacea.] C.R. Acad. Sci. URSS 55 1947: 85-87. [In Russian.]

1588.—[Tomilin, A. G.] [On the behaviour and sonic signalling in Cetaceans.] Trud. Inst. Okeanol. 18 1955: 28–47 3 figs. [In Russian.]

1589.—Tomkins, I. R. The distribution of the marsh rabbit in Georgia. J. Mammal. 36 1955: 144-145.

Tomlin, S. C. see Bell.

1590.—Toner, G. C. Butterflies and a kitten, J. Mammal. **36** 1955: 290.

1591.—Topál, G. Données sur la répartition des chauves-souris du bassin des Carpathes. An. hist.-nat. Mus. hung. N.S. 5 1954: 471–483 map. [French résumé.]

1592.—Toschi, A. Elenco preliminare dei Mammiferi della Libia (Preliminary Check-List of the Lybian Mammals). Ric. Zool. Appl. Cacc. Univ. Bologna, Suppl. 2 7 1954: 241–273.

1593.—Tratz, E. P. Der Tiroler Baumschläfer, *Dryomys nitedula intermedius* (Nehring, 1902) im Lande Salzburg. Säugetierk. Mitt. 3 1955: 125.

1594.—Tratz, E. P. Bericht über den Stand der Säugetierforschung und der wichtigsten Säugetierarten in der Sowjetunion. 1. Teil. Säugetierk. Mitt. 3 1955: 126–128.

1595.—Tratz, E. P. Bericht über den Stand der Säugetierforschung und der wichtigsten Säugetierarten in der Sowjetunion. II. Teil. Faunistiches. Säugetierk. Mitt. 3 1955: 172–174.

Treichel, G. W. see Pitelka.

Tripathi, C. see Sahni.

1596.—[Trofimov, B. A.] [Fossil pigs of the genus *Microstonyx*.] Trav. Inst. Paleont. Acad. Sci. USSR 47 1954 (Tertiary Mammals, pt. 2): 61–99 13 figs.

- 1597.—Troughton, E. The koala. Aust. Mus. Mag. 11 1955: 396–401 1 fig.
- 1598.—Truex, R. C. and others. Effect of vagus nerves on heart rate of young dogs: An anatomic-physiologic study. Anat. Rec. 123 1955: 201-225 14 figs.

Truyols, J. see Crusafont Pairo.

- 1599.—Tucker, R. Studies in functional and analytical craniology. VII. The longoarcuate skull: 513–522 3 pls.; VIII. The planoarcuate skull: 523–529 1 pl. 9 figs.; IX. The comparative and evolutional outlook: 530–540 4 figs.; X. The density of the bony tissue in nodes and tracts: 541–544 2 pls. Aust. J. zool. 3 1955.
- 1600.—Turček, F. J. Some data on the occurrence of some small mammals in Slovakia. Přírod. Sborn. Moravsk. Kraje 12 1951: 495–503 figs. [English summary.]
- 1601.—Turček, F. J. Die Vögel und Säugetiere der Nardeten-Weiden in der Umgebung von Banská Štiavnica. Biológica, Bratislava 9 1954: 267–277 2 figs. [German summary.]
- 1602.—Turček, F. J. Einige biometrische und oekologische Bemerkungen zur Arbeit von J. Kratochvil und B. Rosický, Zur Bionomie und Taxonomie der in der Tschecheslowakei lebenden Mäuse der Art Apodemus. Biológica, Bratislava 9 1954: 302-310.
- 1603.—Turček, F. J. Der Verlauf der Änderungen des individualen Gewichtes der Apodemus flavicollis und der Clethrionomys glareolus in der Populationen der Pol'ana im Jahre 1952. Biológica, Bratislava 9 1954: 569–575. [German summary.]
- 1604.—Turček, F. J. On the distribution of the ground squirrel, Citellus citellus (Linné, 1766), in Slovakia. Säugetierk. Mitt. 3 1955: 19-21 1 fig.
- 1605.—Tusques, J. Essai d'analyse du phénomène d'agénésie de l'oeil de la taupe. C.R. Acad. Sci. Paris 240 1955 : 2015–2016.
- 1606.—Twente, J. W. Aspects of a population study of cavern-dwelling bats. J. Mammal. 36 1955: 379-390.

1607.—Twente, J. W. Some aspects of habitat selection and other behavior of cavern-dwelling bats. Ecology 36 1955: 706-732 14 figs.

Twiesselmann, F. see Vallois.

- 1608.—Tyndale-Biscoe, C. H. A method of marking rabbits for field studies. J. Wildlife Mngmt. 17 1953: 42-45.
- 1609.—Tyndale-Biscoe, C. H. Observations on the reproduction and ecology of the brush-tailed possum, *Trichosurus vulpecula* Kerr in New Zealand. Aust. J. Zool. 3 1955: 162–184 1 pl. 6 figs.
- 1610.—Tyndale-Biscoe, C. H. Effects of sub-lethal phosphorus poisoning on bone growth in wild rabbits. N.Z. J. Sci. Tech. 37B 1955: 407-415 4 figs.
- 1611.—Tyndale-Biscoe, C. H. and Williams, R. M. A study of natural mortality in a wild population of the rabbit, Oryctolagus cuniculus (L.). N.Z. J. Sci. Tech. 36B 1955: 561-580 3 figs.
- 1612.—[Tzalkin, V. I.] [Siberian Mountain Goats.] Tabl. Anal. Faun. U.S.S.R. Zool. No. 21 36 1950: 1–119 figs.
- 1613.—[Tzalkin, V. I.] [Variation and systematics of Caprinae in Western Caucasus.] Bull, Soc. Nat. Moscow biol. 60 1955: 17–33 6 figs. [In Russian.]

Tzalkin, V. I. see Geptner.

- 1614.—[Tzigankov, D. S.] [Method of age determination and longevity of ondatra (Fiber zibethicus). Zool. Zh. Moscow 34 3 1955: 640-651 3 figs. [In Russian.]
 - Udall, R. H. see Eskridge.
- **1615.—Uhlig**, H. G. Weights of adult gray squirrels. J. Mammal. **36** 1955: 293–296.
- 1616.—Ullrich, W. Vegetative Neurose eines Schimpansen. Zool. Gart., Lpzg. 21 1955: 190.
- 1617.—Ullrich, W. Bemerkenswerte Aufnahmen eines jungen Sumatra-Nashorns (*Dicerorhinus sumatrensis* Cuv.). Zool. Gart., Lpz. 22 1955: 29–33 2 figs.
- 1618.—Uloth, W. Das Mufflon, Ovis musimon Pallas, 1811, in Thüringer Wald. Säugetierk. Mitt. 3 1955: 35–36.

- 1619.—[Urazov, I. G.] [Innervation of the hypophysis in Mammals.] Bull. Leningrad. Univer. 7 1955: 47-66 25 figs. [In Russian.]
- 1620.—Urbain, A. and others. Rapport sur la mortalité et la natalité enregistrées au Parc Zoologique du Bois de Vincennes pendant l'année 1954. Bull. Mus. Hist. nat. Paris (2) 27 1955: 117-134.

Urbain, A. see Edmond-Blanc.

- 1621.—[Uspenski, S. M.] [The past distribution of Callorhinus ursinus and Enhydra lutris on Kurile Islands.] Bull. Soc. Nat. Moscow Biol. 60 1955: 9-16. [In Russian.]
- 1622.—Uuspää, V. J. and Suomalainen, P. The adrenaline and noradrenaline content of the adrenal glands of the hedgehog. Ann. Acad. Sci. fenn. 4A 27 1954: 1-11.
- 1623.—Vachold, J. Eine vorläufige Nachricht über das Vorkommen winziger Säugetiere in der Umgebung von Krupina in der Mittelslowakei. Biologica, Bratislava 9 1954: 468–476. [German summary.]
- 1624.—Vachold, J. Beitrag zur Frage der Verbreitung einiger Chiropterenarten in der Slowakei. Biológia, Bratislava 10 1955: 173–178 map. [German summary.]
- **1625.—Vallois**, H. V. Les enfants-loups. Nature, Paris No. 3237 1955: 11–14 6 figs.
- 1626.—Vallois, H. La mandibule humaine pré-moustérienne de Montmaurin. C.R. Acad. Sci. Paris 240 1955: 1577-1579 1 fig.
- 1627.—Vallois, H. V. and others. Catalogue des hommes fossiles. C.R. Congrès Internat. Geol. 19th, Alger (1952): 5 5 1953: 61–370.

Vallois, H. see Grassé.

Van Breemen, V. L. see Clemente.

- 1628.—Van den Bergh, W. Nos rhinocéros blancs (*Ceratotherium simum* cottoni Lydekker). Zool. Gart., Lpzg. 21 1955: 129–151 17 figs.
- 1629.—Vandermander, A. Apercu succinct de nos connaissances actuelles au sujet de l'Okapi (Okapia johnstoni Scl.). Bull. Soc. zool. Anvers No. 3 1953: 23–43 6 pls.

- Van Gelder, R. G. see Findley.
- van Wagenen, G. see Wells.
- 1630.—Vanzolini, P. E. and Guimarães, L. R. Lice and the history of South American land mammals. Rev. Brasil. Ent. 3 1955: 13-46 4 figs.
- 1631.—Vanzolini, P. E. and Guimarães, L. R. South American land mammals and their lice. Evolution 9 1955: 345-347.
- 1632.—[Varshavski, S. N.] [Modern methods of calculating the population of Citellus and Rhombomys.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 47–67. [In Russian.]
- 1633.—[Vasin, B. N.] [New species of grey field vole from Sakhalin (*Microtus sachalinensis* sp. n.).] Zool. Zh. 34 1955: 427–431 8 figs. [In Russian.]

Vaughan, T. A. see Krutzsch.

Vaufrey, R. see Grassé.

- 1634.—Venables, U. M. and Venables, L. S. V. Observations on a breeding colony of the seal *Phoca vitulina* in Shetland. Proc. Zool. Soc. Lond. 125 1955: 521-532 4 figs.
- 1635. Venables, L. S. V. and Venables, U. M. Birds and mammals of Shetland, Edinburgh (Oliver & Boyd) 1955, pp. xii + 391 8 pls.
- 1636.—[Verdiev, Z. K. and Isaev, G. B.] [Hybridization of Azerbaijan zebu with Swiss cow.] Priroda 7 1955: 103-104 2 figs. [In Russian.]
- 1637.—[Vereshchagin, N. K.] [The marsh beaver (Nutria), its breeding and exploitation in Transcaucasian reservoirs.] Acad. Sci. Azerbaij. Repub. Inst. Zool. 1950, pp. 1–148, 88 figs.
- 1638.—[Vereshchagin, N. K.] [Carnivora from the Binagadian asphalt.] Localities of Quaternary Fauna and Flora at Binagadin, Acad. Sci. Azerbaijan S.S.R. 1 4 1951: 28–140 13 pls. 48 figs.
- 1639.—[Vereshchagin, N. K.] Caucasian elk (*Alces alces caucasicus* N. Ver. *subsp. nova*) and data on elk history in Caucasus. Zool. Zh. 34 1955: 460–463 2 figs. [In Russian.]

- 1640.—Verheyen, R. Contribution a l'éthologie du Waterbuck Kobus defassa ugandae Neumann et de l'antilope harnachée Tragelaphus scriptus (Pallas). Mammalia, Paris 19 1955: 309-319.
- 1641.—Verheyen, R. Éléments pour une monographie éthologique de l'éléphant d'Afrique, Loxodonta africana (Blumenbach). Bull. Mus. Hist. nat. Belg. 30 43 1954 : 1–19.
- 1642.—Vermeil, C. Gerbillus hirtipes Lataste, nouveau rongeur de laboratoire. Ann. Inst. Pasteur 88 1 1955: 137–139.

Verney, E. B. see Sellwood.

- 1643.—Verschuren, J. Un cas d'albinisme complet chez un cheiroptère, Nycteris nana (A.). Bull. Mus. Hist. nat. Belg. 31 34 1955: 1-4.
- 1644.—Vesey-Fitzgerald, D. F. The topi herd. Oryx 3 1955: 4-8 l pl. 1 fig.
- 1645.—Vesey-Fitzgerald, D. F. Experiments in wild life conservation in Tanganyika. Afr. Wild Life 9 1955: 95–104 6 figs.
- 1646.—Vialli, G. S. I Bisonte fossili delle alluvioni quaternarie Pavesi. Atti Ist. Geol. Univ. Pavia 5 1951 (1955): 83–109 6 pls.
- 1647.—Vialli, V. La soluzione del probleme di Piltdown. Natura, Milano 46 1955: 36–41.
- 1648.—Vialli, V. La scoperta di un nuovo pre-ominide terziario. Natura, Milano 46 1955: 82-89 4 figs.
- 1649.—Vialli, V. Su una anomalia nella dentatura di un rinoceronte africano. Natura, Milano 46 1955: 131-134 1 fig.
- · Vicari, A. see Keeler.
- 1650.—Vidal, N. Estudo descritivo e comparativo de *Macrauchenia patachonica* Owen de Pernambuco. Bol. Mus. Nac. Rio de Janeiro, Geol. No. 21 1955: 1–39 12 pls.
- 1651.—Vieira, C. da C. Lista remissiva dos mamiferos do Brasil. Arq. Zool. S. Paulo 8 1955: 341–474.
- 1652.—Vietinghoff-Riesch, A. F. von. Neuere Untersuchungen über die Biologie des Siebenschläfers, Glis glis glis (Linné, 1758), auf Grund von Freilandmarkierungen im Deister, Niedersach-

- sen, und Beobachtungen im Tierhaus in Hannoversch-Münden. Säugetierk. Mitt. 3 1955: 113–121 3 figs.
- 1653.—Vietinghoff-Riesch, A. von. Siebenschläfermarkierungen im Deister. Z. Säugetierk. 20 1955: 134-135.
- 1654.—Villa R., B. Observaciones acerca de la ultima manada de berrendos (*Antilocapra americana mexicana*) en el Estado de Chihuahua, México. An. Inst. Biol. Mex. 26 1955: 229-236 2 figs.
- 1655.—Villa R., B. El murciélago colorado de Seminolà (*Lasiurus borealis seminolus* (Rhoads) en Mexico. An. Inst. Biol. Mex. 26 1955: 237–238.
- 1656.—Villa R., B. Cynomops malagai sp. nov. y genero nuevo para la fauna de murcielagos de Mexico. Acta zool. Mexicana 1 No. 4 1955: 1-6 2 figs.
- 1657.—Villalta Comella, J. F. de and Crusafont Pairo, M. Chilotherium quintanelensis Zbysz. sinonimo de Hispanotherium matritensis (Prado). Notas Inst. geol. Esp. 37 1955: 25–31 4 figs.

Villalta Comella, J. F. de see Crusafont Pairo.

- 1658.—Vilter, V. Histologie et activité électrique de la rétine d'un mammifère strictement diurne, le spermophile (Citellus citellus). C.R. Soc. Biol., Paris 148 1954: 1768-1771.
- 1659.—Vilter, V. Cytoarchitectonique neuronique de la rétine d'un mammifère strictement diurne, le Citellus citellus. C.R. Soc. Biol., Paris 148 1955: 1963-1966.

Vincent, M. A. C. see Goodwins.

- 1660.—[Vinogradov, B. S.] [Discovery of a subfossil suslik corpse in an old glacier basin of Indigirsk.] C.R. Acad. Sci. U.S.S.R. 62 1948: 553–556 3 figs.
- 1661.—Viret, J. A propos de l'Oréopithèque. Mammalia, Paris 19 1955: 320-324.

Viret, J. see Grassé.

1662.—Virkki, N. Über den Schaltknochen der Bregmagegend beim Eichhörnchen, Sciurus vulgaris L. Arch. Soc. zool.-bot. fenn. 9 1955: 100–108 3 figs. 1663.—[Vishnyakov, S. V., Dukelskaya, N. M. and Ivanova, V. V.] [Relative calculation of rodent numbers living in urban environments.] Zool. Zh. 34 1955: 902-914 3 graphs. [In Russian.]

Vizoso, M. see Leslie.

1664.—[Vladimirskaya, M. I.] [Biology of the polar hare in Kola Peninsula.] Zool. Zh. 34 1955: 682-685. [In Russian.]

Vlcek, E. see Vallois.

1665.—Vlerk, I. M. van der and Florschutz, F. The paleontological base of the subdivision of the Pleistocene in the Netherlands. Verh. Akad. Wet. Amst. Afd. Natuurk. (1) 20 2 1953: 1–58 4 pls.

1666.—Voge, M. A list of cestode parasites from California mammals. Amer. Midl. Nat. 54 1955: 413–417.

1667.—Voge, M. and Bern, H. A. Cecal villi in *Dicrostonyx torquatus* (Rodentia: Microtinae). Anat. Rec. 123 1955: 125-129 4 figs.

1668.—[Volkova, O. V.] [Ganglion apparatus of the tongue.] C.R. Acad. Sci. URSS 103 1955: 313-316 4 figs. [In Russian.]

1669.—Voris, J. C., Yoakum, J. D. and Yocum, C. F. Notes on chinchilla liberations in California. J. Mammal. 36 1955: 302.

Vorobyev, B. L. see Gromov.

1670.—Voss, H. Bibliographie der Menschenaffen (Schimpanse, Orang, Gorilla). Jena (Gustav Fischer) 1955, pp. viii + 163.

1671.—Voss, R. E. Studies of the spinal cord. Part II. Topographic localization within the ventral spinocerebellar tract in the macaque. J. comp. Neurol. 99 1953: 613-638 3 pls.

Vy, T. see Bourlière.

1672.—Wagstaffe, R. and Rutherford, G. Letters from Knowsley Hall, Lancashire. Northw. Nat. N.S. 2 1954: 487–503; 3 1955: 9–22, 169–172. [Letters from John Gilbert on W. Australian mammals.]

1673.—Wahrman, J. and Zahavi, A. Cytological contributions to the phylogeny and classification of the rodent genus *Gerbillus*. Nature, Lond. 175 1955: 600–602 2 figs.

1674.—**Walker**, D. H. Game policy in Central Africa. Field **206** 1955: 292–293 4 figs.

1675.—Wallace, F. Perruque roebuck head. Field **206** 1955 : 647 1 fig.

1676.—Wallace, F. A guide to preserving game. Field **206** 1955 : 903–904 3 figs.

1677.—Walton, S. S. Notes on the Carolinian jumping mouse in Connecticut. J. Mammal. 36 1955: 140-141.

1678.—Warbrick, J. G. Post-partum changes in the uterus of the rat. J. Embryol, exp. Morph. 3 1955: 256-264 2 pls.

1679.—Waring, H., Sharman, G. B., Lovat, D. and Kahan, M. Studies on marsupial reproduction. I. General features and techniques. Austral. J. Zool. 3 1955: 34-43 1 pl. 3 figs.

1680.—Warren, K. B. (Ed.). The mammalian fetus: physiological aspects of development. (Numerous papers). Cold Spring Harbor Symp. Quant. Biol. 19 1954: 1-225.

1681.—Warwick, E. J. and Lewis, W. L. Growth and reproductive rates of mice, produced by intercrossing inbreds and outbreds of three size groups. J. Hered. 45 1954: 35–38.

1682.—Warwick, E. J. and Lewis, W. L. Increase in frequency of a deleterious recessive gene in mice. J. Hered. 45 1954: 143-145.

Wassif, K. see Hoogstraal.

1683.—Watkins, C. P. The excavation of the Kibworth Beauchamp ox. Trans. Leicester lit. phil. Soc. 49 1955: 36–47 figs.

1684.—Watson, J. S. and Taylor, R. H. Reingestion in the hare *Lepus europaeus* Pal. Science 121 1955: 314.

1685.—Watson, J. S. and Williams, R. M. The relationship between paunched and dead weights of rabbits. N.Z. J. Sci. Tech. 37B 1955: 54-58.

Webb, C. S. see Taylor.

1686.—Weber, N. A. Notes on Iraq Insectivora and Chiroptera. J. Mammal. 36 1955: 123–126. 1687.—Weddell, G. and Pallie, W. Studies on the innervation of skin. II. The number, size and distribution of hairs, hair follicles and orifices from which the hairs emerge in the rabbit ear. J. Anat., Lond. 89 1955: 175–188 l pl. 7 figs.

,

1688.—Weddell, G., Pallie, W. and Palmer, E. Studies on the innervation of skin. I. The origin, course and number of sensory nerves supplying the rabbit ear. J. Anat., Lond. 89 1955: 162-174 6 figs.

1689.—Weddell, G., Palmer, E. and Pallie, W. Nerve endings in mammalian skin. Biol. Rev. 30 1955: 159–1952 pls. 7 figs.

1690.—Weddell, G., Taylor, D. A. and Williams, C. M. Studies on the innervation of skin. III. The patterned arrangement of the spinal sensory nerves to the rabbit ear. J. Anat., Lond. 89 1955: 317-342 2 pls. 5 figs.

Wegener, J. see Köhler.

1691.—Weiner, J. S. The Piltdown forgery. London (Oxford University Press) 1955: xii + 214 8 pls.

1692.—Weiner, J. S., Le Gros Clark, W. E., Oakley, K. P. and others. Further contributions to the solution of the Piltdown problem. Bull. Brit. Mus. (Nat. Hist.) Geol. 2 6 1955: 225-287 5 pls.

Weiner, J. S. see Oakley.

Weizenberg, J. see Politzer.

1693.—W[ells], L. H. Dr. Robert Broom and the fossil mammals of Australia. S. Afr. J. Sci. 52 1955: 36.

1694.—Wells, L. H. and Cooke, H. B. S. Fossil remains from Chelmer, near Bulawayo, S. Rhodesia: A further note. S. Afr. J. Sci. 52 1955: 49.

Wells, L. H. see Vallois.

1695.—Wells, L. J. and van Wagenen, G. Androgen induced female pseudohermaphroditism in the monkey (*Macaca mulatta*); anatomy of the reproductive organs. Contr. Embryol. Carneg. Instn. 35 1954; 93-106 6 pls.

Wender, M. see Kolaczkowski.

1696.—Wentworth Day, J. Rabbits: another argument. Field 206 1955: 904.

1697.—Westminster, A. Protecting the deer. Field 205 1955: 352.

1698.—Wettstein, O. Was ist *Capra dorcas* Reichenow? Z. Säugetierk. 20 1955: 132–133.

1699.—Wettstein, O. Versuch einer neuen Art von Wildmarkierung. Z. Jagdwissensch. 1 1955: 65-69.

1700. — Wettstein - Westersheimb, O. Mammalia. Strouhal, Catalogus Faunae Austriae Teil 21 C, 1955: 1–16.

1701.—Wetzel, R. M. Speciation and dispersal of the southern bog lemming, Synaptomys cooperi (Baird). J. Mammal. 36 1955: 1-20 5 figs.

1702.—White, A., Handler, P., Smith, E. L. and Stetten, D. Principles of biochemistry. London (McGraw-Hill Pub. Co.) 1954: xiii + 1117.

1703.—Whitehead, G. K. Giant fallow deer. Oryx 3 1955: 39 1 pl.

1704.—Whitehead, G. K. European Bison. Ctry. Life, Lond. 117 1955: 489 1 fig.

1705.—Whitehead, G. K. The Endsleigh head. Ctry. Life, Lond. 117 1955: 874 1 fig.

1706.—Whitehead, G. K. Deformities of antlers. Ctry. Life, Lond. 117 1955: 991 photo.

1707.—Whitehead, G. K. Feeding habits of roe. Ctry. Life, Lond. 117 1955: 1117 2 figs.

1708.—Whitehead, G. K. Upper canine teeth in roe deer. Ctry. Life, Lond. 118 1955: 680 photo.

1709.—Whitehead, G. K. Habits of fallow deer. Field 205 1955: 26.

1710.—Whitehead, G. K. Coalesced roe heads. Field 205 1955: 353.

1711.—Whitehead, G. K. The deer-stalking year. Field 205 1955: 395–396 3 figs. table.

1712.—Whitehead, G. K. Japanese deer in Britain. Field 205 1955: 1080.

1713.—Whitehead, G. K. An Argyllshire royal. Field 205 1955: 1121 photo.

1714.—Whitehead, T. B. Perruque roebuck heads. Field 206 1955: 907.

1715.—Whittle, P. An investigation of periodic fluctuations in the New Zealand rabbit populations. N.Z. J. Sci. Tech. 37B 1955: 179-200 6 figs.

- 1716.—Wijngaarden, A. van. Vorläufige Ergebnisse der Populationsuntersuchung an Feldmäusen in der Betuwe. Z. Säugetierk. 20 1955: 61–69 9 figs.
- 1717.—Wijngaarden, A. van. De bestrijding van de muskusrat, *Ondatra zibethica* L. in Nederland. Vakbl. Biol. 35 1955: 68–72 1 fig.
- 1718.—Wilber, C. G. Electrocardiogram of the raccoon. J. Mammal. 36 1955: 283-284.
- 1719.—Wilber, C. G. Electrocardiographic studies on the opossum. J. Mammal. 36 1955: 284–286.
- **1720.**—Wilber, C. G. and Gorski, T. W. The lipids in *Bison bison*. J. Mammal. **36** 1955; 305–308.

Wilber, C. G. see Musacchia.

Wilke, F. see Taylor.

Williams, C. M. see Weddell.

- 1721.—Williams, O. An analysis of distribution and habitat relations of small mammals in a valley of the Colorado front range. Univ. Colo. Stud. Gen. Ser. 29 1953: 71-73.
- 1722.—Williams, O. The food of mice and shrews in a Colorado montane forest. Univ. Colo. Stud. No. 3 1955: 109–114.
- 1723.—Williams, O. Home range of *Peromyscus maniculatus rufinus* in a Colorado ponderosa pine community. J. Mammal. 36 1955: 42-45.
- 1724.—Williams, O. Distribution of mice and shrews in a Colorado montane forest. J. Mammal. 36 1955; 221–231 l pl. 1 fig.

Williams, R. M. see Tyndale-Biscoe. Williams, R. M. see Watson.

- 1725.—Wilson, J. G. Teratogenic activity of several azo dyes chemically related to trypan blue. Anat. Rec. 123, 1955: 313-333 34 figs.
- 1726.—Wimsatt, W. A. On the nature of the interscapular gland of the tropical American fruit bat *Artibeus jamaicensis* Leach. Anat. Rec. 121 1955: 549-563 8 figs.
- 1727.—Wirtz, J. H. Reproduction in the pocket gopher *Thomomys talpoides rostralis*, Hall and Montague. J. Colo.-Wyo. Acad. Sci. 4 1954: 62.

Wiseman, J. S. see Eads.

- 1728.—Wislocki, G. B. and Dempsey, E. W. Electron microscopy of the placenta of the rat. Anat. Rec. 123 1955: 33-63 17 figs.
- 1729.—Witte, G.-F. de and Frechkop, S. Sur une espèce encore inconnue de mammifère africain, *Potamogale ruwenzorii*, sp. n. Bull. Inst. Roy. Sci. Nat. Belg. 31 84 1955: 1-11 4 figs.
- 1730.—Wodzicki, K. A. and Bull, P. C. The small mammals of the Caswell and George Sounds area. New Zealand-American Fiordland Exp., Dept. Sci. Ind. Res. Bull. 103 1951: 1-8 1 fig.
- 1731.—Wojcik, S. and Zdybicki, Z. Sur la composition chimique du lait du Myopotame (*Myocastor coypus*). Ann. Univ. Marie-Skłodowski Sect. E **9** 1954: 321–328. [Polish with French summary.]
- 1732.—Wolff, G. L. The effects of environmental temperature on coat color in diverse genotypes of the guinea pig. Genetics 40 1955: 90-106 2 figs.
- 1733.—Wood, A. E. A revised classification of the rodents. J. Mammal. 36 1955: 165–187.
- 1734.—Wood, A. E. Rodents from the lower Oligocene Yoder formation of Wyoming. J. Paleont. 29 1955; 519–524 1 fig.
- 1735.—Wood, F. G. and Moore, J. C. The mystery whale of Vilano Beach. Everglades Nat. Hist. (Homestead, Fla.) 2 3 1954: 136-142 figs. [N.V.]
- 1736.—Wood, J. E. Notes on young pocket gophers. J. Mammal. 36 1955: 143-144.
- 1737.—Woodbury, A. M. Ecology of the Great Salt Lake desert. 1. An annual cycle of the desert jackrabbit. Ecology 36 1955: 353-356 2 figs.
- 1738.—Woollam, D. H. M. and Millen, J. W. The perivascular spaces of the mammalian central nervous system and their relation to the perineuronal and subarachnoid spaces. J. Anat., Lond. 89 1955: 193-200 1 pl. 1 fig.
- 1739.—Wotton, R. M. and Mosti, M. E. The direct absorption of previously stained fat in droplet form by the myocardium of the cat. Anat. Rec. 122 1955: 39-47.

- 1740.—Wragg, L. E. Notes on movements of banded muskrats. Canad. Fld Nat. 69 1955: 9-11.
- 1741.—Wright, E., Jr. Site of phosphorus absorption in the sheep. Nature, Lond. 176 1955: 351-352.
- 1742.—Wright, P. L. and Rausch, R. Reproduction in the wolverine, *Gulo gulo*. J. Mammal. 36 1955: 346–355 2 pls.

Wright, P. L. see Newby.

- 1743.—Wyatt, C. Preserving the Canadian buffalo. Ctry. Life, Lond. 118 1955: 324-326 4 figs.
- 1744.—Wyatt, D. I. The gentle art of rat-catching. Ctry. Life, Lond. 117 1955: 1182 & 1185.
- 1745.—Wymer, J. A further fragment of the Swanscombe skull. Nature, Lond. 176 1955: 426–427.
- 1746.—Wynne-Edwards, V. C. Field identification of the Common and Grey Seals. Scot. Nat. 66 1954: 192.
- 1747.—Yalcinlar, I. Les gisements de mammifères et d'autres vertébrés fossiles de la Turquie. C.R. Congres Geol. Internat. 19th Alger 1952 (1954) Sect. 13 Fasc. 15: 139–147.
- 1748.—Yalcinlar, I. Note sur une faune de Vertébrés néogénes découverte à l'W. de Sivas (Turquie centrale). C.R. Soc. Geol. France 14–15 1954: 359–360.
- 1749.—[Yanovskaya, N. M.] [A new deer from the Middle Pliocene of Moldavia.] Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 47 1954 (Tertiary Mammals): 163–172 5 figs.
- 1750.—[Yanovskaya, N. M.] [A new genus of Embolotherine from the Paleocene of Mongolia.] Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 55 1954 (Tertiary Mammals, pt. 3): 5–43 3 pls. 12 figs.
- 1751.—[Yanovskaya, N. M.] [Findings of Brontotherii in U.S.S.R.] Priroda 4 1955: 114–115 2 figs. [In Russian.]
- 1752.—Yerger, R. W. Life history notes on the eastern chipmunk, *Tamias striatus lysteri* (Richardson), in Central New York. Amer. Midl. Nat. 53 1955: 312-323.

- 1753.—Yin, U. T. Miscellaneous gleanings on wild life in Burma. 1. Do wolves occur in Burma? 2. Occurrence of black tigers. 3. Is cattle bred out of village cattle with wild tsaing a hybrid? Burmese For. 3 1953: 43–48 4 1954: 24–27.
- 1754.—Yin, U. T. Wild life preservation in Burma. Oryx 3 1955: 89-98 map.
- 1755.—Yin, U. T. Thamin or browantlered deer in the Zoological Gardens, Rangoon. J. Bombay nat. Hist. Soc. 52 1955: 919-920 1 pl.
- 1756.—Yin, U. T. Tufted deer in Burma (*Elaphodus cephalophus* Milne-Edwards). J. Bombay nat. Hist. Soc. 53 1955: 123-125 1 fig.

Yoakum, J. D. see Voris.

Yocum, C. F. see Voris.

- 1757.—Yoon, C. H. Homeostasis associated with heterozygosity in the genetics of time of vaginal opening in the house mouse. Genetics 40 1955: 297-309.
- 1758.—Yoshikawa, T. and Naruse, M. On the interesting hair slope of Père David's deer. Jap. J. appl. Zool. 20 1955: 108-110. [Japanese with English summary.]
- 1759.—[Yurgenson, P. B.] [Ecology of lynx in the forests of central part of U.S.S.R.] Zool. Zh. 34 1955: 609-620 fig. [In Russian.]
- 1760.—[Zablotzkaya, L. V.] [The beavers in the small tributaries at the left bank of the river Oka.] Zool. Zh. 34 1955: 679-682. [In Russian.]
- 1761.—[Zablotzkaya, L. V.] [Pillage of coniferous seeds by murine rodents.] Bull. Soc. Nat. Moscow biol. 60 1955: 122. [In Russian.]

Zahavi, A. see Wahrman.

- 1762.—Zalesky, K. Der Feldhase, Lepus europaeus transsylvanicus Matschie, 1901, in Oesterreich. Säugetierk. Mitt. 3 1955: 108-110.
- 1763.—Zázvorka, V. Oberarmbein eines Höhlenlöwen: Panthera (Leo) spelaea, Goldfuss- aus der Chlupáčova-Schlucht am Kobyla bei Koněprusy (Mittelböhmen). Čas. nár. Mus. 123 1954: 168–174 4 figs. [German summary.]

1764.—Zbyszewski, G. Les vertébrés du Burdigalien supérieur de Lisbonne. Mem. Serv. Geol. Portugal 1949 : 1–77 22 pls.

1765.—Zbyszewski, G. Note sur l'existence d'un "Serridentinus" dans le Miocène d'Espagne. Comun. Serv. Geol. Portugal 35 1954 : 93-97 2 pls.

Zbyszewski, G. see Bergounioux.

Zdybicki, Z. see Wojcik.

1766.—[Zenkerevich, L. A. and others.] [Geographic distribution of fish and other economic animals in the Okhotsk and Behring Seas.] Trud. Inst. Okeanol. 14 1955: 1–120 figs.

1767.—[Zharkov, I. V.] [Mole census methods.] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 129-133. [In Russian.]

1768.—[Zharkov, I. V.] [Basic methods for counting wild Ungulates,] Kucheruk, V. V. Methods of calculating the number and geographical distribution of terrestrial vertebrates. St. Petersburg Acad. Imp. Sci. Inst. Geogr. 1952: 214–238. [In Russian.]

1769.—**Zimmerli**, G. N. The Swiss National Park. Oryx **3** 1955 : 64–70.

1770.—Zimmermann, H. Vergleichende anatomische Untersuchungen über die Zehen- und Sohlenballen der Haustiere. Acta zool., Budapest 1 1955: 361–373.

1771.—Zimmermann, K. Die Gattung Arvicola Lac. im System der Microtinae. Säugetierk. Mitt. 3 1955: 110-112 2 figs.

1772.—Zimmermann, K. Zum Murmeltierschrei bei Annäherung eines Menschen. Säugetierk. Mitt. 3 1955: 125.

1773.—Zimmermann, K. Körpergrösse und Bestandsdichte bei Feldmäusen (*Microtus arvalis*). Z. Säugetierk. 20 1955: 114-118.

1774.—Zimmermann, K. Zur Fauna Afghanistans. Z. Säugetierk. 20 1955: 189–191.

1775.—Zuckerman, S. and others. Toxic chemicals in agriculture. Risks to wild life. Report of the working party. London (Min. of Agric.) 1955 pp. iv + 31.

Zuckerman, S. see Thomson.

1776.—Zuh-ming, D. A brief account of the Formosan flying squirrels, Quart. J. Taiwan Mus. 8 1955: 203-206.

1777.—Zukowsky, L. Kleine Hagenbeck-Erinnerungen. Zool. Gart. Lpzg. 21 1955: 9-24.

1778.—Zukowsky, L. Ungewöhnlicher Haarwechsel bei einem Siampanther des Münsterchen Zoos. Zool. Gart. Lpzg. 21 1955: 193–194.

II.—SUBJECT INDEX

GENERAL LITERATURE AND HISTORY

Text books and General Works.—Text book of Mammals-anatomy, systematics, biology, GRASSE (Ed.) and others 609; Text book of field mammalogy, BOURLIERE 189; Mammals of the world, BOURLIERE 190; Mammals of the world, text book with col. figs., FEHRINGER 482; Mammal biology, KRUMBIEGEL 918; Mammals of world, illustrated, Sanderson 1355; Vertebrate body, 2nd ed., Romer 1323; Technique of mammal skinning, Poll 1241; Principles of biochemistry, WHITE and others 1702; Tarsiers, a monograph, HILL 738; Bats, with review of U.S.S.R. species, Kuzyakin 939; The reindeer, a monograph, HERRE 713; Textbook and col. pls. of African game animals, Bourgoin 188; Living fossils and legendary animals, Heuvelmans 726.

Faunal Works.—Field guide to mammals of W. Europe, Brink 209; List of German mammal names, Gaffrey 552; German names for recent mammals down to families, Eble and others 436; Checklist of Austrian mammals, Wettstein-Westersheimb 1700; Supplement to Chasen's Handlist of Malaysian Mammals, Ellerman and Morrison-Scott 453; Key to mammals of Dutch New Guinea, Husson 789; Checklist for

N. America, MILLER and KELLOGG 1071; Handbook of mammals of Kansas, HALL 653; Mammals of California, with keys, INGLES 799; Checklist for Brazil, VIEIRA 1651.

74

History.—German whaling and sealing in Greenland seas 1700–1900, Oesau 1153; Letters from John Gilbert on W. Australian mammals, Wagstaffe and Rutherford 1672; Century of mammalogy in N. America, Hamilton 659.

Bibliographies.—Bibliographical references, Sawyer 1365; Bibliography of N. American wildlife management 1935-51, Hotchkiss 776; Bibliography of anthropoids, Voss 1670; Sir Arthur Keith, Brash and Cave 200.

Obituaries.—Karamoja Bell, Kinloch 876; Rev. Teilhard de Chardin, Le Gros Clark 965; Dr. Freund, Freye 525; Sir William Gowers, Pitman 1230; Sir Arthur Keith, Brash and Cave 200, Le Gros Clark 964; Axel Reventlow, Schneider 1373; P. Revilliod, Anon. 13; W. R. Sherrin, Ramsbottom 1274.

Museums and Collections.—Russian mammal collections today, Tratz 1594; Catalogue of fossil hominid material in world collections, Vallois and others 1627; Fossil mammals in the S. African Museum, Cooke 286.

Zoological Gardens.—Recommended balanced diets for zoo animals, RATCLIFFE 1278; Whaling exhibition at London Zoo, MATTHEWS 1046; History of Hagenbeck family, Mohr 1085; New or rare mammals imported by Hagenbeck, ZUKOWSKY 1777; History of Tower of London Menagerie, HUME 784.

Taxonomy and Classification.—Gender of 60 generic names, DIRECTION 10 1; Rejection of Manatus Brunnich, DIRECTION 13 2; Addition of 57 specific names to Official List, DIRECTION 22 5; Validation of Gazella Blainville 1816 and Hippotragus Sundevall 1846, DIREC-TION 23 3; Completion of entries on certain genera on Official List to 1936, DIRECTION 24 4; Proposed acceptance of Canis australis Kerr 1792, Hemming 705; Application for validation of Odobenus Brisson 1762 and rejection of Rosmarus Brunnich 1771, Hemming 706: Proposed validation of Canis dingo Meyer, Morrison-Scott 1104, Tate 1537; Proposed rejection of Eberhard

1768, Morrison-Scott 1102: Proposed validation of Muntiacus Rafinesque, MORRISON-SCOTT 1103; Application for addition of Mormoops Leach to Official List. Morrison-Scott 1105: Proposed designation of gambianus Ogilby as type species of Heliosciurus, MORRISON-Scott 1106; Application for validation of Felis silvestris Schreber, Morrison-SCOTT 1107: Application for validation of Phacochoerus Cuvier, Morrison-SCOTT 1108; Interpretation of Rules on Zorilla, validity of Geoffroy, 1803, Cat. Mamm. Mus. Hist. Nat., HERSHKOVITZ 720; Proposed rejection of all names for so-called "Piltdown man," DE BEER Taxonomic conclusions comparative cytology in microtines, MATTHEY 1049: Revised classification of rodents, Wood 1733; List of taxa founded by C. Rusconi, Rusconi 1335; Nomenclature of some Tertiary chiroptera, HANDLEY 665; Status of Glyptodon, Hoffstetter 758.

STRUCTURE

General.—Vertebrate body, 2nd ed., ROMER 1323; Shoulder of echidna, MARINELLI 1031; Anatomy of pouch young of Dasyurus, HILL and HILL 763: Organ size in relation to body weights in rabbits, LATIMER and SAWIN 952; Hand of the mouse as a grasping organ, Romankowowa 1322; Organ proportions in mouse stocks of different body weights, HARDE 673; Anatomy of Cricetus cricetus, KITTEL 881; Embryonic anatomy of dolphin, HOSOKAWA 774: Anatomical comparison of wild and house cats, Rohrs 1318; Anatomical monograph of horse, TAGAND and BARONE 1521.

Integumentary and Epidermal Structures.—Innervation of skin, WEDDELL and PALLIE 1687, WEDDELL and others 1688; Skin structure in Cetacea, Soko-LOVA 1467; Skin structure of Egyptian buffaloes and cattle, HAFEZ and others 646; Protein of grain membrane of cattle hide, HOOVER and others 772; Blood supply to skin of sheep, RYDER 1343; Cutaneous glands in caribou, QUAY 1259; Buccal pouch in bush pig, Marlow 1032; Pigment cells in Mus, SILVERS and RUSSELL 1433; Integumentary colours in Mandrillus, HILL 739: Pelage changes in common shrews, CROWCROFT 319; Pelage of Erethizon, Po-CHEDLEY and SHADLE 1237; Hair

of brown bears, LOCHTE 983; Hair arrangement in Père David's deer, Yoshikawa and Naruse 1758; Foot pads of domestic animals, ZIMMERMANN 1770; Horn types in wild goats and sheep, HERRE and ROHRS 714.

Osteology: General.—Bone structure in relation to bodily size, ERTELT 468; Supra-sternal ossicles in anthropoids, ASHLEY 80; Comparative-anatomical study of joint surfaces, DANILOVA 335; Abnormalities of elbow joint, Charkov-SKAYA 251; Carpal pattern, HOLMGREN 762; Comparison of metatarsus and metacarpus, Danilova 334; Angulation of neck of talus, BARNETT 108; Os innominatum of anthropoids compared with Australopithecines, Le Gros Clark 967; Bacula of N. American bats, Krutzsch and Vaughan 925; Baculum of S. American squirrels, DIDIER 400; Pelvis characters in European shrews, Becker 124; Carpus of Selenodonts, Manzii 1028; Shoulder girdle of echidna, MARINELLI 1031; Vertebral variation in inbred mice, McLaren and Michie 1013: Osteology of foot, RADILOVSKAYA 1263; Morphology of foot skeleton in Ungulates, KASYANENKO 855; Order of fusion in metacarpus and metatarsus in horses, MILLS 1076; Comparative characters of wild and domestic cat skeletons, CANTUEL 237; Fragility of bones in European bison, Jaczewski and Swier-ZYNSKI 811; Comparison of Capra and Ovis osteology, Gromova 622; Skeletal differences between deer, sheep and goats, HILDEBRAND 734: Metapodials of Rhinoceros, Burchak-Aframoviya and DZHAFAROV 218; Cheek pouches of paca as resonance chambers, HERSHKOVITZ 717; Rodent pelvis sexual dimorphism, DUNMIRE 421.

Osteology: Skull.—Analytical craniology, Tucker 1599; Temporo-mandibular joint of shrews, Fearnhead and others 481; Detailed study of skull of Trachypithecus, Olivier and others 1164; Craniometry of Meles, punch-card technique, Hysing-Dahl 793; Skull modifications of gerenuk in relation to habits, Frechkop 519.

Dentition.—Labial occlusion in Cebidae, Della Serra 373; Study of chimpanzee dentition, Schuman and Brace 1383; Accessory binding formations on carnivore teeth, Bodingbauer 175; Teeth as currency, Detwiler 397.

Myology.—Homologies and nomenclature of thigh muscles in four orders, Kerr 862; Anatomy of hand in some insectivores, Haines 649; Thoracic muscles in Lemur, Szostakiewicz-Sawicka 1519; Musculature of Funambulus, Das 343; Motor end-plate in rat intercostal muscle, Reger 1283; Ear muscles of Cavia, Böhme 177; Masticatory muscles of Tremarctos, Davis 349; Umbilical sphincter in blackbuck, Mathur 1044.

Heart and Circulation .- Structural principle of the heart, FRECHKOP 521; Morphology of blood-vessels in the knee joint, Mazhuga 1055; Blood supply to kidneys, Kamenskaya 852; Arteries of chimpanzee, Gessner 571; Venous drainage of placenta in Macaca, RAMSEY 1275; Vascularization of adrenal in macaque, Harrison and Asling 682; Arterio-venous system of fins in cetacea. SCHOLANDER and SCHEVILL 1375; Blood supply to atrioventricular system of dog, Halpern 657; Blood supply to skin of sheep, RYDER 1343; Blood-flow in mammary region of sheep and goat, LINZELL and MOUNT 981; Arteriovenous anastomoses in head skin of calf, GOODALL 595.

Haematology.-Blood counts in Gold Coast domestic animals, EDWARDS and others 442; Haematology of Alaskan mammals, Musacchia and others 1120; Blood volume of rhesus monkey, BENDER 141; Haematology of Bradypus, HOEHNE and ROSENFELD 748; Blood groups of rabbit, Joysey 837; Blood picture of rabbit, also hare, PUJMAN and others 1255; Blood picture of rat, JELINKA 818; Blood of mice, PUJMAN and others 1254; Immunological tests in normal and tumour-bearing rats, DARCY 338; Blood volume of hamster, SVIHLA and BOWMAN 1509; Normal blood picture of guinea pig, BILBEY and NICOL 157; Haematology of black bear, SVIHLA and others 1508; Coagulation mechanism of horse, Bell and others 135; Haemoglobins of camel, CABANNES and SERAIN 231; Erythrocytes of mule deer, Browman and Sears 211.

Lymph and its Organs.—Intrathymic lymphatic vessels in Mus, Smith 1454.

Nervous system: General.—Significance of neuromeres, Kallen 847; Innervation of hypophysis, Urazov 1619; Perivascular spaces of central nervous system, Woollam and Millen

1738; Nerve endings in mammalian skin, Weddell and others 1689; Splanchnic nerves in primates, Narkiewicz 1123; Spinal cord study in macaque, Voss 1671; Innervation of bat wing, Filogamo 496; Innervation of rabbit ear, Weddell and Pallie 1687, Weddell and others 1688, 1690; Nerves of Citellus retina, Vilter 1659; Ganglia of cat tongue, Volkova 1668.

Nervous system: Brain.—Brain chorioid plexuses, Hilton 742; Cell types in neo-cortex, MITRA 1081; Mamillary bodies and their connections, GUILLERY 633; Brain to body weight formulae discounted, Count 292; Nerve fibres in area postrema, CLEMENTE and VAN Breemen 277; Sex differences in nuclear morphology in Macaca, PRINCE and others 1251; Sulcus lunatus of lemur and monkey brains, FRIANT 528; Brain in Semnopithecus, FRIANT 526: Myelogenesis of brain of new-born chimpanzee, RIESE 1305; Rodent brain features, lagomorphs not distinct Order, FRIANT 529; Comparative study of brain in Indian Sciuridae, HARDE 674; Tuber cinereum of marmot, Kolaczkowski and WENDER 893; Hypothalamus of marmot, Kolaczkowski and Wender 894; Neural crest development in Mus, Kallen 848; Embryology of telencephalic fibre system in Mus, KALLEN 849; Brain of humpback whale, BREATHNACH 202; Endocranial casts of recent and fossil cetaceans. BREATHNACH 203: Brain of Balaenoptera, Friant 533; Neural crest of cat, HALLEY 654; Medial lemniscus of brain-stem in cat, Jacobson 809; Neurons of visual cortex of cat, Sholl 1425; Brain of peccary, FRIANT 527; Endocranium and endocranial casts in domestic ungulates, Simon 1435.

Respiratory Organs.—Broncho-pulmonary segments of sheep, HARE 676.

Alimentary System.—Morphology of intestine in relation to food, Khalilov 867; Cecal villi in *Dicrostonyx*, Voge and Bern 1667; Ansa spiralis of sheep colon, Smith 1457.

Excretory organs.—Glomeruli in dog kidney, Sellwood and Verney 1396.

Reproductive System.—Genital organs in *Microtus arvalis*, Delost 376; Placenta of rat, Wislocki and Dempsey 1728.

Endocrine Glands.—Hypophysis size comparisons in mammals, Oboussier 1149; Innervation of hypophysis, Urazov 1619; Pituitary of Tachyglossus, Hanstrom 671; Hypophysis of panda, Oboussier 1148; Thymus of Loris, Ahmad and Rao 42; Intrathymic lymphatic vessels in Mus, Smith 1454; Adrenal gland contents in hedgehog, Uuspää and Suomalainen 1622; Vascularization of adrenal in rhesus monkey, Harrison and Asling 682; Histology of adrenal cortex in hamster, Holmes 761; Suprarenal gland in Eidolon, Bourliere and Vy 191; Suprarenal gland of Clethrionomys, Delost 379.

Other Glands.—Secretions of submaxillary glands of Funambulus, Tewari 1565; Submaxillary glands in rat, Mostachfi 1112; Submaxillary and parotid salivary glands of hamster, Cohen and others 282; Interscapular lobes of parotid glands in Artibeus, Wimsatt 1726; Sweat glands of buffaloes and cattle, Hafez and others 646; Cutaneous glands in caribou, Quay 1259; Structure and function of cow milk gland, Gorbunov 603.

Sense organs.—Citellus retina, VILTER 1658, 1659; Eye in Ctenomys, Talice and Momigliano 1530; Development of otoliths in Mus, Lyon 1000; Wax plug in external auditory meatus of Mysticeti, Purves 1257.

Teratology and Abnormalities.—Teratogenic effect of trypan blue and other dyes, Wilson 1725; Genetic hairlessness in squirrels, Latham 951: Abnormalities in Mendoza Museum, Rusconi 1334; Abnormalities in mutant Mus, MORGAN 1095; Intertwined umbilical cords of new-born white mice, BOPP 185; Suprasternal ossicle in Perodicticus, Davies 346; Gall bladder anomaly in cat, MANN 1024; Venous anomaly in cat, HAUSMAN 686; Digital abnormality in cat, ABE 38; Polydactyly in Cynocephalus, Shute and Bellairs 1429; Dental occlusion in primates, MILLS 1077; Supernumerary cheek teeth in rodents, Hooper 767; Dental anomalies in Apodemus, HEROLD 712; Homologies of rodent incisors, POLITZER and WEIZENBERG 1240: Dental abnormalities in fur seal, CHIASSON 262; Dental anomaly in rhinoceros, VIALLI 1649; Canine teeth of roe deer, photo, WHITEHEAD 1708; "Parrot mouth" in mule deer, Robi-NETTE and ALDOUS 1311; 4-horned

sheep in Arizona, CORNELL 289; Abnormal blackbuck horns, BIDDULPH 155; Antlerless mule deer bucks, ROBINETTE and GASHWILER 1312; Deformed antlers, photo, WHITEHEAD 1706; Palmated red deer antlers, photo, Thomson 1581; Abnormal antler development in red deer, KRIEG 912; Coalesced roe antlers, FOOKS 505, WALLACE 1675, WHITEHEAD 1710, 1714; Abnormal roe head, photo, TEGNER 1551, 1554, 1555.

Histology and Cytology.-Golgi apparatus studies, LACY 940; Epithelial cells in epididymis of mouse, Christie 272; Cytology of sympathetic neurone, Casselman and Baker 244; Cell types in neo-cortex, MITRA 1081; Cell degeneration in ontogenesis of rabbit brain, Källen 850; Radiosensitivity of mammalian cells, PATT 1182; Mitochondria in submaxillary glands of Funambulus, Tewari 1565: Nutrition of cells in tissue culture, EAGLE 434; Round pigment cells in uterus of ewe, HADEK 642; Polyploidy, MATTHEY 1048; Chromosomes of microtines, taxonomic conclusions, MATTHEY 1049; Chromosomes of Galago, MATTHEY 1050; Chromosomes and polyploidy in pig, SACHS 1348; Possibilities of crossingover between sex chromosomes of Mus, Sachs 1349; Chromosome translocations in stocks of mice, Carter and others 242; Sex chromosomes of Mus, SLIZYN-SKI 1450, 1451; Chromosomes of mouse, GRIFFEN 616; X-chromosomes of hamster, Sheaffer 1419; X-chromosomes of Chinchilla, THOMPSON 1577; Chromosomes of primates, Darlington and HAQUE 339; Chromosomes of whales, Nowosielski-Slepowron and Peacock 1146; Chromosomes of mule, horse and ass, Makino 1019.

Biochemistry.—Deoxyribonucleic acid in marsupial nuclei, Rendel and Kellerman 1289; Biochemical variations in inbred mice, Hamer 658; Lipids of Bison, Wilber and Gorski 1720; Protein of grain membrane of cattle hide, Hoover and others 772; Composition of milk of nutria, Wojcik and Zdbycki 1731; Analysis of mule deer milk, Browman and Sears 210; Composition of fin whale milk, Ohta and others 1157; Esterase activity in skin, Montagna and Formisano 1091; Histochemistry of seminal vesicles in sheep, Aitken 43.

PHYSIOLOGY

General.—Physiology of foetal development, a symposium, Warren (Ed.) 1680; Physio-pathological factors in acclimatisation of okapi, Geurden 572; Physiological investigations of a mutation in mice, Gluecksohn-Waelsch and Kamell 587.

Integument.—Regeneration of skin glands and hair, Aspiz 83; Regeneration of mammalian skin, BILLINGHAM and MEDAWAR 159, MAY 1054; Keratin production in skin and hair, MENEFEE 1062; Hair pigmentation, DANNEEL 337; Studies of pigment cells in Cavia, MENG 1063; Growth of mouse coat, Fraser and NAY 510, NAY and Fraser 1126; Pelage growth and changes in Erethizon, Po-Chedley and Shadle 1237; Hair structure and seasonal change in varying hare, Couturier 301; Seasonal change of coat in varying hare, Couturier 303; Speed-induced skin folds in dolphin, Essapian 470.

Nutrition and Metabolism.-Recommended balanced diets for zoo animals, RATCLIFFE 1278; Metabolism of Arctic mammals, IRVING and others 803; Nutrition of cells in tissue culture, EAGLE 434; Insulin effect on carbohydrate metabolism, BELOFF-CHAIN and others 136; Intestinal absorption of fat, Frazer 515: Activation energy values for wild and domestic rabbits, FABIAN 476; Camel metabolism, Boltz 178; Ability of camels to do without drinking water, STREETE 1503; Oxygen consumption in relation to temperature in desert rodents, Dawson 363; Water metabolism of zebu cattle, Rollinson and others 1321; Heat tolerance in buffaloes and cattle, skin and sweat gland structure, HAFEZ and others 646; Water losses in Peromyscus, Chew 261; Water intake of rats, Henschel 709; Coprophagy in Sylvilagus, Hamilton 660; Reingestion in the hare, WATSON and TAYLOR 1684; Metabolism of cavern-dwelling bats, TWENTE 1607; Metabolism of mountain goat, KROG and Monson 916; Metabolism and oxygen consumption in rats and hamsters, HENSCHEL 709; Reduced food intake of mice at low temperatures, STRECKER 1499; Summated tissue and metabolic rate in mouse and dog, MARTIN and Fuhrman 1036: Phosphorus absorption in sheep, Wright 1741; Metabolism of hibernating hedgehogs, Forssberg and

SARAJAS 506; Recording mastication in cattle, Duckworth and Shirlaw 413; Composition of elephant milk, rearing technique for calf, Taylor 1543; Evaluating body condition of red deer in New Zealand, Riney 1307; pH analysis of mule deer alimentary canal, Browman and Sears 211; Protein content of deer forage, Bissell and Strong 162; Vitamin excretion by deer, Teeri and others 1546; Comparing fatness of whales, Ash 78; Sleep in ruminants, Balch 108.

Excretion.—Experimental studies on renal activity in dog, Sellwood and Verney 1395.

Respiration.—Nature of whale's 'blow,' Fraser and Purves 514; New views on "spout" in Cetacea, Tomilin 1587.

Heart, Circulation and Blood.—Electrocardiogram of opossum, WILBER 1719; Electrocardiogram of raccoon, WILBER 1718; Vagus nerve effect on heart rate of dog, TRUEX and others 1598; Rhythmical contractions of portal vein, ATTARDI 90; Absorption of antibodies, HALLIDAY 655; Transmission of passive immunity to young rats, HALLIDAY 656; Antigenic system in mouse, Amos and others 55; Blood pressure relation to bile flow in rabbit, ARCHDEACON and others 75; Circulation development in lambs, REYNOLDS and others 1297.

Nervous System.—Ultrasonic lesions in brain, FRY and others 541; Currents of auditory cortex in cat, Köhler and others 892.

Sense organs.—Nocturnal orientation of animals, Southern 1473; Field of vision in cattle, Bressou 204; Binocular field of vision in cattle. Bressou 205: Hormonal effect on eye of mole, Tusques 1605; Colour vision in Peromyscus, Lyon-Fellowes 1003; Effect of ultrasonics on brain, FRY and others 541; Acoustic orientation in four families of neotropical bats, GRIFFIN and Novick 617; Possible role of echolocation in feeding by insectivorous bats, GOULD 606; New type of echolocation in Asellia, Mohres and Kulzer 1087; Suggested communication by ultrasonics in various species, Burton 227; Range of hearing in cat, NEFF and HIND 1128; Cetacea and sound waves,

Tomilin 1588; Ear muscle reflexes in Cavia, Böhme 177; Currents of auditory cortex in eat, Köhler and others 892; Audiogenic seizures in rabbit, Antonitis and others 65; Scenting ability of dogs, Kalmus 851.

Voice.—Evolution of voice, KIPP 877; Voice production by paca, function of cheek pouches, HERSHKOVITZ 717; Voice of *Ctenomys*, TALICE and MOMI-GLIANO 1529; Voice in cetacea, SLIJPER 1449; Giraffe voice, STANTON 1482.

Muscle, Bone and Teeth.—Ear muscle reflex in Cavia, FRÜHLING 540; Absorption of fat by myocardium of cat, WOTTON and MOSTI 1739; Muscle fibre growth in foetal sheep, JOUBERT 836; Regeneration of reinnervated muscle, Edds 438; Functional craniology, TUCKER 1599; Regeneration of cranial bones, GINTZBURG 581: Growth rate in rat skull, Serafinski 1406: Development of foetal rabbit skull, FRICK and HECKMANN 535; Influence of cortisone on bone growth, Sisson and Hadfield 1441; Role of glucids in ossification, FOURNIER 507; Regional growth in ossification of rabbit, CRARY and SAWIN 314; Osteoperiostotic changes in lion skeleton, Ottow 1173; Growth of ulnar epiphysis in rabbit, RING 1308; Function of metacarpus in Perissodactyla, Manzii 1029; Development of joints in connection with the weight of the body in growing animals, DANILOVA 336; Tail vertebrae growth in Microtus as age determination criterion, HAGEN 647; Experimental antler regeneration in red deer, Jaczewski 810; Alkaline phosphatase in developing rat teeth, Symons 1518; Growth and wear of teeth in muskrat, GALBREATH 553; Molar pattern development and homology in Mus, GAUNT 557; Development of first lower molar in hamster, HIN-RICHSEN 743.

Endocrinology.—Hormonal control of nestbuilding activity in Mus, Eversmann 471; Hormone effect on hibernating female noctules, Skreb 1444; Eye atrophy in mole, possible hormonal effect, Tusques 1605; Hormones of fin whale pituitary, Foglia and Penhos 503; Hypothyroidism effect on rat learning ability, Eayrs and Lishman 435; Suprarenal glands in Microtus, Delost 380; Endocrinology of ferret, Thomson and Zuckerman 1580.

Other glands.—Permanent lactation in 11-year old heifer, Olbrycht 1160; Sexual dimorphism in submaxillary glands of rat, Mostachfi 1112.

Growth, Weight, Mensuration.—Decreasing body size linked to increasing population density, Scheffer 1369; Allometric growth in primates, Bone 180; Rabbit size variation in Tasmania, LIEDERMAN 976; Growth and senescence in rat skull, Serafinski 1406; Foetal growth rate of whales, Symons 1517; Body measurements of Physeter, IVA-NOVA 805; Field study of growth'in Microtus, Barbehenn 104; Growth of temporal bone in Macaca, SABAN 1346; Endocrine gland and body weights in Chinchilla, Roos and SHACKELFORD 1327; Growth rate in Hydrurga, PAULIAN 1190; Growth rate in young porpoises, MOHL-HANSEN 1083; Size at sexual maturity in sperm whale, NISHIWAKI 1138; Growth rate for first 5 years of Indian elephant, GEE 563; Growth gradients of Indian elephants, Rensch and HARDE 1292; Age determination by tail vertebrae growth in Microtus, HAGEN 647; Organ size in relation to body weight in rabbit, LATIMER and Sawin 952; Dwarfed deer of Hatteras Island, Jeffords 817; Growth stages of pouch young of Dasyurus, Hill and HILL 736; The Endsleigh stag antler growth, OLIVIER 1162; Annual antler growth of Endsleigh red deer head, WHITEHEAD 1705; Development of antlers in young roe, Bejsovec 133; Outstanding British roe heads and method of measurement, BARCLAY 106; Seven-pointer roe, Tegner 1554; Red deer royal head, measurements, photo, Whitehead 1713; Review of deerstalking season 1954-55, measurements, WHITEHEAD 1711; Record cast antler, HEWETT 728; Antler regeneration experiments in Dama, PAVLANSKY and BUBENIK 1192; Weighing method for deer. CAMPBELL 236; Relationship between paunched and dead weight in rabbits, Watson and Williams 1685; Weight data for grey squirrels in U.S.A., UHLIG 1615; Weight variation in Apodemus and Clethrionomys populations in Czechoslovakia, Turcek 1603; Weights of hedgehogs, BURTON 225.

Longevity.—Ageing, growth, tooth wear in shrews, Rudd 1330; Longevity in bats, Heerdt and Sluiter 696; Longevity in Orkney vole, Leslie and

others 973; Age determination in voles, Koshkina 898; Age determination and longevity in muskrat, Tzicankov 1614; Longevity of mice relative to social conditions, King and Connon 873; Age composition and mortality rates of fin whales, Hylen and others 792; Old age in bobcat, Carter 243; Moose antler development and age, Cringan, in Peterson 1201; Moose tooth-wear as index to age, Passmore and others, in Peterson 1201; Life table for caribou, Banfield 103.

Mortality.—Natural mortality rate in wild rabbits, Tyndale-Biscoe and Williams 1611; Antarctic fin whale mortality rate, Ruud 1342.

Locomotion.—Speed in mammals, Lane 945; Timed speeds of some mammals, Meinertzhagen 1057; Speed of flying bats, Eibl-Eibesfeldt 895; Bat flight photos, Hooper 770; Flying ability of Lasiurus with two young, weights recorded, Goehring 593; Adaptations in diving mammals, Harbison 683; Biomechanics of leaping in rodents, Gambaryan 554; Locomotion in Dipodomys, Tamino 1533; Speed-induced skin folds in Tursiops, Essapian 470.

Hibernation.—Physiology of hibernation. BILLINGHAM 158: Relation between body size and oxygen consumption in hibernating mammals, Davidovic 345; Hibernation, EISENTRAUT 452; Metabolism of hibernating hedgehogs, Forss-BERG and SARAJAS 506; Partial hibernation in noctules, SKREB and GJULIC 1445; Hibernating habitats of caverndwelling bats, TWENTE 1607; Aestivation and hibernation in some desert rodents, Petter 1211; Hibernation of suslik, Ismagilov 804; Hibernation in Glis. Vietinghoff-Riesch 1652; Golden hamsters surviving winter in burrows in N. Germany, HERTER and LAUTER-BACH 721; Repeated hibernation in Zapus, CLOUGH 280.

Albinism, Melanism.—Albinism in Nyoteris and Hipposideros, Verschuren 1643; Albino squirrel, Balcells and Palaus 101; Albino red squirrel, Pitt 1232; White deer calves in Scotland, Tilley 1583; Partial albinism (?) in klipspringer, Astley Maberley 84; Albinism and melanism in Michigan rodents, Manville 1026; Melanism in varying hare, Bird 161; Melanism in Microtus in Oregon, Jewett 818a; Melanism in Burmese tiger, Yin 1753.

Moult and Pelage Change.—Moult and pelage pattern in stoat, Frechkop 518; Unusual hair change in leopard, Zukowsky 1778.

Light and Temperature Studies .--Climatic adaptation, SCHOLANDER 1374; Light-controlled activity rhythm of Myotis myotis, Kowalski 901; Temperature studies on primitive mammals, EISENTRAUT 451; Resistance of mammals and tissues to low temperatures, BILLINGHAM 158; Reduced food intake by mice at low temperatures, STRECKER 1499; Cold starvation experiments with Peromyscus, ESKRIDGE and UDALL 469; Body temperatures in Rattus, Kartman 854: Temperature control of cetacea fins, Scholander and Schevill 1375; Cattle in Uganda, FRENCH 523; Comparison of rectal and deep body temperature in the calf, Bligh 169.

Pathology.-Myxomatosis; 2nd official report, Anon. 14; Myxomatosis in Britain, summary of Second Report of Advisory Committee, Lapage 950; History of first myxomatosis outbreak in Britain, Armour and Thompson 76; Attenuated myxoma virus in Britain, HUDSON and others 782; Transmission and effect of myxomatosis, Southern 1475; Attenuated strains of myxoma virus in Europe, FENNER and MARSHALL 487: Failure of myxomatosis on Skokholm, Lockley 984; Myxomatosis in Wales, 1954, Lockley 985; Myxomatosis confirmed in Irish hare, Deane 364; Rabies transmitted by bats, SCHROEDER 1376; Bat rabies in Montana, Bell and others 134; Rabies in Texas insectivorous bats, Burns and FARINACCI 220; Rabies in another insectivorous N. American bat, GRIMES and others 618; Rabies incidence in Tadarida, Eads and others 433; Battransmitted rabies in man in British Guiana, NEHAUL 1129; Response of cave bat to poliomyelitis virus, REAGAN and others 1280; Relation of Pteropus to dengue fever in Queensland, O'Connor and others 1150; Plague in Africa, rodent survey, Davis 352; Plague in S. African gerbils, Davis 353; Rodents as carriers of Omsk disease, AVAKYAN and others 92; Susceptibility of some Tunisian rodents to Plasmodium berghei. DURAND and MATHIS 423; Role of small rodents in Hungary as vectors of nesophro-nephritis haemorrhagica, Szu-NYOGHY 1520; Susceptibility of Ctenomys

to Toxoplasma gondii, TALICE and others 1526; Spontaneous infection of Ctenomys by Toxoplasma, TALICE and others 1532; Tularemia and Citellus, MAKAROV and others 1018: Tuberculosis in wild voles, CHITTY 266; Brucellose infection in water buffalo, STEVER 1490; Calculi from mule deer, DRANEY and ROBINETTE 408; Nephritis in pygmy hippo, SCHULZE 1382; Septicaema in captive sea-elephants, Nouvel and RINJARD 1143; Echinococcus infection in fox, Mendheim 1061; Vegetative neurosis in chimpanzee, Ullrich 1616; Infection of kangaroo in captivity, EHLERS 446: Microfilaraemia in Heterohyrax, Smith 1453; Bone disease in Cebus, Kemna 859; Bone growth in wild rabbits affected by phosphorus poisoning, TYNDALE-BISCOE 1610; Bone disease in captive lion, Ottow 1173; Naturally healed broken femur in leopard, ALI and SANTAPAU 49: Natural bone repair in red deer, Anon. 19; Fracture and regeneration of jaw in Tayassu, Della Serra 374; Anaesthesia of bison by chloralhydrate, fragility of bones, JACZEWSKI and SWIERZYNSKI 811; Pathology at London Zoo, 1954, HILL 740; Deaths in Paris zoo 1954, URBAIN and others 1620.

Transplants and Grafts.—Comparison of survival of homografts of skin and ovarian tissue, Billingham and Parkes 160; Auto- and homografts of rat kidney, Kamrin and Kamrin 853; Transplants of pituitaries from rat to cat eye, Martinovitch and Radivojevitch 1038; Homografts in rabbits, Scothorne and McGregor 1387; Autografts and homografts of rabbits, Krohn 917.

Laboratory Technique.—Handbook of laboratory animals, Herrtein and others 715; Symposium on breeding laboratory animals, Lane-Petter 947; New methods of breeding and rearing laboratory rats, Makino and others 1020; Gerbillus hirtipes as laboratory subject, Vermeil 1642; Technique for photography of cerebral vessels in living rat, Byrom 230; Apparatus for recording mastication in cattle, Duckworth and Shirlaw 413.

REPRODUCTION AND SEX

General.—No breeding season in Malayan small mammals, HARRISON 681; Comparative breeding activity in

mega- and microchiroptera, HERLANT 710; Secondary sex ratio in mice, HOWARD and others 778; Selection for sex ratio in mice, FALCONER 479; Urine sprinkling in courtship in Cavia, FRUHLING 539; Age and reproduction in hamster, ORTIZ 1171; Technique of sexing beaver, OSBORN 1172; Foetal growth rate of whales, SYMONS 1517; Effect of sexual stimulation on bulls, KERRUISH 863; Puberty in buffalo cow, HAFEZ 644; Permanent lactation in 11-year old heifer, OLBRYCHT 1160; Hormonal production of mammary hairs in Aplodontia, PFEIFFEE 1220.

Reproduction in Special Forms .--Reproduction in Setonix, SHARMAN 1417, WARING and others 1679: In Trichosurus, Tyndale-Biscoe 1609; Sorex araneus, Dunaeva 416; Taphozous longimanus, GOPALAKRISHNA 602; Mearns cottontail, ECKE 437; Copulation in wild rabbit, Rowley and Mol-LISON 1329; Reproduction in small mammals of arctic Norway, HOYTE 781; Breeding habits of red squirrels in captivity, PITT 1233; Reproduction in Microtus arvalis, Delost 378: Fertility in Orkney vole, Leslie and others 973; Reproduction in Physeter, Chuzhakina 273; Male humpback whale, CHITTLE-BOROUGH 264; Puberty in humpback whales, CHITTLEBOROUGH 265; Porpoise in Baltic, Mohl-Hansen 1083; Reproduction in Gulo, WRIGHT and RAUSCH 1742; Mink in captivity, Mamy 1023; Cape fur seal, RAND 1276; Courtship of African elephants, Poles 1239; Fecundity and embryonic mortality in pigs, Perry 1198; Dikdik, Kellas 857; Duration of rut in fallow deer, White-HEAD 1709.

Ovary and Ovulation Problems.-Intra-specific transfer of ova, AVERILL and others 93; Aerial transport of fertilized ova, Chang and Marden 256; Medullary zone of ovary in desman, PEYRE 1218; Yolk-sacs of hedgehog and ferret, Morris 1099; Rabbit blastocyst, LUTWAK-MANN 999; Development of follicular oocytes in rabbit, CHANG 254: Eggs of wild rabbits and domestic breeds, LÜDIKE-SPANNENKREBS 994: Fertilization of ova in rat, Pesonen 1199; Cleavage of rat egg, SEMBRAT 1398; Trans-uterine migration of blastocysts in skunk, Llewellyn and Enders 982; Ovulation in carnivores, PATZELT 1187; Ovulation in she-mules, BIELAN- SKI 156; Ovulation studies in pig, POMEROY 1243; Oviduct secretions in sheep, HADEK 643; Inter-breed ovum transfer in sheep, HUNTER and others 785.

Testis and Spermatozoa.—Temperature effect on polyspermy, Austin 91; New difference between live and dead spermatozoa, Hancock and Shaw 664; Development of fertilizing capacity of rabbit spermatozoa in uterus, Chang 253; Morphology of sperm-head in American rodents, Takahashi 1522; Structure of rat spermatozoa, Clermont and others 278; Selective fertilization after sperm mixture in mice, Edwards 443; Morphology of bull sperm, Bretschneider 206; Seasonal variations in sheep semen, Hafez and others 645.

Oestrus and Sex Cycle.—Vaginal cycles in nutria, Gluchowski 586; False heat in a yearling coyote, Enders 459; Oestrus in zebu cattle, Rollinson 1320.

Pregnancy and Gestation Periods.—Delayed implantation in marsupials, Sharman 1418; Use of Salientia in pregnancy tests, Bhaduri 154; Enlarged misplaced foetus in Myotis, Sluiter 1452; Early abnormality in Macaca embryos, Corner and Bartelmey 290; Superfoetation in hamster, Soderwall and Britenbaker 1463; Foetal death in rat, Frazer 516; Foetus and young numbers in roe deer, Tegner 1552; Size discrepancy in twin fawn foetuses, Illige and Erling 794; Quadruplets in Odocoileus, Sears and Browman 1391.

Placentation.—Placenta in Suncus, OWERS 1174; Placenta in Papio, HILLE-MANN 741; Embryo resorption and placental scars in rat, Conaway 285; Post-partum changes in uterus of rat, Warberick 1678.

Parturition.—Birth of a kangaroo, BEECK 125; Birth of hedgehogs, PRAKASH 1248; Births of giraffes in captivity, LANG 948; Birth of giraffe, POURNELLE 1246.

Hybridization.—Attempt to cross cottontail and domestic rabbit, Chang and McDonough 255; Crossing of Japanese deer with other species, Whitehad 1712; Donkey × zebra hybrid photo, Miller 1075; Hybridization in cattle, Verdiev and Isaev 1636; Reported hybrid between tsaing and domestic cattle in Burma, Yin 1753.

Intersex.—Hermaphroditism and intersexuality, Patzelt 1188; Twinning and intersexuality, Sharaf 1415; Unilateral hermaphroditism in Mus, Klein 883; Hormone-induced hermaphroditism in Macaca, Wells and van Wagenen 1695; Intersexuality of female genital tract in Galemys, Peyre 1217.

DEVELOPMENT

First stages of growth, SEIDEL 1392; Development of foetus, a symposium, WARREN (Ed.) 1680: Nuclear modifications and morphogenesis in mammalian egg, Dalco 327; Embryonic development of domestic animals, Shmidt 1424; Embryology of Taphozous, GOPALA-KRISHNA 601; Embryonic development in Papio, GILBERT AND HEUSER 576; Embryology of cetacea, SLENTZOV 1446; Embryology of sable, BAEVSKI 96; Circulation development in lambs. REYNOLDS and others 1297: Telencephalic fibre system in Mus, KALLEN 849; Kidney development in hamster, RAMM and SWARTZ 1273; Muscle development in rabbit, BRAUDE 201; Muscle fibre growth in foetal sheep, JOUBERT 836; Development of mouth and harelip in rabbit, FRIANT 532; Development of temporal bone in Macaca, SABAN 1346; Morphogenesis of rabbit skull, FRICK and HECKMANN 535.

EVOLUTION AND GENETICS

Evolution: General.—Text book of vertebrate evolution, Colbert 284; Orthogenesis and evolution, Pozaryska 1247; Comment on Orowan's theory, HALDANE 650; Ontomutations and origin of mammals, DALCQ 328; Evolution of climatic adaptation, SCHOLANDER 1374; Evolutionary significance of uricase, Orowan 1170; Evolution of dentition, Patte 1184; Earliest European mammals and evolution, FRIANT 534; Possible origin of mammalian brain and skull, CROMPTON Changes of allometry in fossil and recent bear teeth, Kurten 937; Evolution in deer, Flerov 501; Evolution of voice, KIPP 877; Ferret characters influenced by domestication, Ashron and Thom-SON 82.

Evolution: Primates.—Primates and human evolution, a symposium, GAVAN 558; Evolution of man, CHARLES 260; Reason and fallacy in study of human

evolution, LE GROS CLARK 963: Evolution and systematic rearrangement of fossil hominids, HEBERER 694; Recent views on man's evolution, LEONARDI 972; Primate evolution and comparative anatomy, Davis 350; Evolution of higher primates, Kalin 846; Australopithecines and hominid evolution, KOENIGSWALD 889; Australopithecines and origin of man, Robinson 1313; Australopithecine and recent mandibles, DART 341: Primitive characters in teeth of Recent man, AMPOULANGE 56; Geologic history of non-hominid Old World primates, PATTERSON 1186: Further investigations of Piltdown problem, WEINER, LE GROS CLARK, OAKLEY and others 1692.

† Oreopithecus a prehominid, HÜRZELER 788; Position of Oreopithecus in primate evolution, VIALLI 1648.

Mutation and Variability.—Evolutionary rate and variability in oreodonts, BADER 95; Two new mutations in Mesocricetus, ROBINSON 1315; Erythrism in porcupine, DERANIYAGALA 392.

Genetics: General Problems.—Controlled heterozygosity in livestock, Donald 403; Rates of genetic changes in farm animals, Lush 998; Crossings between dogs of widely varied form, Klatt 882; Chromosomic relationships in Gerbillus, Wahrman and Zahavi 1673; Genetics of colour in Lycaon, Petzsch 1213; Molar size changes from Pleistocene to recent in Ursus, Kurten 937.

Genetics: Studies of other than Mus.—Inheritance of blood factors in rabbit, Cohen 283; Growth in rabbit, Crary and Sawin 314; Recent genetics of domestic rabbit, Sawin 1364; Inherited abnormality in Peromyscus, Barto 118; New rat strains, Makino and others 1020; Three new mutations in rat, Castle and others 247; Coat colour and temperature effects in Cavia, Wolff 1732; Genetics of dark phases of red fox, Oksala 1158; "Samson" character of red fox, Oksala 1159; Arabian horse in U.S.A., Gayder 559; Toggenburg goats, Mason 1041.

Genetics: Researches in Mus.—Review of developmental genetics, Grüngberg 625; Physiology of a mutation, Gluecksohn-Waelsch and Kamels 587; Skeletal variations, Gruneberg

627; Vertebral variation, McLaren and MICHIE 1013; Selection for sex ratio, FALCONER 479; Secondary sex ratio, HOWARD and others 778; Selective fertilization after sperm mixture, Ep-WARDS 443; Skull variations, DEOL 384; Hereditary absence of otoliths, Lyon 1001; Agouti locus, SILVERS and RUSSELL 1433: Mutant alleles (t-alleles) in wild house mice, DUNN 418; Genetagged chromosomal translocations. CARTER and others 242; General, ALLEN 51, Carter 241, Center 249, Cryer 326, Dickie 399, Dunn and Suckling 419, Falconer 478, Goodwins and Vincent 600, Green 611, Green 613, GRUNEBERG 626, HOECKER and others 747, KEELER and VICARI 856, KING 874, Lane and Dickie 946, Lyon 1002, McNutt 1017, Michie 1067, Michie 1068, MILLER and POTAS 1070, MORGAN 1095. Morgan and Holman RUNNER and GATES 1333, SARVELLA 1358, SNELL 1462, TANSLEY 1534, WARWICK and LEWIS 1681, 1682, YOON 1757.

ECOLOGY AND HABITS

General.—Recession of forests and influence on wild life distribution, Krumbiegel 920; Effect of beaver dams on Canadian prairie plant communities, LOOMAN 992; Experimental correlation of small mammal abundance with amount of ground cover, Mossman 1109; Effect of mammal grazing on Lundy vegetation, GILLHAM 574; Breeding of rodents under snow cover, Kriltzov 914; Effect of environment on muskrat growth and size, ALEXANDER 47; Lamprey marks on whales, Nemoto 1132; Ecological conditions of mammoth, Pavlovsky 1193; Paleoecology, SHOTWELL 1428.

Habits of Special Forms.—Wing pouch function in Cheiromeles, Burton 221; Ecological effects of rabbit reduction by myxomatosis, Southern 1471; Effect of rabbits on vegetation on Skokholm, Gillham 580; Prairiedogs in S. Dakota, King 872; Beaver in N. Asia, Skalon 1442; Influence of lemmings on tundra vegetation, Tikhomirov 1582; Activity rhythms of wood mice and bank voles, Miller 1074; Reindeer in N. Altai, Shaposhnikov 1414; Caribou in Arctic Canada, Harper 677.

Food Habits and Predation.—Selection by small mammals of healthy

prepupae, Holling 760; Food storing instinct in Sorex, LOHRL 990; Food of shrews, REINWALDT 1286; Feeding efficiency of insectivorous bats, Gould 606; Fish catching technique of Noctilio, BLOEDEL 171; Habits of vampire bats in Mexico, Dalquest 333; Bat attacked by jay, BARRETT 113; Hares as flesheaters, Boback 173; Elm seeds as food of squirrels, Judd 838; Consumption of conifer seeds by murine rodents, ZABLOTSKAYA 1761; Competition between feeding and investigation in rat, CHANCE and MEAD 252; Hoarding instinct in mice, SMITH and POWELL 1458; Muskrat destroying mussels, Brander 196; Alaskan lemming as bird prey, PITELKA and others 1229; Fin whale food analysis in Kuriles, BETESHEVA 152; Giant squid swallowed by sperm whale, CLARKE 276; Traffic victims and carrion-eaters, PRYCHODKO 1252; Influence on predators of fluctuations in rodent populations, Southern 1474; Polar wolf attacking arctic hares, TENER 1558; Food analysis of coyotes in Nebraska, FICHTER and others 494; Food comparison for red and gray fox, SCOTT 1389; Red fox as predator, SCOTT 1388; Food habits of foxes, Christian 271; Foxes eating diseased rabbits, KNOWLES 888; Grizzly bears feeding on insects, Chapman and others 257; Hedgehog eaten by marten, MULLER-USING 1116; Ratel association with honey-guide, FRIEDMANN 536; Otter in Montana, Greer 615; Predations of stoats, Brown 212; Fishing habits of stoat, GREEN 614; Mongoose snakekilling reputation not sustained, OLIVER 1161; Langurs and leopard, Kumar 933; Kitten eating butterflies, TONER 1590; Weaning period of grey seals, MACINTYRE 1007; Food habits of roedeer, Tegner 1550, Whitehead 1707; Red deer using antlers to shake down apples, Steinbacher 1486; Carnivorous duikers, STONEHAM 1495; Chokecherry poisoning of pronghorn antelope, OGIL-VIE 1155; Deer attacking cougar, Manville 1027.

Aquatic Habits.—Virginian opossum aquatic habits, Moore 1093; Swimming ability of bat, Craft and Dexter 306; Adaptations in diving mammals, Harrison 683.

Fossorial Habits.—Burrowing methods of Indian hedgehogs, Krishna and Prakash 915; Burrowing by British

shrews, Crowcroft 320; Gophers and Mima mounds, Scheffer 1368; Burrows of gerbils, Petter 1209; Burrowing systems of *Ctenomys*, Talice and Momigliano 1528.

Miscellaneous Habits.—Odd habits, Lane 945; "Self-anointing" in hedgehogs, Burton 225; Dam building by Rhone beavers, Lecomte and Richard 962; Dam construction by beavers in France, Richard 1302; Egg carrying technique of rats, Wyatt 1744; Daily habits of harvest mice in captivity, Burton 223; Removal of foreign quils by porcupines, Shadle 1412; Dolphins supporting dead young, Moore 1092; Use of teeth in aggression in Rhinoceros, Burron 224.

Psychology.—Role of emotionality in hoarding, SMITH and POWELL 1458; Early recognition of manipulative drive in monkeys, Dennis 383; Grouping behaviour of primates, CARPENTER 239; Behaviour of langurs in presence of leopard, Kumar 933; Learning ability of chimpanzee, HAYES 689; Tool handling ability in chimpanzee, HESS 723; Behaviour patterns in prairie dogs, ANTHONY 63; Instinct in beavers and lodge building, Cordier-Goni 288; Effect of hypothyroidism on rat learning ability, EAYRS and LISHMAN 435; Social interaction of rats, DAVIS 351; Social behaviour and heat conservation in mice, King and Connon 873; Learning ability tests in dogs, Anastasi and others 57; Innate behaviour and learning ability in lynx and wild cat, LINDE-MANN 980: Learning ability of sea-lions and seals under training, LEHMANN 968; Play in mammals, including rhinoceros, INHELDER 801; Learning ability of Indian elephant, RENSCH and ALTE-VOGT 1290, 1291; Play in large ungulates, INHELDER 800: Social dominance in cattle, Schein and Fohrman 1370.

Migrations.—Ringed horseshoe bat recovered 40 miles away, HOOPER 769; Migration of noctules in Austria, BAUER 120; Whale marking returns, MACKINTOSH 1011, 1012; Results of seal ringing in Wales, Hewer 727.

Home Range and Territory.—Technique for investigating distance parameter of home range, CALHOUN 235; Radioactive marking in home range studies, GODFREY 591; Scent marking in various mammals, FIEDLER 495; Acti-

vity of moles radio-actively tagged, Godfrey 589; Movements of banded bats in U.S.A., Beer 126; Feeding range of Nyctalus, Löhrl 989; Olfactory marking of territory in Loris, Ilse 795; Vocal "marking" of territory by marmots, Bopp 183; Colonial territory in marmots, Bopp 184; Possible territory marking by beavers, Blanchet 166; Muskrat banding results, Wragg 1740; Range in Peromyscus, Hawbecker 688, Williams 1723; Territoriality in rats, Barnett 109; Territory in house mice, Crowcroft 318; Home range in a dolphin, Caldwell 233.

Population Studies.—Causes of cyclic fluctuations, Koskimies 899; Population density related to body size, Scheffer 1369; Body size in relation to population density, ŽIMMERMANN 1773; Counting of animals in movement, Teplov 1562; Population study of small mammals in the Bocage, France, SAINT GIRONS 1351; Small mammals wintering in buildings in a German village, LANGE 949: Ecology of small mammals of open fields in E. Germany, STEIN 1485; Small mammal communities in N. Norway, STEVEN 1492; Population studies on small mammals in E. Canada, Morris 1101; Small mammal populations in British Columbia, Quick 1261; Mole census methods, Zharkov 1767; Desman census methods, Krasovski 903; Sudden increase in shrews in Ontario, Fowle and Edwards 508; Annual cycle in jackrabbit, Woodbury 1737; Hare census methods, Teplov 1559; Natural mortality in a wild rabbit population, Tyndale-Biscoe and Wil-LIAMS 1611; Size variation in Tasmanian rabbit population, LIEDERMAN 976; Population cycles in New Zealand rabbits, WHITTLE 1715; Rodent plagues, SOUTHERN 1474; Island populations of rodents on a Minnesota lake, BEER and others 128; Estimates of rodent populations in towns, VISHNYAKOV and others 1663; Population calculations for harmful rodents, Kucheruk 927; Grey squirrel study in Hampshire, SHORTEN and Courtier 1426; Red squirrel census method, Teplov 1560; Prairie dogs in Dakota, King 872; Population calculations for Citellus and Rhombomys, Varshavski 1632; Beaver census method, Lavrov 958; Study of marked Glis in Germany, VIETINGHOFF-RIESCH 1653; Muskrat census method, Novikov

1144; 11-year study of Sigmodon, ODUM 1152; Home range in *Peromyscus* living together, DUNAWAY 417; Unusual abundance of Peromyscus, HOFFMANN 751; Numerical relationships of Lemmus and Dicrostonyx, SDOBNIKOV 1390; Mice and shrews in Colorado, WILLIAMS 1724; Population experimental studies on house mice, Southwick 1477; Social behaviour in house mice relation to litter survival, Southwick 1478; Population regulation mechanisms in house mice, STRECKER 1498; Radio-active marking of voles for range study, Godfrey 588; Vole population decreases, Godfrey 590; Vole plague and population study in Holland, WIJNGAARDEN 1716; Microtine fluctuations in Ukraine, MIGULIN 1069; Infectious disease in wild voles, CHITTY 266; Factors in population changes in Microtus, CHITTY 267; Experimental breeding population study of *Microtus*, Clarke 274; Comparative study of fluctuation factors in Microtus and Peromyscus, Jameson 812; Wolf census methods, Kozlov 902; Fox census methods, Chirkova 263; Census methods for mustelids, Teplov 1561; Sable population estimate, RAEVSKI 1264; Census methods for wolverine, bear and cats, Nasimovich 1124: Breeding population study of Uganda elephants, SIMPSON and KINLOCH 1436; Ungulate census methods, Zharkov 1768; Comparison of four deer census methods, Dasmann and Taber 344; Saiga census in Astrakhan, ADOLF 40.

Conservation .-- A plea for new game laws in Great Britain, Wallace 1676; Swiss National Park, ZIMMERLI 1769; Proposed ibex national park in Savoy, COUTURIER 300; Status of beaver in France, RICHARD 1301; Conservation of beavers, Mortimer Batten 1110: History and status of Przewalski's horse, STREET 1500; Sika in China, GLOVER 584; Status of brow-antlered deer, Gee 562; Brow-antlered deer breeding in Rangoon Zoo, Yin 1755; Reserves and sanctuaries of Ceylon, Morgan-Davies 1097; Burma sanctuaries, YIN 1754; Threatened mammals of Borneo, HARRISSON Uganda Game Report for 1953, Kin-LOCH 875; National Parks, conservation measures in Africa, Edmond-Blanc 439; Conservation proposals for Egypt, Monaiery 1089; Kenya's wild life and National Parks, Petrides 1205; Game

conservation in East Africa, Cowie 305: Experimental conservation in Rukwa Valley, Tanganyika, Vesey-Fitzgerald 1645; Red lechwe in N. Rhodesia, Ansell 62; Plea for new game laws in Southern Rhodesia, WALKER 1674; Status of lowland gorilla in French Congo and Gaboon, BLANCOU 167; Conservation of Canadian buffalo, WYATT 1743; Preservation of the California wapiti, LINCOLN 979; Musk-ox in Alaska, Pohl 1238; Status and conservation of arctic mammals, LHOSTE 975, Anon. 15; Need for international control of harp seal killing, LILLIE 978; Norwegian sealing industry, conservation measures, Sellaeg 1394; Blue whale stocks in N. Atlantic and Arctic, JONSGARD 833; Mortality rates and overfishing of fin whales, Hylen and others 792.

Extermination.—Problems of extinction of some Australian marsupials, GILL 577; Disappearance of wolf from Jura, Jullien and Moreau 840; Biology and history of tarpan, Geptner 569; Photo of Paris blue-buck, Anon. 20; Photo of head of blue-buck, Anon. 21.

Naturalisation.—Mammals introduced to France in past century, Dorst and GIBAN 405; Introduced mammals in Japan, KURODA 936; Status of some introduced small mammals in New Zealand, Wodzicki and Bull 1730; Proposal to introduce American bats (*Lasiurus*) to European forests to control insects, Krzanowski 926; European hare success in Ontario, REYNOLDS 1296; European rabbit in U.S.A., THOMPSON 1576; Reported introduction of Sylvilagus in Eire, DEANE 364; Dangers of proposed Sylvilagus introduction to France, Petter 1208; Marmot in French Pyrenees, Couturier 299; History of introduction and spread of the edible dormouse in England, STREET 1502; Muskrat spread and status in France, SOULIE 1470; Status of muskrat in Holland, WIJNGAARDEN 1717; Chinchilla introductions to California, Voris and others 1669; Coypu in E. Anglia, Anon. 22; Transcaucasia, VERESHCHAGIN 1637; in Ontario, ALLIN 52: in Minnesota, Gunderson 634; in Texas, Swank and Petrides 1512; Nyctereutes in White Russia, Dolbik 402; Biology of mongoose in Puerto Rico, PIMENTEL 1226; Japanese deer in Britain, TEGNER 1553; Introduction of

fallow deer in Nebraska, PACKARD 1176; Introduction of reindeer to Kerguelen, Anon. 29.

Domestication.—Problems of domestication, Sokolov 1465; Genetic changes in farm animals, Lush 998; A new breed of domestic rabbit, Fabian and Stohl 477; Effects of domestication on Norway rat behaviour, Richter 1303; Origin of Inca dogs, Friant 531; Origins of ferret, Ashton 81; Effect of domestication on cat anatomy, Rohrs 1318; History and biology of reindeer, Herre 713; Influence of domestication on goat morphology, Dalimier 330.

Parasitism.—S. American land mammals and their lice, VANZOLINI and Guimaraes 1630, 1631; Ectoparasites of some American bats, KRUTZSCH 923; Skin parasites in chimpanzees, Grzimek 629; Fleas of small mammals in Spain, DUNNET 420; Ectoparasites of Mus in Mississippi, Smith 1460; Ectoparasites of Oklahoma mammals, Ellis 455; Summary of recent work by Margolis on whale lice, Jonsgard 832; Selfprotection by small rodents against tick larvae, Kucheruk and others 929; Trematodes of bats, Dubois 410; Nematodes and hedgehog mortality, PRAKASH and Sharma 1250; Nematode infection in buccal pouch of bush pig, Marlow 1032; Cestodes of California mammals, Voge 1666; Echinococcus infection in fox, Mendheim 1061; Bacterial flora of ferret, Davies 348; Endoparasites of okapi, Geurden 572.

Economics: General.—Domestic animals and their products, JORDAN 835; Marine mammals as economic resource, Popovici and Angelescu 1244; Norwegian sealing industry, Sellaeg 1394; Toxic chemicals in agriculture, risks to wild life, Zuckerman and others 1775; Harmful and useful mammals of U.S.S.R. plantation regions, Geptner and others 568; Economic effects of myxomatosis, Backhouse and Thompson 94: Summary of economics of rabbit loss, Wentworth Day 1696; Wolf control in Wood Buffalo National Park, Fuller and Novakowski 545; Poison control of mongooses in Puerto Rico, PIMENTEL 1227; Control of small predators, BURKHOLDER 219; Red deer aid in sheep farming, WESTMINSTER 1697; Trade in antelope skins in French Equatorial Africa, MARTY 1039.

Economics: Fur and Wool.—Alaskan fur seal catch statistics 1951, Thompson 1578; 1952, Thompson 1579; Muskrat economic importance in U.S.S.R., LAVROV 959; Beaver management in Wyoming, Grasse and Putnam 608; Wyoming fur bearers, Thomas 1575; Native skin dressing techniques in Ruanda, Maquet 1030.

Economics: Rodent Control.-Rodents harmful to European agriculture. control methods, Anon. 32; Population calculations of harmful rodents, Ku-CHERUK 927; Rodents as pests to silkworm culture, Sviridenko 1510; Myxomatosis: 2nd official report, Anon. 14; Summary of 2nd Myxomatosis Report, LAPAGE 950; Myxomatosis in Wales, LOCKLEY 985; Effect of rabbit trapping on populations, Phillips 1221; Control experiment on rabbits in W. Wales, PHILLIPS 1222; Results of myxomatosis on rabbit and other populations, Bur-TON 226; Aspects of rabbit poisoning by phosphorus, TYNDALE-BISCOE 1610; Rabbit damage to winter corn, Gough 605; Grey squirrel trapping methods, ANON. 36; Control, COTTERELL 291; Citellus reaction to poisoned bait, ERSHOVA 467; Damage in Ukraine, PEGELMAN 1196; Citellus pygmaeus baiting methods, Semenov and Rezinko 1399; Black rat control in Holland. Anon. 17; Rat control in Holland, Anon. 18: Rats in sewers, Bentley and others 143: Plague of rats on Howland Island. 1854, HOWLAND and GREENWAY 780: Mice as zoo pests, Hediger 695; Control of water vole in Holland, Anon. 16.

Economics: Whaling.—6th meeting of International Whaling Commission, Anon. 6; Blubber thickness and oil output, Ash 79; Comparing fatness of whales, Ash 78; Whale marking returns, MACKINTOSH 1012; Whale marking in Antaretic 1954, RAVNINGER 1279; Whale marking in 1954, RUUD 1341; Icelandic whaling, IVERSEN 806; History and development of Norwegian small whale industry, Jonsgard 834; Japanese land-based whaling, 1954, MIYAZAKI 1082; History and status of whales and whaling in N. Pacific, OMURA 1166; Antarctic whaling 1951–54, CLARKE 275; Pelagic antarctic results 1954/55, Anon. 9; Antarctic whaling figures 1954/55, Anon. 11; Pelagic Antarctic season 1953/54, Anon. 7; 1954/55, Anon. 10.

Methods and Technique.—Hints for study of British mammals, key to skulls in owl pellets, Southern 1472; Method of investigating distance parameter of home range, CALHOUN 235; Radio-active marking of voles for ecological studies, Godfrey 588; Radioactive marking of small mammals, Godfrey 591; Livetrap for shrews, Buckner 216; Marking rabbits, Tyn-DALE-BISCOE 1608; Ear marking for roe studies, WETTSTEIN 1699; Use of "mist nets" for bat catching, DALQUEST 382; Seal ringing in Wales, HEWER 727; Seal catching for marking, Johnson 821; Branding bison by helicopter, DICKIE 398; Monkey-catching methods in French Africa, Rollais and Biname 1319; Rounding up gorillas for filming, GEDDES 561; Electric fencing against game, Tanganyika experiments, Swyn-NERTON 1515; Animal tracks in France, CHAIGNEAU 250; Guide to N. American mammal tracks, MURIE 1119; Instrument for measuring small mammals, SMITH 1455; Less bulky study skins, SWENSON 1513.

DISTRIBUTION AND FAUNAS PALAEARCTIC REGION

General.—Old World, HEBERER 694.

Europe: General.—WHITEHEAD 1704; Europe (incl. British Isles), BRINK 209; N.W. Europe, LEHMANN 969.

British Isles: General.—Barclay 106, Crowcroft 320, Davis 354, Neal 1127, Page 1177, Soper 1468, Southern 1471, 1472, Steven 1491, Taylor 1542, Tegner 1549, 1553, Wynne-Edwards 1746.

England.—Street 1502; S.W. England, Hooper 769; Woolwich, Rigden 1306; Canterbury, Russell 1336; Dorset, Anon. 27, Benham 142; Devon, Hurrell 786, 787, Lancum 944; S. Devon, Olivier 1162; Lundy, Anon. 28, Gillham 574; Hampshire, Shorten and Courtier 1426; Hampshire, Berkshire, Southwick and Southern 1479; Bedfordshire, Elliott 454, Key 865; Woburn Park, Bedfordshire, Glover 585, Pitt 1231; East Anglia, Anon. 22; Suffolk, Anon. 34, Rutterford 1338, 1339; Oundle, Northants, Gray 610; Warwickshire, Anon. 31; Herefordshire, Mellor 1059; Shropshire, Gurney 639; Cheshire, Boyd 193, Smith 1459; Isle of Man, Allen 50; Lancalshire, Isle of Man, Isl

shire, Briggs 208, Hazelwood 693; Lancashire and Cheshire, Ellison 457; Westmorland, Cranbrook 307; Lakeland, Delap 370; Yorkshire, Bramhill 195, Hazelwood 692; Durham, Cranbrook 312; Northumberland and Durham, Cowen 304; Northumberland, Ennion 463, Tegner 1548; Farne Is., Hickling and others 733.

Wales.—Wales, Anon. 23, 24, 25, 26, Blackmore 164, Lockley 985, Matheson 1042, 1043; W. Wales, Matthews 1047, Phillips 1221, 1222; Pembrokeshire, Hewer 727; Skokholm, Gillham 580, Lockley 984.

Scotland.—Hewson 729, TILLEY 1583, WHITEHEAD 1711; Perthshire, BLACKWOOD 165; Sutherland, WESTMINSTER 1697; Hebrides, BOYD 194; Shetland, VENABLES and VENABLES 1634, 1635; Orkney, LESLIE and others 973.

Ireland.—MORIARTY 1098; Leix, OD-LUM 1151; Kilkenny, RUTTLEDGE 1340.

France.—Chaigneau 250, Cordier-Goni 288, Dorst and Giban 405, Heim de Balsac and Guislain 699, Soulié 1470; Central France, Felten and König 486; N. France, Delost 375; N.W. France, Beaucournu 123; Sarthe, N.W. France, Caubère 248; S. France, Bouillault and Filloux 187, Richard 1302; S.E. France, Heim de Balsac 697; Bocage, France, Saint Girons 1351; West coast of France, Niort 1137; Channel, Lami 941; Jura, Jullien and Moreau 840; Savoy, Couturier 300; R. Rhone, Blanchet 166, Lecomte and Richard 962, Richard 1301; Camargue, Petit and Schachter 1204; French Pyrenees, Couturier 299; E. Pyrenees, Frechkop 520.

Spain.—Balcells 100, Cabo 232, Couturier 302, Dunnet 420, Planchuelo 1236; Gibraltar, England 462.

Switzerland.—Bopp 184, Couturier 301, Desfayes 396, Hainard 648, Zimmerli 1769.

Italy.—Savona, Franciscolo 509.

Corsica.—Kahmann 841, Kahmann and Brotzler 842, Kahmann and Frisch 843.

Holland.—Anon. 16, Eyndhoven 475, Wijngaarden 1716, 1717.

Belgium.—Anciaux de Faveaux 58, Dalimier 331, Frechkop 517.

Germany.—Becker 124, Gaffrey 552, Haagen and Arnold 641, Lange 949, Lohrl 988, 991, Mohr 1084; W. Germany, Löhrl 987; N.W. Germany, Vietinghoff-Riesch 1652; N. Germany, Fritsche 538, Herter and Lauterbach 721; E. Germany, Stein 1485; S. Germany, Havekost 687, Reinwaldt 1287; Westphalia, Goethe 594; Wangerooge, Friesians, Krumbiegel 919; Thuringia, Münch 1117, Uloth 1618; Hessen, Rieck 1304; Mecklenburg, Erhardt 465, Kirchner 878; Springe, nr. Hanover, Barron 110; Neanderthal, Germany, Homberger 763.

Austria.—Austria, BAUER 120, 121, TRATZ 1593, WETTSTEIN-WESTERSHEIMB 1700, ZALESKY 1762; Styria, AMON 54.

Czechoslovakia.—FERIANC 488, FERIANCOVA 489, FERIANCOVA and KOMAREK 490, HANZAK 672, JIRSIK 819, KRATOCHVIL 904, 905, KRATOCHVIL and ROSICKY 906, TURCEK 1600, 1601, 1602, 1603, 1604, VACHOLD 1623, 1624.

Poland.—Bochenek 174, Sublina 1347, Serafinski 1407.

Hungary.—TOPAL 1591.

Rumania.—Dumitrescu and others 414, 415.

Denmark.—Bondesen 179, Pedersen 1195; Iceland, Iversen 806.

Norway.—Barth 115, Hoyte 781, Hysing-Dahl 793, Jonsgard 834, Steven 1492.

Sweden.—Hanström 670; Lapland, Semenov-Tyan-Shanski 1400.

Finland.—Brander 197, 198, Lampio 942, Oksala 1158, 1159.

U.S.S.R.—AIZENSHTADT 44, CHIRKOVA 263, GEPTNER and others 568, GUSEV 640, KOZLOV 902, KRASOVSKI 903, KUCHERUK 927, KUZYAKIN 939, LAVROV 958, MERKOVA 1064, NASIMOVICH 1124, NIKIFOROV 1135, NOVIKOV 1144, RAEVSKI 1264, SHILOV 1423, SNIGIREVSKAYA 1461, TEPLOV 1559, 1560, 1561, 1563, TRATZ 1594, 1595, TZALKIN 1612, VARSHAVSKI 1632, ZHARKOV 1767, 1768; Central U.S.S.R., YURGENSON 1759; RUSSIA, ANON. 35; W. RUSSIA, KALABUKHOV 845; N. RUSSIA, NIKIFOROV 1136; S. RUSSIA, MARTINOV 1037, SVIRIDOV 1511; White RUSSIA, DOLBIR 402, SERZHANIN 1408; UKRAINE, MIGULIN 1069, PEGELMAN

1196, SHARLEMAN 1416; Trans-Volga, STROGANOVA 1504; Georgia, GABANIYA 548; Caucasus, Gromov and Vorobyev 621. RUKOVSKI 1332: W. Caucasus, TZALKIN 1613; E. Caucasus, Rossolimo 1328; Transcaucasia, VERESHCHAGIN 1637; Ural valley, Foranov 504; Trans-Ural, SHVARTZ 1430; Caspian Sea, CHAPSKI 259; Astrakhan, ADOLF 40; Turkmenia, Sukhinin and Shcherbina 1506, Naumov and Siroechkovski 1125; Sir-Darya, Turkestan, Demchuk and PASHKOV 381; Dauuria, FETISOV 493; N. Kazakhstan, Kriltzov 913, 914; Tian Shan, Antipin 64; Lake Baikal, Chapski 259; R. Oka, Zablotz-KAYA 1760; Mongolia, GEPTNER 567; Siberia, Egorov 445, Tikhomirov 1582; N.E. Siberia, VINOGRADOV 1660; E. Siberia, Fetisov 492; Kola Peninsula, Vladimirskaya 1664; Sakhalin Id., Vasin 1633; Kurile Is., Uspenski 1621; N. Asia, Skalon 1442.

S.W. Asia.—Asia Minor, BARCLAY 105; Turkey, RÖHRS 1317; Iraq, WEBER 1686; Oman, HARRISON 678; Iran, PETTER 1210; Afghanistan, DUPREE 422, ZIMMERMANN 1774.

China.—GLOVER 584; Fukien, LEH-MANN 970; Hong Kong, Romer 1324; Formosa, Zuh-Ming 1776; Korea, IMAIZUMI 798, JOHNSON and JONES 823, 824, JONES and JOHNSON 831.

Japan.—Akita 46, Fujiwara 543, 544, Hosono 775, Imaizumi 797, 798, Kimura 871, Kishida 880, Kuroda 936, Tashiro 1536; S. Sakhalin, Imaizumi 796.

ORIENTAL REGION

General.—Asia, Deraniyagala 388; S.E. Asia, Gee 562.

India.—Gee 563, Gopalakrishna 602; S. India, Nolte 1140, Deraniya-Gala 394; Deccan, Khajuria 866; Murree Hills, Saleem 1352; Rajasthan, Krishna and Prakash 915; Nepal, Biswas and Khajuria 163, Heuvelmans 726, Stonor 1496; Himalayas, Ali and Santapau 48, Dyhrenfurth 432; Darjeeling Hills, Dutt-Mazumdar 431.

Ceylon.—Deraniyagala 385, 386, 393, 395, Morgan-Davies 1097.

Burma, Siam.—Burma, REYNOLDS 1295, YIN 1753, 1754, 1756; Siam, SIAH 1431.

Malaya.—Ellerman and Morrison-Scott 453, Harrison 679, 680, 681, Hislop 744, Ogilvie 1154; Pahang, Foenander 502; Borneo, Harrisson 684, 685.

Indonesia.—Peng 1197; Java, Husson 790; Celebes, Appelman 67.

AUSTRALASIAN REGION

General.—Australasia, BARRET 112.

Australia.—GILL 577, JOHNSON 822° TROUGHTON 1597; W. Australia, McMILLAN 1014, McNamara 1016, Wagstaffe and Rutherford 1672; Monte Bello Is., HILL 735; Queensland, SIDNEY 1432; Tasmania, LIEDERMAN 976.

New Guinea.—Dutch New Guinea, Husson 789, 791.

New Zealand.—Fraser 511, Riney 1307, Tyndale-Biscoe 1609, Tyndale-Biscoe and Williams 1611, Whittle 1715, Wodzicki and Bull 1730.

ETHIOPIAN REGION

General.—Bourgoin 188, Davis 352, Edmond-Blanc 439, Hershkovitz 720, Nicholson 1134, Pirlot 1228, Ver-Heyen 1641.

North and Northeast Africa.—Morocco, Aellen 41; Algeria, Petter 1209; Tunisia, Deleuil and Labbe 372, Postel 1245; S. Tunisia, Choumowitch 268; Libya, Toschi 1592; Egypt, Monaiery 1089, Sanborn and Hoogstraal 1354, Setzer 1410; (Western Desert), Hoogstraal and others 764; Sudan, Mackenzie 1010; Southern Sudan, Molloy 1088.

East Africa.—Cowie 305, Frechkop 519; Kenya, Heuvelmans 726, Petrides 1205, Taylor and Webb 1541; Uganda, Hayman 690, Kinloch 875, Simpson and Kinloch 1436; Tanganyika, Geigy 564, Kellas 857; Rukwa Valley, Tanganyika, Vesey-Fitzgerald 1644, 1645.

Rhodesia.—Freedman 522; N. Rhodesia, Ansell 62, Marlow 1033; S. Rhodesia, Lundholm 995, Walker 1674.

Southern Africa.—P.E. Africa, Lundholm 995; Transvaal, Lundholm 995; S. Africa, Davis 353, Kettlewell and Rand 864, Lundholm 995, 996, 997, Rand 1276; Marion Island, Rand 1277; S.W. Africa, Lehmann 971, Lundholm 995.

Belgian Congo.—Palmans 1178, Pirlot 1228, Verheyen 1640; Ruwenzori, Belgian Congo, Witte and Frechkop 1729; Ituri Forest, Ionides 802; Parc National Albert, Hoier 759; Ruanda, Hayman 690.

West Africa.—Booth 182; Gaboon, Blancou 167; S. Cameroon, Edmond-Blanc 441; N. Nigeria, Lewis 974; Ivory Coast, Rahm 1266; Sierra Leone, Hayman 691; Portuguese Guinea, Teixeira da Mota 1557.

NEARCTIC REGION

General.—N. America, Findley 497, Hamilton 659, Hershkovitz 719, Hotchkiss 776, Miller and Kellogg 1071, Murie 1119, Peterson 1201, Reed 1282, Scott 1388; Arctic N. America, Manning 1025; Western N. America, Findley 498; Pacific coast of N. America, Kenyon and Scheffer 861; N. and S. America, Hershkovitz 718.

Canada.—Banfield 103, Fuller and Novakowski 545, Mortimer Batten 1110, WYATT 1743; E. Canada, Morris 1101; Newfoundland, Anon. 12, 30, Dodds 401, Lillie 978; Quebec, Hamilton 663; Ontario, Allin 52, BARTLETT 117, BROWN and LANNING 213, DEAR 365, FOWLE and EDWARDS 508, HITCHCOCK 745, REYNOLDS 1296, WRAGG 1740; Manitoba, QUAY 1258; British Columbia, Guiguet 631, John-STONE 826, MUNRO 1118, QUICK 1261; British Columbia islands, Guiguet 632; Vancouver Island, HARDY 675; Keewatin, HARPER 677; N.W. Territories, GUNDERSON and others 635.

U.S.A.: General.—Wetzel 1701; Mid-U.S.A., Beer 126, Twente 1606; S. U.S.A., Buchanan 215; W. U.S.A., Scheffer 1368; S.W. U.S.A., Hock 746; S.W. U.S.A., Mexico and C. America, Hall 652.

Eastern U.S.A.—New York, Benton 144, Layne 960, Stegeman 1484, Yerger 1752; Connecticut, Walton 1677; Massachusetts, Beer and others 128, Fay and Chandler 480; Pennsylvania, Bowers 192; Virginia, Rageot 1265; W. Virginia, Handley 668, Uhlie 1615; Maryland, Grizzell 620; N. Carolina, Barkalow and Adams 107, Engels 461; Hatteras Island, Jeffords 817; S. Carolina, Grimm 619, Schwartz 1385; Georgia, Cross 317,

KNEPTON 886, ODUM 1152, TOMKINS 1589; Florida, CALDWELL 233, HAMILTON 661, 662, NEILL and BOYLES 1130, NEILL and BULLEN 1131, RICE 1298, 1299, WOOD and MOORE 1735; Key Largo, Florida, SHERMAN 1421.

Middle U.S.A.—Ohio, Goslin 604-Metzger 1066; Kentucky, Quay and Miller 1260; Tennessee, Schultz 1379, 1380, 1381; Michigan, Erickson 466; Manville 1026, Switzenberg 1514; Indiana, Cope and Mumford 287, Rice 1300; Illinois, Ecke 437, Smith and Parmalee 1456; Wisconsin, Davis 358, Davis and Lidicker 361, Jackson 807; Minnesota, Beer 127, Beer and MacLeod 129, 130, Gunderson 634, Stenlund 1488, 1489; Iowa, Miller 1073, Scott 1389; Missisippi, Smith 1460; Missouri, Davis and Lidicker 359, Myers and Lewis 1122; Arkansas, Davis and Lidicker 360, Davis and others 362, Handley 668.

Western U.S.A.—S. Dakota, FINDLEY and VAN GELDER 499, King 872; Nebraska, Fichter and others 494, PACKARD 1176; Kansas, HALL 653, RAINEY 1267, SCHWILLING 1386, STAINS and Packard 1481; N.E. Kansas, Fitch and Packard 500; Oklahoma, ELLIS 455, GLASS 583, MERRIFIELD 1065; Texas, Eads and others 433, Gunter 637, Gunter and others 638, McCarley 1005, Swank and Petrides 1512, Wood 1736; New Mexico, Allen 50a; Colorado, Beidleman 131, Beidle-MAN and REMINGTON 132, REED 1281, SUTTON 1507, WILLIAMS 1721, 1722, 1723, 1724; Wyoming, Durrant and Lee 428, Grasse and Putnam 608, Thomas 1575; Montana, Bell and others 134, CHAPMAN and others 257, CLOTHIER 279, GREER 615, NEWBY and WRIGHT 1133; Utah, Anderson 59, DEARDEN and LEE 366, DURRANT 426, DURRANT and LEE 428, 429, DURRANT and others 430, Hansen 669, Killpack 870, KRUTZSCH and HEPPENSTALL 924. WOODBURY 1737; Utah and Colorado, DURRANT and HANSEN 427; Arizona, BEATTY 122, DURHAM 425, HOFF-MEISTER 752, 753, HOFF-MEISTER and KRUTZSCH 754, HOWES 779, HUEY 783, McCulloch 1006, Peterson 1203, California, Bartholomew 116, Das-mann and Taber 344, Durham 424, HAWBECKER 688, HOFFMANN 750, 751, Ingles 799, Jameson 813, Jones 829, 830, KRUTZSCH 921, 922, LAUGHLIN

953, LINCOLN 979, McMillin 1015, Mossman 1111, Rudd 1330, 1331, Storer and Tevis 1497, Voge 1666, Voris and others 1669; N.E. California, Tevis 1564; Oregon, Anderson 60, Jewett 818a.

Alaska.—Irving and others 803, Kenyon 860, Kirkpatrick 879, Musacchia and others 1120, Thompson 1578, 1579, Wright and Rausch 1742.

Mexico.—Baker 98, Dalquest 332, 333, Davis 356, de la Torre 371, Goodwin 596, Grimes and others 618, Hall 651, Handley 668, Hoffmeister and Krutzsch 754, Rainey and Baker 1268, Villa 1654, 1655, 1656; W. Mexico, Hooper 768; N.E. Mexico, Baker and Stains 99; Oaxaca, Goodwin 597; Tehuantepec, Goodwin 598; Coahuila, Baker 97, Russell and Baker 1337; Gulf of Mexico, Caldwell 234.

NEOTROPICAL REGION

General.—Schwartz 1384; C. and S. America, Sanborn 1353.

C. America and West Indies.—Panama, Bloedel 170, 171; Barro Colorado, Panama, Southwick 1476; El Salvador, Felten 483, 484, 485; Guatemala, Goodwin 599; Trinidad, Fraser 512; Cuba, Koopman and Ruibal 897; Puerto Rico, Pimentel 1226, 1227; La. Gonave, W. Indies, Koopman 896.

South America.—Hershkovitz 716; Hill 737, Reig 1284, Vanzolini and Guimaraes 1630, 1631; Venezuela, Mendez - Arocha 1060; Ecuador, Laurie 954; Colombia, Goodwin 598, Hernandez - Camacho 711; Peru, Friant 531, Petersen 1200; Brazil, Handley 666, Vieira 1651; Matto Grosso, Kühlhorn 930, 931; Paraguay, Sherman 1422; Uruguay, Talice and others 1525, Talice and Momigliano 1528; Chile, Koford 890, 891.

OCEANS, SEAS AND OCEANIC ISLANDS

N. Atlantic, Christensen 270, Moore and Palmer 1094; N. Atlantic and Arctic, Jonsgard 833; Gulf of Mexico, Gunter 636, 637; E. Atlantic coasts, Monod 1090; Arctic, Anon. 15, Lhoste 975; Baltic, Mohl-Hansen 1083; Mediterranean, Heldt 702; Black Sea, Klumov 884; N. Pacific, Klumov

885, OMURA 1166, TAYLOR and others 1539; Japanese seas, Betesheva 151, Fujino 542, Kakuwa 844, Miyazaki 1082, Omura and others 1167, Omura and Nemoto 1168, Slentzov 1447; Hawaiian waters, Dorsett 404; Okhotsk and Behring Seas, Zenkerevich and others 1766; Antarctic, Anon. 7, 10, 11, Matsushita 1045, Ravninger 1279; Marcus Island, Kuroda 934; Marshall Islands, Marshall 1035; W. Samoa, Marples 1034; Galapagos, Eibl-Eibesfeldt 447, 448, 449, 450; Falkland Islands, Barras y de Aragon 111; Kerguelen, Anon. 29; Howland Island, Howland and Greenway 780.

GEOLOGICAL (FOSSIL FAUNAS)

General.—Text book of vertebrate paleontology, Colbert 284; Processes of fossilization, Schäfer 1366; Paleoecology, Shotwell 1428; Radiocarbon dating technique, Crane 313, May 1053; Mammalian coprolites from Pleistocene China, Chow 269.

Triassic.—Europe, FRIANT 534.

Cretaceous.—Texas, Patterson 1185.

Tertiary: Old World.—Possible origin and spread of Tertiary mammals, Lavocat 955; Austria, Thenius 1574; Spain, Thenius 1572; Turkey, Yalcinlar 1747; Asia, Deraniyagala 388; U.S.S.R., Gabuniya 549, Yanovskaya 1751; India, Sahni and Tripathi 1350; Australia, Wells 1693.

Tertiary: New World.—S. America, Castellanos 246, Couto 296, Hoffstetter 755; Mexico, Maldonado-Koerdell 1021; Brazil, Couto 297; Argentine, Ringuelet 1309.

Paleocene. — California, McKenna 1009; Brazil, Couto 294.

Eccene: Old World.—Spain, CRUSA-FONT PAIRO and VILLALTA COMELLA 322, CRUSAFONT PAIRO and others 325, TEIXEIRA 1556; Mongolia, NOVOZHILOV 1145, YANOVSKAYA 1750; Fayum, Egypt, MOUSTAFA 1115.

Eocene: New World.—N. America, Gazin 560; W. U.S.A., Simpson 1437; Montana, Hough 777; Mexico, Fries and others 537; S. America, Reig 1284.

Oligocene: Old World. — France, LAVOCAT 957; S. France, ASTRE 87, 88; U.S.S.R., BELYAEVA 139; Georgia, GABUNIYA 546, 547; Kazakhstan, BELYAEVA 137, BORISSIAK 186; Mongolia, BELYAEVA 140, GROMOVA 623; Egypt, MOUSTAFA 1114; S. Australia, GLAESSNER 582.

Oligocene: New World.—S. Dakota, Green 612; Nebraska, Schultz and Stout 1378; Wyoming, Wood 1734.

Miocene: Old World.—Europe, Ginsburg 575; Iberian peninsula, Bergounioux and Crouzel 146, 147; Spain, Crusafont Pairo and Villalta Comella 321, Crusafont Pairo and others 324, Villalta Comella and Crusafont Pairo 1657; Portugal, Bergounioux and others 148, Zbyszewski 1764, 1765; Italy, Vialli 1648; Germany, Sauerzopf 1359; Hungary, Kretzoi 907, 908; Greece, Thenius 1569; Turkey, Yalcinlar 1748; U.S.S.R., Khirpichnikov 869; N. Caucasus, Gabuniya 550; Tsaidam, C. Asia, Bohlin 176; Kazakhstan, Belyaeva 138; Mongolia, Godina 592; Japan, Takai 1523; Kenya, Lavocat 956, Leakey and Le Gros Clark 961.

Miocene: New World.—W. U.S.A., BADER 95; Maryland, Kellogg 858; Texas, Quinn 1262; Montana, McKenna 1008; California, Buwalda and Lewis 229, Downs 407; Venezuela, Simpson 1438; Uruguay, Castellanos 245; Argentine, Pascual 1181.

Mio-Pliocene.—S. Russia, Sokolov 1466.

Pliocene: Old World.—Suffolk, Cranbrook 310, 311; France, Astre 89; S. France, Thaler 1566, 1567; Spain, Crusafont Pairo and Villalta Comella 323; W. Germany, Tobien 1585; Slovenia, Rakovec 1269; Greece, Freyberg 524; Peloponnese, Thenius 1568, 1570; Moldavia, Yanovskaya 1749; Turkey, Ozansoy 1175, Senvurer 1402, 1403, 1404; Asia, Khaveson 868; S. Australia, Stirton 1493; Tripoli, Petrocchi 1206; S. Africa, Meester 1056; Transvaal, Ewer 473, Robinson 1314.

Pliocene: New World.—U.S.A., Shotwell 1428; Texas, Norton 1142; California, Savage 1361; Oregon, Shotwell 1427; Mexico, Stirton 1494; Argentine, Reig 1285.

Plio - Pleistocene. — Japan, Ogose 1156; Transvaal, Ewer 472; Texas, Savage 1362.

Pleistocene: Old World .- GROMOVA 624; Eurasia, Ryziewicz 1344, 1345; Europe, DERANIYAGALA 390: British Isles. Spencer 1480: Piltdown, Weiner, LE GROS CLARK, OAKLEY and others 1692: Swanscombe, WYMER Dorset, CARRECK 240; Leicestershire, WATKINS 1683; Merioneth, KNIGHT 887; Londonderry, SAVAGE 1363; France, PIVETEAU 1235, VALLOIS 1626; S. France, Joly 827; Spain, Pan 1179; Italy, Anelli 61, Maviglia 1051, 1052, Pasa 1180, Pezone 1219, Ronchetti 1325, 1326, Senna 1401, Vialli 1646; Holland, Roding 1316, Vlerk and FLORSCHUTZ 1665; Luxembourg, HEUERTZ 725; Germany, Lotze 993, REQUATE 1293; N. Germany, Soergel 1464; W. Germany, JACOBSHAGEN 808; Schleswig-Holstein, Guenther 630: Upper Franconia, BRUNNER 214, HEL-LER 704; Bavaria, HELLER 703; Austria, THENIUS 1571; Lower Austria, BRANDT-NER 199; Hungary, Janossy 814, 815, 816; Jugovics and others 839, Kretzoi 908, 909, 910, REMENYI 1288; Slovenia, RAKOVEC 1270, 1271, 1272; Czecho-slovakia, Musil 1121, Zazvorka 1763; Serbia, Petronijevic 1207; Peloponnese, Psarianos and Thenius 1253; Poland, PIDOPLICHKO 1223; Denmark, NORDMANN 1141: Norway, Heintz 700: Sweden, Bergquist 149: U.S.S.R., Dubrovo 412, Flerov 501, Tratz 1594: White Russia, SERZHANIN 1409; Caucasus, VERESHCHAGIN 1639; Azerbaijan, VERESHCHAGIN 1638; Turkmenia, Du-BROVO 411; Siberia, PAVLOVSKY 1193, POLUTOFF 1242; China, CHOW 269; Japan, ABAI and SHIKAMA 37, MINATO and others 1079; Hokkaido, MINATO 1078; Punjab, Hooijer 765; Ceylon, Deraniyagala 387, 391; Vietnam, Patte 1183; E. Indies, Hooijer 765; Celebes, Hooijer 766; Australia, Gill 578; New South Wales, TEDFORD 1545. TINDALE 1584; Morocco, ARAMBOURG and Biberson 73, Ennouchi 464, Mas 1040; Algeria, ARAMBOURG 68, 69, 71, 72, ARAMBOURG and HOFFSTETTER 74: Cyrenaica, Bate 119; Egypt, Moustafa 1113; E. Africa, Hennig 707; Tanganyika, Senyurek 1405; Pare National Albert, Heinzelin de Braucourt 701; S. Rhodesia, Wells and Cooke 1694; Transvaal, Dart 340, EWER 474, PEA-BODY 1194; Orange Free State, Hoff-MAN 749, MEIRING 1058; S. Africa, COOKE 286; Cape Province, SINGER and KEEN 1440.

Pleistocene: New World.—N. America, Lance 943; Pennsylvania, Hibbard 731; W. Virginia, Kovalick 900; Idaho, Hopkins 773; Oklahoma, Taylor and Hibbard 1538; Texas, Johnston and Savage 825; New Mexico, Crane 313, Hibber 732; Mexico, Handley 667, Hibbard 730, Maldonado-Koerdell 1022; Tropical America, Couto 293; Cuba, Couto 298; Haiti, Hoffstetter 757; Brazil, Couto 295, Hoffstetter 756, Simpson and Couto 1439, Vidal 1650; Uruguay, Couto 295; Argentine, Bo 172.

III.—SYSTEMATIC INDEX

In the arrangement of the Orders of the Mammalia, Simpson's classification and terminology in his "The Principles of Classification and a Classification of Mammalia," 1945, have been adopted.

ORDER MONOTREMATA

TACHYGLOSSIDAE

Tachyglossus aculeata anatomy of shoulder girdle, Marinelli 1031; T. setosus hypophysis, Hanstrom 671.

†ORDER SYMMETRODONTA

†Spalacotheriidae

†Spalacotherioides gen. nov. for type species S. bridwelli sp. nov. Early Cretaceous, Greenwood Canyon, 2½ miles S.W. of Forestburg, Montague County, Texas, p. 690, Patterson Fieldiana, Zool. 37 1955.

ORDER MARSUPIALIA

Problems of extinction of Australian marsupials, GILL 577.

Possible origin of Tertiary marsupials, Lavocat 955.

DIDELPHIDAE

Revision of Argentine fossil didelphids, RINGUELET 1309.

Didelphis marsupialis swimming and diving with young in pouch, MOORE 1093; D. m. electrocardiogram, WILBER 1719.

Dromiciops microbiotherine characters, not didelphine, Reig 1284.

†Hadrorhynchus Ameghino reduced to subgenus of Microbiotherium, RINGUE-LET 1309.

Marmosa cinerea body temperature, EISENTRAUT 451.

†Microbiotheridion gen. nov. for type species M. hernandezi, p. 273, RINGUELET Rev. Mus. Univ. Eva Peron (N.S.) 3 (2) Paleont., 1953.

†Microbiotherium represented among recent genera by Dromiciops, Caluromys, Glironia and Caluromysiops, Reig 1284

† Pachybiotherium Ameghino synonym of Microbiotherium, RINGUELET 1309.

†Prodidelphys Ameghino synonym of Eodidelphys, RINGUELET 1309.

†Proteodidelphys Ameghino synonym of Eodidelphys, RINGUELET 1309.

†Zygolestes not a coenolestid, Reig 1285.

DASYURIDAE

Dasyurus viverrinus (= D. quoll) growth and anatomy of pouch young, Hill and Hill 736.

Myoictis melas melas melanistic specimens, Husson 791.

. Phascolosorex doriae specific characters, Phascogale nouhuysii a synonym, p. 285, Husson 791.

PERAMELIDAE

Chaeropus ecaudatus occidentalis comment on supposed type locality, McNamara 1016.

Echymipera kalubu kalubu description and measurements, attributed to Fischer 1829 not Lesson 1828, p. 288, E. rufescens rufescens specific characters, p. 290, HUSSON 791.

†Ischnodon gen. nov. for type species I. australis sp. nov. Pliocene, Lake Palankarinna, E. of Lake Eyre, S. Australia, p. 249, STIRTON Rec. S. Austral. Mus. 11 1955.

Isoodon barrowensis extinct on Montebello Is., Hill 735; I. obesulus occurrence in Riverton area, W. Australia, McMillan 1014.

CAENOLESTIDAE

·†" Cladoclinus copei" not a coenolestine, Reio 1285. †Garzonia synonym of Stilotherium, Reig 1285.

†Halmarhiphus not valid genus, Reig 1285.

†Parhalmarhiphus synonym of Stilotherium, Reig 1285.

†Phonocdromus patagonicus not valid, Reig 1285.

†Pliolestes gen. nov. p. 66 for type species P. tripotamicus sp. nov. Pliocene, Quequen Salado Creek, near Oriente station, Coronel Dorrego, Buenos Aires Province, Argentine, p. 67, Reig Rev. Asoc. Geol. Argent. 10 1955.

†" Stilotherium grande" not a coenolestine, Reig 1285.

†" Zygolestes" a didelphid, Reig 1285.

PHALANGERIDAE

Petaurus breviceps flavidus notes, Husson 791.

Phalanger orientalis vulpecula, P. maculatus maculatus, P. m. chrysorrhos notes on Dutch New Guinea specimens, Husson 791.

Phascolarctos cinereus general account, TROUGHTON 1597.

Pseudocheirus canescens bernsteinii West New Guinea, data on additional specimen, selection of lectotype, p. 296, HUSSON 791.

Trichosurus vulpecula reproduction and ecology in New Zealand, Tyndale-Biscoe 1609.

Phascolarctid *incertae sedis* Pliocene, S. Australia, STIRTON 1493.

MACROPODIDAE

Popular account of kangaroos, action photos, Johnson 822.

Dendrolagus bennetti arboreal habits, Sidney 1432; D. inustus inustus characters, D. ursinus attributed to Temminck 1826 not Müller 1840, p. 301, Husson 791; D. leucogenys history, morphology, habits, photos, Schneider 1372.

Dorcopsis veterum Lesson valid name, replaces D. muelleri Schlegel, taxonomic notes, selection of lectotype for muelleri and restriction of type locality, p. 300, Husson 791.

Lagorchestes conspicillatus extinct on Montebello Is., HILL 735.

Macropus ocydromus description of birth, BEECK 125; M. rufus infection and cure, EHLERS 446.

†Prionotemnus gen. nov. for type species P. palankarinnicus sp. nov. Pliocene, Lake Palankarinna, E. of Lake Eyre, S. Australia, p. 252, Stirton Rec. S. Austral. Mus. 11 1955.

Protemnodon eugenii delayed implantation, Sharman 1418.

Setonix brachyurus reproduction study, oestrous cycle, pregnancy, Sharman 1417; reproductive study, growth rate of pouch young, Waring and others 1679.

†DIPROTODONTIDAE

†Diprotodon minor occurrence in Pleistocene of Victoria and New South Wales, GILL 578.

†Euowenia grata (De Vis) 1888 the genotypic species of Euowenia de Vis 1891, p. 262, STIRTON 1493.

†Meniscolophus gen. nov. for type species M. mawsoni sp. nov. Pliocene, Lake Palankarinna, E. of Lake Eyre, S. Australia, p. 258, STIRTON Rec. S. Austral. Mus. 11 1955.

†Nototherium mitchelli Owen a nomen vanum, p. 261, "N." wututense Anderson a Meniscolophus, p. 264, STIRTON 1493.

ORDER INSECTIVORA

Anatomy of hand in some insectivores, Haines 649.

TENRECIDAE

Centetes ecaudatus body temperature, Eisentraut 451.

POTAMOGALIDAE

Micropotamogale lamottei comparison with Potamogale ruwenzorii, WITTE and FRECHKOP 1729.

Potamogale ruwenzorii sp. nov. Mutsora, R. Talya, tributary of R. Lume, west flank Ruwenzori, Belgian Congo, 1200 m., p. 1, comparison with Micropotamogale, Witte and Frechkop 1729.

CHRYSOCHLORIDAE

Carpitalpa subgen. nov. (type C. arendsi) see Chlorotalpa.

Chlorotalpa (Carpitalpa subgen. nov.) p. 288 for type species C. arendsi sp. nov. Pungwe Falls, S. Rhodesia, p. 285, Lundholm Ann. Transv. Mus. 22 1955.

Chlorotalpa (Kilimatalpa subgen. nov.) p. 288, for type species C. stuhlmanni Matschie, Lundholm Ann. Transv. Mus. 22 1955.

Kilimatalpa subgen. nov. (type K. stuhlmanni) see Chlorotalpa.

ERINACEIDAE

Erinaceus europaeus experimental metabolism during hibernation, Forssberg and Sarajas 506; status on Isle of Man, Allen 50; occurrence on Coll, Hebrides, Boyd 194; weights and "self-anointing" habits, Burton 225; biology in E. Caucasus, Rossolimo 1328; adrenal gland contents, Uuspää and Suomalainen 1622; yolk-sac, Morris 1099.

†Galerix hipparionum Csakvar, Fejer, pp. 48, 60, G. ehiki Felsotarkany, Heves, pp. 48, 61, both Miocene Hungary, spp. nov., Kretzoi 908.

Hemiechinus auritus biology in E. Caucasus, Rossolimo 1328; H. a. collaris distribution in Rajasthan desert, burrowing habits, Krishna and Prakash 915; case of cannibalism, Prakash 1249; birth and description of young, Prakash 1248; deaths from nematode infection, Prakash and Sharma 1250.

Paraechinus aethiopicus status in western desert of Egypt, Hoogstraal and others 764; P. micropus distribution in Rajasthan desert, burrowing habits, Krishna and Přakash 915.

MACROSCELIDIDAE

Elephantulus taxonomy in S.W. Africa, E. vandami montanus Oropembe, p. 282, E. intufi canescens Ohopoho, p. 283, both Kaokoveld, S.W. Africa, E. rupestris fitzsimonsi Nyamaziwa Falls, Inyanga area, S. Rhodesia, p. 284, all subspp. nov., Lundholm 995; E. fuscipes general habits, Burton 222; E. intufi omahekensis subsp. nov. Kl. Okaputa, S.W. Africa, p. 171, Lehmann 971.

Macroscelides proboscideus flavicaudatus subsp. nov. 6 miles from mouth of Omaruru River, S.W. Africa, p. 285, Lundholm 995.

SORICIDAE

Food of shrews, REINWALDT 1286.

Simple livetrap for shrews, Buckner 216.

European shrew pelvis characters, BECKER 124.

Distribution of shrews in S.E. France, HEIM DE BALSAC 697.

Data on shrews from Slovakia, Turcek 1600.

Temporo-mandibular joint of shrews, FEARNHEAD and others 481.

†Amblycoptus vicinus sp. nov. Miocene, Csakvar, Fejer, Hungary, pp. 49, 61, Kretzoi 908.

Blarina brevicauda sudden abundance in Ontario, Fowle and Edwards 508; occurrence in S. Dakota, Findley and Van Gelder 499; B. b. shermani subsp. nov. 2 miles N. of Fort Myers, Lee County, Florida, p. 37, Hamilton 661.

†Blarina ucrainica sp. nov. Pleistocene, left bank R. Sereta, trib. Dniester, Ternopol prov. Polish Ukraine, p. 991, PIDOPLICHKO 1223.

Crocidura flavescens herero behaviour, food habits, parasites, Marlow 1033; C. malani sp. nov. Nyamaziwa, S. Rhodesia, p. 280, C. luna inyangai subsp. nov. Nyamaziwa Falls, S. Rhodesia, p. 281, Lundholm 995; C. russula chisai note on reproduction, Tashiro 1536.

†Crocidura taungsensis measurements, characters, Meester 1056.

Cryptotis parva parva range extension in Colorado, Beidleman and Remington 132.

Microsorex hoyi range extension in British Columbia, Munro 1118.

Myosorex undescribed species from Kivu, presence of interparietal bone, significance of vestigial mandibular premolar in evolution of Soricidae, HEIM DE BALSAC 698.

†Myosorex robinsoni sp. nov. Plio-Pleistocene, Swartkrans, S. Transvaal, p. 272, Meester 1056.

Neomys anomalus milleri status in Wurttemberg, Lohrl 986; N. fodiens behaviour in captivity, Crowcroft 320.

Notiosorex crawfordi status in California, specimens from Los Angeles County, Durham 424.

Sorex food analysis in Colorado, WIL-LIAMS 1722; S. araneus biology of reproduction, Dunaeva 416; food storing instinct, Löhrl 990; in N.W. Europe, geographical and colour variations, systematic notes, LEHMANN 969; biology in Trans-Ural, SHVARTZ 1430; pelage changes and characteristics, Crowcroft 319; S. a., S. minutus behaviour in captivity, burrowing ability, nest building, social relationships, Crowcroft 320; S. a., S. minutus morphology, biology, ecology in Poland, S. macropygmaeus pleskei Ognev occurrence in Poland, S. m. karpinskii Dehnel probably a synonym, Serafinski 1407; S. minutus in captivity, notes on grey pelage patches, Downing 406; in Perthshire, Blackwood 165; record Wangerooge, Friesian Islands, KRUMBIEGEL 919; S. cinereus northern range extension in Manitoba, QUAY 1258; S. c. c. range extension in Iowa, MILLER 1073; S. c. ohionensis, S. oreopolus emarginatus, S. milleri taxonomic notes and distribution, FINDLEY 497; S. f. fumeus second record for S. Carolina, Schwartz 1385; S. hawkeri tscherskii note on occurrence in S. Sakhalin, IMAIZUMI 796; S. merriami leucogenys first California record, Hoff-MANN 750; distribution in Grand Canyon, S. nanus second Arizona record, HOFFMEISTER 753; S. m. l. new occurrence in Utah, habitat notes, S. nanus first record Utah, second Wyoming, DURRANT and LEE 428; S. ornatus, S. sinuosus, S. vagrans comparative study of growth, ageing, weights, RUDD 1330; S. sinuosus, S. ornatus, S. vagrans population study, variation, hybridization, in California, Rudd 1331; S. troubridgei biology, Jameson 813; S. tsherskii new data on distribution, NIKIFOROV 1135; S. vagrans life history in Montana, CLOTHIER 279; S. v. obscurus, S. palustris navigator new range records in Utah, DURRANT 430.

Sorex (Otisorex) vagrans study of speciation, S. obscurus, S. pacificus, S. yaquinae all conspecific with vagrans, S. v. longiquus 25 mi. E.S.E. Big Sandy, Eagle Creek, Chouteau Co., Montana, p. 49, S. v. obscuroides Bishop Creek, 6,600 ft., Inyo County, California, p. 58, subspp. nov., FINDLEY 498.

Soriculus hypsibius parva first record for Fukien, p. 149, LEHMANN 970.

Suncus caeruleus placenta, OWERS 1174.

†Suncus sp. Plio-Pleistocene, Transvaal, descr., Meester 1056.

TALPIDAE

Condylura cristata second S. Carolina record, GRIMM 619.

†Desmagale gen. nov. for type species D. pannonica sp. nov. Pleistocene, Kislang, Fejer, Hungary, pp. 218, 244, Kretzoi Jb. ung. geol. Anst. 1953 (1954).

Desmana moschata census, trapping and marking techniques, Krasovski 903.

†Desmana crassidens sp. nov. Pleistocene, Kislang, Fejer, Hungary, pp. 219, 245, Kretzoi 909.

Galemys pyrenaicus epididymal secretion, Peyre 1216; intersexuality of female genital tract, Peyre 1217; medullary zone of ovary, Peyre 1218.

Mogera wogura wogura reaction to underground metal, Fujiwara 544.

Talpa europaea radio-active tagging results in field studies, Godfrey 589; census methods, Zharkov 1767; possible hormonal connection with eye atrophy, Tusques 1605; T. mizura Gunther valid species, detailed analysis of characters, review of taxonomy of Far East moles, T. m. hiwaensis Hiwa, Hiwa Machi, 73 km. N.E. of Hiroshima, W. Honshu, p. 33, T. m. ohtai Mt. Choga-take (2600 m.), Hida Mts., C. Honshu, p. 34, both subspp. nov. Japan, IMAIZUMI 797.

†NESOPHONTIDAE

†Nesophontes micrus cave remains from Cuba, Koopman and Ruibal 897.

ORDER DERMOPTERA

CYNOCEPHALIDAE

Cynocephalus volans polydactyly, SHUTE and BELLAIRS 1429.

ORDER CHIROPTERA

Key to Egyptian bats, Sanborn and Hoogstraal 1354; Distribution of bats in Indonesian archipelago, Peng 1197; Comparative genital activity in fruit and insect bats, Herlant 710; Trematodes of bats, Dubois 410.

SUBORDER MEGACHIROPTERA

Eidolon helvum suprarenal gland, Bourlière and Vy 191.

Pteropus gouldi, P. scapulatus relationship to dengue fever in Queensland, O'CONNOR and others 1150.

SUBORDER MICROCHIROPTERA

Bats, systematics, life history, economic importance, review of species of U.S.S.R., KUZYAKIN 939.

Feeding efficiency and possible role of echolocation in insectivorous bats, Gould 606.

Role of bats, including insectivorous species, in transmission of rabies, SCHROEDER 1376.

Rabies in insectivorous bats in Texas, Burns and Farinacci 220.

British Guiana cases of paralytic rabies in man, bat-transmitted, Nehaul 1129.

Longevity in bats, new records, HEERDT and SLUITER 696.

Speed of bats, Kolb 895.

Use of "mist nets" for bat catching in Mexico, DALQUEST 332.

Habitat selection in relation to metabolism in cavern-dwelling bats, TWENTE 1607.

Bats of Woolwich area, RIGDEN 1306.

Bat notes from Cumberland, BLEZARD 168.

Note on bats at Oundle, Northants, Gray 610.

Bats of Wales, short review, Black-MORE 164.

Bat ringing results in Belgium 1939–1952, Frechkop 517.

Bats of Holland, identification key, ringing results, biology, status, EYND-HOVEN 475.

Bat ringing results in S. Germany, HAVEKOST 687.

Distribution of Czechoslovak bats, Vachold 1624.

List of bats from Carpathian region of Hungary, Topal 1591.

Notes on some Swiss bats, DESFAYES 396.

Bats of Savona caves, Franciscolo 509.

Biology of cave bats in Rumania, Dumitrescu and others 415.

Bats of Corsica, status and biology, Kahmann and Brotzler 842.

Notes on Spanish bats, Balcells 100.

Notes on some Tunisian bats, Deleuil and Labbe 372.

Study of cave-dwelling bats in mid-U.S.A., TWENTE 1606.

Utah bat distribution records, KRUTZSCH and HEPPENSTALL 924...

Bat ringing in Indiana, preliminary report, Cope and Mumford 287.

Illinois bat records, SMITH and PARMALEE 1456.

Oklahoma bat distribution records, GLASS 583.

Bats from Mexico, de la Torre 371.

Notes on Panama bats, Bloedel 170.

Cave-fossil bat remains from Cuba, KOOPMAN and RUIBAL 897.

Biological notes on bats of El Salvador, Felten 483.

Bacula of N. American bats, KRUTZSCH and VAUGHAN 925.

N. American bat ectoparasites, Krutzsch 923.

Bat in spider's web in Accra, Crellin 315.

Revilliod Tertiary bat names of 1919, taxonomic note, HANDLEY 665.

RHINOPOMATIDAE

Rhinopoma hardwickei, R. kinneari comparison of orbito-temporal region, GARG 555.

EMBALLONURIDAE

Echolocation in Emballonuridae, GRIFFIN and NOVICK 617.

Emballonuridae from El Salvador, morphology and biology, Felten 485.

Diclidurus ingens sp. nov. Puerto Leguizamo, Intendencia del Caqueta, Colombia, p. 87, HERNANDEZ-COMACHO 711

Taphozous kachensis magnus field notes in Iraq, Weber 1686; T. longimanus embryology, distinctive features, Gopalakrishna 601; breeding cycle,

GOPALAKRISHNA 602; T. nudiventris zayidi subsp. nov. Al Ain, Buraimi Oasis, Oman, p. 904, Harrison 678.

NOCTILIONIDAE

Echolocation in Noctilionidae, GRIF-FIN and Novick 617.

Noctilio leporinus fishing methods demonstrated, Bloedel 171.

NYCTERIDAE

Nycteris nana albinism, Verschuren 1643.

RHINOLOPHIDAE

Rhinolophus photographed by flashlight, Hooper 770; R. ferrum-equinum 40 mile movement in S. England, Hooper 769; 50-mile journey and return, Anon. 27; innervation of plagiopatagium, Filogamo 496; R. blasii specimens from Morocco, first authentic record from N. Africa, Aellen 41; R. euryale occurrence in N.W. France, Beaucournu 123; R. hipposideros minimus first record for Egypt, Sanborn and Hoogstraal 1354; R. mehelyi occurrence in Sarthe, N.W. France, Caubère 248.

†Rhinolophus csakvarensis sp. nov. Miocene, Csakvar, Fejer, Hungary, pp. 388, 406, Kretzoi 907; †R. talonifer sp. nov. Miocene, Csakvar, Fejer, Hungary, pp. 49, 61, Kretzoi 908.

HIPPOSIDERIDAE

Asellia tridens occurrence in Oman, Harrison 678; new type of echolocation, Mohres and Kulzer 1087; A. t. murraiana field notes in Iraq, Weber 1686.

Hipposideros abae partial albinism, VERSCHUREN 1643.

Triaenops persicus taxonomic notes, measurements, distribution, T. p. macdonaldi subsp. nov. Al Ain, Buraimi Oasis, Oman, p. 900, Harrison 678.

PHYLLOSTOMATIDAE

Echolocation in Phyllostomatidae, GRIFFIN and NOVICK 617.

Artibeus jamaicensis interscapular lobes of parotid glands, Wimsatt 1726.

Chilonycteris taxonomic notes, C. torrei continentis Sanborn synonym of C. psilotis, type locality for latter

designated, DE LA TORRE 371; C. parnelli antedates C. rubiginosa, C. p. gonavensis subsp. nov. cave remains near En Café, La Gonave Island, Haiti, p. 110, Koopman 896; C. personata from Mexico as rabies carrier, GRIMES and others 618.

Ectophylla macconnelli first Ecuador record, Laurie 954.

Enchisthenes harti field notes and measurements of a series from Jalisco, Mexico, DE LA TORRE 371.

Leptonycteris nivalis nivalis note, L. n. yerbabuenae synonym, de la Torre 371.

Lonchorhina aurita from Tabasco, first record for Mexico, Hall 651.

Micronycteris (Lampronycteris) platyceps first record Panama, Bloedel 170.

Mormoops and M. blainvillei Leach application for addition to Official List, Morrison-Scott 1105; M. megalophylla first Arizona record, northward range extension, Beatty 122.

Rhinophylla pumilio first Ecuador record, Laurie 954.

Tonatia amblyotis notes on Ecuador specimens, T. loephotis a synonym, LAURIE 954.

Uroderma bilobatum from Tabasco, first record for Mexico, Hall 651.

Vampyrops characters and taxonomic revision, Sanborn 1353; V.? helleri first record Paraguay, Sherman 1422.

DESMODONTIDAE

Echolocation in Desmodontidae, GRIFFIN and NOVICK 617.

Desmodus rotundus murinus in E. Mexico, habits, protection from, control, Dalquest 333.

NATALIDAE

†Natalus primus cave remains from Camaguey, Cuba, Koopman and Rui-Bal 897.

VESPERTILIONIDAE

Antrozous bunkeri a subspecies of A. pallidus, Krutzsch and Vaughan 925.

Baeodon alleni from Oaxaca, wide range extension in Mexico, Hall 651.

Corynorhinus macrotis first Illinois record, SMITH and PARMALEE 1456; C. rafinesquii valid for C. macrotis of S.E. U.S.A., C. townsendii valid for western forms, C. t. australis 2 miles W. of Jacala, 5,500 ft., Hidalgo, Mexico, p. 147, C. t. ingens Hewlitt Cave, 12 miles W. of Fayetteville, Washington County, Arkansas, p. 148, C. t. virginianus Schoolhouse Cave, 4.4 miles N.E. of Riverton, 2,205 ft., Pendleton County, W. Virginia, p. 148, subspp. nov., HANDLEY 668; C. r. pallescens new range records in Utah, Durrant and others 430.

†Corynorhinus tetralophodon sp. nov. Pleistocene, San Josecito Cave, Nuevo Leon, Mexico, p. 48, HANDLEY 667.

Dasypterus floridanus first Virginia and northernmost record, RAGEOT 1265.

Eptesicus fuscus survival and movements, Beer 126; E. f. pallidus case of bat rabies in Montana, Bell and others 134; E. serotinus first record for Corsica, Kahmann 841.

Harpiocephalus harpia harpia occurrence in Fukien, first Chinese record, p. 154, Lehmann 970; H. h. note on co-types in Leiden Museum, transposition of skull with Vespertilio (= Myotis) ferrugineus corrected, measurements, Husson 790.

Lasiurus proposal for introduction to European forests for insect control, Krzanowski 926; L. borealis occurrence in caves, Quay and Miller 1260; L. b., L. cinereus unusual numbers in a Missouri cave, Myers and Lewis 1122; L. b. seminolus first Mexican records, Villa 1655; L. cinereus flight ability with two young, weights recorded, Goehring 593; weight of female and young carried in flight, Stegeman 1484; L. c. villosissimus new record from Paraguay, Sherman 1422; L. seminolus first record from New York, Layne 960; N. Carolina records, Barkalow and Adams 107.

Miniopterus schreibersi japoniae habitat in Nara Prefecture, Akita 46.

Myotis austroriparius first Arkansas record, Davis and others 362; first Illinois record, SMITH and PARMALEE 1456; M. a. mumfordi subsp. nov. Bronson's Cave, Spring Mill State Park, 3 miles E. of Mitchell, Lawrence County, Indiana, p. 67, RICE 1300. M. bechsteini status in N. Würt-

temberg, Lohrl 987; spontaneous change of sleeping-places, Löhrl 988; M. daubentonii first record Czechoslovakia. Vachold 1624: M. evotis apache subsp. nov. Snow Flat, 8,750 ft., Graham Mts., Graham County, Arizona, p. 1, Hoffmeister and Krutzsch 754; M. e. auriculus subsp. nov. 10 m. W. and 2 m. S. of Piedra, 1200 ft., Sierra de Tamaulipas, Tamaulipas, N.E. Mexico, p. 83, Baker and Stains 99; M. grisescens status in Florida, RICE 1298; M. keenii septentrionalis occurrence in Florida, first record of species, RICE 1299; M. longicaudatus bucharensis subsp. nov. Aibadzh, S.W. Tadzhikistan, near Afghan border, p. 286, Kuzyakin 939; M. lucifugus lucifugus swimming ability, CRAFT and DEXTER 306; M. myotis biology of large breeding colony in a Belgian cave, Anciaux de Faveaux 58; light-controlled experiments on daily activity rhythm, Kowalski 901; M. mystacinus unusual case of enlarged foetus, Sluiter 1452; M. nattereri second Herefordshire record, Mellor 1059; first record Co. Leix, Ireland, Odlum 1151; M. oxygnathus considered a valid species, Topal 1591; M. planiceps sp. nov. 7 miles S. and 4 miles E. Bella Union, 7,200 ft., Coahuila, Mexico, p. 165, Baker 98; M. sodalis first record Wisconsin, Davis and LIDICKER 361; new to Oklahoma, GLASS 583; M. subulatus leibii found in cave floor crevices, Davis 357; first Missouri record, Davis and Lidicker 359; summer colony in Ontario, HITCHCOCK 745; M. thysanodes thysanodes first record for Utah, KRUTZSCH and HEPPENSTALL 924; M. velifer cobanensis subsp. nov. Coban, Alta Verapaz, Guatemala, alt. 1305 metres, p. 2, Goodwin 599; M. y. yumanensis, M. subulatus melanorhinus new range records in Utah, DURRANT and others 430.

Nyctalus leisleri first record Co. Leix, Ireland, Odlum 1151; sight record in Kilkenny, Ruttlede 1340; status in N. Württemberg, Lohrl 987; N. noctula large-scale migration in Austria, Bauer 120; sex segregation in summer, Lohrl 988; feeding radius, Löhrl 989; hormone effects on hibernating females, Skreb 1444; partial hibernation, internal factors, Skreb and Gjulic 1445; subfossil remains from cave in Rumania, comparison with recent specimens, Dumtrescu and others 414.

†Nycterobius Revilliod synonym of †Stehlinia Revilliod, p. 130, Handley 665.

Pipistrellus hesperus hesperus new range records in Utah, Durrant and others 430; P. kuhlii subsp., notes on Oman specimens, Harrison 678; P. k. k. field notes in Iraq, Weber 1686; P. p. pipistrellus notes on winter population, Haagen and Arnold 641; P. savii taxonomy of Korean and Japanese forms, P. s. velox first record Japan (Hokkaido), full description, P. s. coreensis subsp. nov. Taegu, S. Korea, p. 56, Imaizumi 798.

†Revilliodia Simpson synonym of †Stehlinia Revilliod, p. 130, Handley 665.

†Stehlinia Revilliod synonymy, p. 130, Handley 665.

Vespertilio murinus sex segregation in colonies, Löhrl 988; first record for Linz, Austria, Bauer 121.

MOLOSSIDAE

Cheiromeles torquatus, wing pouch functions, Burton 221.

Cynomops first record for Mexico, C. malagai sp. nov. Tuxpan de Rodriguez Cano, Veracruz, Mexico, p. 2, VILLA 1656.

Eumops amazonicus sp. nov. Manaos, Amazonas, Brazil, p. 177, Handley 666; E. perotis californicus biology, Krutzsch 922.

Tadarida brasiliensis subspecific grouping, Schwartz 1384; T. mexicana large banding programme in Texas, rabies infection studies, Eads and others 433; biology in California, Krutzsch 921; further occurrences in Oregon, Jewett 818a; T. molossa cave remains from Camaguey, Cuba, Koopman and Ruibal 897.

ORDER PRIMATES

Systematic criteria, phylogeny and evolution of higher primates, Kalin 846.

Primate evolution and comparative anatomy, Davis 350.

Primates and human evolution, a symposium, GAVAN 558.

Primates in relation to anthropology, HOOTON 771.

Primate skull functional analysis, TAPPEN 1535.

Relation of occipital condyle and face to skull base in primates, Schultz 1377.

Dental occlusion in primates, MILLS 1077.

Chromosomes of primates, Darlington and Haque 339.

Mental evolution in primates, NISSEN 1139.

Grouping behaviour of primates, Carpenter 239.

Geological history of non-hominid Old World primates, Patterson 1186.

Primates of British Malaysia, key, HARRISON 680.

Native methods of catching monkeys in French Equatorial Africa, ROLLAIS and BINAME 1319.

"Abominable snowman" summary of reports, Dyhrenfurth 432.

"Yeti" hunt in Nepal, local evidence and descriptions, STONOR 1496.

SUBORDER PROSIMII

Comment on Prosimian classification, SIMPSON 1437.

Appendix of addenda and amendments to catalogue of Strepsirhini and Tarsioidea in Royal Scottish Museum, HILL 737.

Monograph of Tarsioidea, Hill 738.

TUPATIDAE

Tupaiidae hand anatomy excludes association with Lemuridae, Haines 649.

Malayan tree-shrews, field guide and key, Harrison 679.

LEMURIDAE

Hapalemur griseus breeding in captivity, ARNOULT 77.

Lemur thoracic muscles, Szostakie-Wicz-Sawicka 1519; L. mongos, L. catta births in Marseilles zoo, Paulus 1191; L. variegatus gestation, birth in captivity, Paulian 1189.

†Phenacolemuridae fam. nov. Simpson 1437.

†Palaechthon alticuspis Eocene, Montana, diagnosis, figs., Simpson 1437.

†Paromomys maturus, P. depressidens Eocene, Montana, diagnosis, figs., SIMPSON 1437.

†Phenacolemur morphology, discussion of affinities, diagnosis and figs. of species (P. praecox selected as type), P. jepseni sp. nov. Eocene, San José formation, head of Arroyo Blanco, Rio Arriba County, New Mexico, p. 426, SIMPSON 1437.

LORISIDAE

Galago senegalensis chromosomes, MATTHEY 1050.

Loris tardigradus lydekkerianus micturition as olfactory marking of territory, ILSE 795; significance of cervical extension of thymus, Ahmad and Rao 42.

Nycticebus coucang notes in captivity, DAVIES 347.

Perodicticus potto skeletal anomaly, Davies 346.

TARSHDAE

Tarsius monograph, HILL 738.

SUBORDER ANTHROPOIDEA CEBIDAE

Notes on New World primates, HILL 737.

Study of labial occlusion in Cebidae teeth, Della Serra 373.

Notes on monkeys of Matto Grosso, Kühlhorn 930.

Alouatta palliata study of population on Barro Colorado, Panama, Southwick 1476.

Callimico goeldii in New York Zoo, photo and notes, McC. 1004.

Cebus Eberhard 1768, proposed rejection, Morrison-Scott 1102; C. apella taxonomic notes, "Simia" hypoleuca Humboldt synonym of C. albifrons, Hershkovitz 716.

CALLITHRICIDAE

Leontocebus rosalia range restricted to Serra do Mar; "Upper Amazon" incorrect, Hill 737.

CERCOPITHECIDAE

Cercopithecus mona taxonomy, new grouping as four species, Воотн 182.

Macaca blood volume, BENDER 141; M. cyclopis introduction and status in Japan, KURODA 936; M. fuscata origins, distribution, status and relation to man in Japan, KISHIDA 880; M. inuua history and habits on Gibraltar, ENGLAND 462; M. mulatta hormone-induced hermaphroditism, WELLS and VAN WAGENEN 1695; M. radiata observations on behaviour in the field, Nolte 1140; M. silenus study of play, INHELDER 801.

Mandrillus sphinx, M. leucophaeus integumental colours, injection experiments, Hill 739.

Papio cynocephalus placenta, HILLE-MANN 741; P. rhodesiae founded on abnormal specimen, synonym of P. ursinus, FREEDMAN 522; P. ursinus embryonic development, GILBERT and HEUSER 576.

Pithecus entellus peculiar behaviour in presence of leopard, Kumar 933.

Presbytis senex harti subsp. nov. Thunakai, Northern Province, Ceylon, p. 293, Deraniyagala 395.

Semnopithecus priamus brain development, FRIANT 526.

Trachypithecus germaini skull morphology and growth, phylogeny, relationships of Colobinae, OLIVIER and others 1164.

PONGIDAE

Bibliography of anthropoids, Voss 1670.

Specialisation of vocal apparatus in anthropoids, Kipp 877.

Supra-sternal ossicles in gorilla and chimpanzee, Ashley 80.

Australopithecine influence on origin of man, Robinson 1313.

Popular account of Australopithecines, Robinson 1314.

Australopithecine and recent human mandibles, Dart 341.

Os innominatum of Australopithecines compared with anthropoids, LE GROS CLARK 967.

†Australopithecus teeth from Makapansgat pebble culture stratum, Dart 340; comparative study of mandibular variation, Dart 342; †A. africanus age of type locality, Peabody 1194. Gorilla gorilla gorilla status and habits in French Congo and Gaboon, Blancou 167; hair colour variation, Grzimek 628; general account, Ramecourt in Edmond-Blanc 439; technique of rounding up for filming, Geddes 561; G. g. beringei general account, Hoier in Edmond-Blanc 439; status and habits in Parc National Albert, Hoier 759.

Hylobates lar lar family in cream phase, Foenander 502.

†Meganthropus africanus dental morphology shows affinities to Australopithecines, valid name Praeanthropus africanus, Senyurek 1405.

†Oreopithecus discussion of systematic position and evolutionary importance, Vialli 1648; †O. bambolii systematic position, a prehominid, Hürzeler 788; phylogeny, near prehominids, Viret 1661; a hominoid, Kalin 846.

Pan paniscus characters, behaviour, probably valid species, Palmans 1178; P. troglodytes learning ability, Hayes 689; tool-handling ability, Hess 723; skin parasites, Greimek 629; brain at birth, Riese 1305; study of dentition, Schuman and Brace 1383.

Pongo pygmaeus in fiction and folklore, Harrisson 685.

†Praeanthropus nom. nud. (no species designated), p. 214, HENNIG Naturwiss. Rdsch. Jahrg. 1 Hft. 5 1948.

†Praeanthropus gen. nov. (after Hennig) for type species P. africanus Weinert, p. 33, Senyurek Belleten, Ankara 1973 1955.

†Telanthropus comparative study of mandibular variation, genus probably synonym of Paranthropus, Dart 342.

HOMINIDAE

Evolution of man, Le Gros Clark 963.

Evolution of primitive man, specific differentiation, Charles 260.

Hominid evolution, LEONARDI 972.

Biochemical factors as possible contribution to evolution of man, Orowan 1170.

Catalogue of fossil hominids in world's collections, Vallois and others 1627.

Dating early man by palaeontology in N. America, Lance 943.

Distribution and new classification of fossil hominids, Heberer 694.

The Piltdown story, Oakley and Weiner 1147, Weiner 1691, Le Gros Clark 966, Piveteau 1234, Vialli 1647.

Further fragment of Swanscombe skull, Wymer 1745.

Neandertal remains from S. France, Joly 827.

Early man remains from Morocco, Arambourg and Biberson 73.

Saldanha man, probable mandibular fragment, Drennan and Singer 409.

Limb bones of Springbok Flats man, Toerien and Hughes 1586.

"Wolf-child" cases reviewed, Vallois 1625.

†Atlanthropus new mandible from Ternifine, Arambourg 71; new finds at Ternifine, Algeria, Arambourg and Hoffstetter 74; short account and photos, R. 1310; †A. mauritanicus account of discovery and characters, Arambourg 69; parietal, Arambourg 72.

†Boreopithecus dawsoni Friedrichs proposed rejection, de Beer 367.

Dinopithecus gen. nov. for type species D. nivalis sp. nov. Himalaya, Nepal, p. 231, Heuvelmans, Sur la piste des bêtes ignorées 1 1955.

†Eoanthropus dawsoni Woodward proposed rejection, DE BEER 367; further investigations, WEINER, LE GROS CLARK, OAKLEY and others 1692.

Homo sapiens primitive characters in teeth, Ampoulange 56.

†Homo mandible of pre-mousterien type from Montmaurin, France, Vallois 1626; †H. dawsoni Boule, H. pilt-downensis Keith, proposed rejection, DE BEER 367; †H. neandertalensis skeleta support for erect gait, Arambourg 70; immature characteristics, phylogenetic significance, PIVETEAU 1235.

†Pan vetus Miller proposed rejection, DE BEER 367.

†Pithecanthropus position in human evolution, Australopithecines a separate stem, Koenigswald 889.

†Troglodytes dawsoni Boule proposed rejection, DE BEER 367.

Incertae sedis

[1955]

†ALMOGAVERIIDAE

†Almogaver gen. nov. for type species A. condali sp. nov. Eocene, near Tremp, Pyrenees, Spain, p. 173, CRUSAFONT PAIRO and VILLALTA COMELLA Estud. Geol. Madrid 22 1954; note on discovery and characters, Teixeira 1556; evidence of dating, CRUSAFONT PAIRO and others 325.

ORDER EDENTATA

Fossil edentates of Lagoa Santa, HOFFSTETTER 756.

SUBORDER XENARTHRA

†MEGALONYCHIDAE

Megalonychids of Cuba, preliminary note, Couto 298.

†Acratocnus ef. comes Pleistocene, Haiti, descr. figs., Hoffstetter 757.

 $\dagger Nothrotheriops$ subgen. nov. (type N. shastense) see $\dagger Nothrotherium$.

†Nothrotherium (Nothrotheriops subgen. nov.) for type species N. shastense Sinclair, HOFFSTETTER Ann. Sci. Nat. (Zool.) (11) 16 1955: 755.

†Nothrotherium (Nothrotherium) maquinense Pleistocene, Brazil, taxonomic notes, p. 752, Hoffstetter 756.

†Ocnopus gracilis Pleistocene, Brazil, skeletal characters, taxonomy, subfamily Ocnopodinae proposed, †Parascelidodon a synonym, p. 758, Hoffstetter 756.

†Parascelidodon subgen. nov. (type Scelidotherium giganteum Lund) see Scelidotherium.

†Scelidotherium (Parascelidodon subgen. nov.) for type species S. giganteum Lund, Hoffstetter Mem. Soc. Geol. France No. 66 1952: 105; synonym of Ocnopus gracilis, p. 757, Hoffstetter 756.

† Valgipes deformis Pleistocene, Brazil, taxonomy, p. 760, Hoffstetter **756**.

†MEGATHERIIDAE

†Eremotherium taxonomic revision, Couto 293; †E. laurillardi Pleistocene, Brazil taxonomic notes, p. 745, Hoffstetter 756.

†Eremotherium (Pseudercmotherium subgen. nov.) for type species E. (P.) lundi sp. nov. Pleistocene, Jacobina, Bahia, Brazil, p. 454, Couto An. Acad. bras. Sci. 26 1954.

†Pseuderemotherium subgen. nov. (type P. lundi) see Eremotherium.

†MYLODONTIDAE

†Glossotherium giganteum Pleistocene, Brazil, taxonomic notes, p. 747, Hoffstetter 756.

†Scelidotherium (Catonyx) cuvieri Pleistocene, Brazil, synonymy and taxonomic notes, p. 748, HOFFSTETTER 756.

MYRMECOPHAGIDAE

Tamandua tetradactyla hesperia subsp. nov. near Acahuizotla, 2800 ft., Guerrero, Mexico, p. 558, Davis 356.

BRADYPODIDAE

Bradypus tridactylus haematology, HOEHNE and ROSENFELD 748.

DASYPODIDAE

†Chlamydotherium Lund, 1839 preoccupied by C. Bronn 1838, Pampatherium Ameghino 1875 (type P. humboldti) valid name, Couto 295.

Dasypus novemcinctus history of spread in U.S.A., habits, Buchanan 215.

†Dasypus bellus Pleistocene, Oklahoma, descr. figs., discussion on former range of D. in U.S.A., Taylor and Hibbard 1538.

†Pampatherium Ameghino 1875 valid name for Chlamydotherium Lund 1839 (nec Bronn 1838), Couto 295.

†GLYPTODONTIDAE

Revision of Glyptodontinae, Castellanos 246.

†Asterostemma venezolensis revised account, Simpson 1438.

†Chlamydotherium Bronn 1838, with C. sellowi Lund, taxonomic status, synonymy, Couto 295.

†Glyptocoileus subgen. nov. (type G. clavipes) see Glyptodon.

†Glyptodon Owen taxonomic status, technically invalid, recommendation for validation, HOFFSTETTER 758; †G. cf. morelloi Pleistocene, Argentine, descr. fig., Bo 172.

†Glyptodon (Glyptocoileus subgen, nov.) for type species G. clavipes Owen. p. 37, Castellanos C.R. Congres Geol. Internat. 19th Alger 1952 (1954) Sect. 13 fasc. 15.

†Stromaphoropsis review of species, S. benvenutii p. 4, S. rebuffoi p. 5, spp. nov. Miocene, Rio de la Plata, E. Uruguay, Castellanos 245.

ORDER PHOLIDOTA

MANIDAE

Manis tricuspis, M. longicaudata field observations in Ivory Coast, RAHM 1266.

ORDER LAGOMORPHA

OCHOTONIDAE

Ochotona angdawai sp. nov. head of Khumbu glacier (c. 18,000 ft.), W. of Mt. Everest, Khumbu, Nepal, p. 26, BISWAS and KHAJURIA 163; O. princeps review of Utah races, O. p. wasatchensis 10 miles above lower powerhouse, road to Cardiff Mine, Big Cottonwood Canyon, Salt Lake County, p. 2, O. p. lasalensis Warner Ranger Station, 9,750 ft., La Sal Mts., Grand County, p. 4, O. p. barnesi Johnson's Reservoir, 8,800 ft., 15 miles N. of Loa (Fishlake Plateau), Sevier County, p. 6, all Utah subspp. nov., Durrant and Lee 429.

LEPORIDAE

Rabbits and hares of N. America, characters, distribution, figures, Hersh-Kovitz 719.

Lepus census methods, Teplov 1559; L. americanus melanism, BIRD 161; L. arcticus monstrabilis hopping on hind legs when pursued by wolf, TENER 1558; L. californicus deserticola annual cycle Utah, WOODBURY 1737; L. capensis carpi subsp. nov. Oropembe, Kaokoveld, S.W. Africa, p. 292, Lundholm 995; L. europaeus reingestion confirmed, WATSON and TAYLOR 1684; as flesheater, Boback 173; history of introduction, spread and success in Ontario, REYNOLDS 1296; L. e. occidentalis status in Wirral, Smith 1459; L. e. transsylvanicus winter pelage in Austria, ZALESKY 1762; L. timidus winter food in Finland, Brander 198; biology in Kola Peninsula, Vladimirskaya 1664; L. t. hibernicus first case of myxomatosis, Deane 364; using "scrapes"

on tidal mud flats, Moriarty 1098; L. t. scoticus status in 1951, recent fluctuations, possible factors, Hewson 729; L. t. varronis hair structure and seasonal change, Couturier 301; pelage change study, Couturier 303.

Oryctologus cuniculus commercial trapping effect on population, Phillips 1221; experiment in control in W. Wales, population study, Phillips 1222; marking for field studies, Tyn-DALE-BISCOE 1608; population study and natural mortality rate, TYNDALE-BISCOE and WILLIAMS 1611; periodic population fluctuations in New Zealand, WHITTLE 1715; size variation in Tasmanian populations, LIEDERMAN 976; effect on vegetation on Skokholm, GILLHAM 580; grazing damage to winter corn, Gough 605; embryological development of mouth and lips, origin of hare-lip in mammals and man. FRIANT 532: introduction to San Juan Islands, Washington, and possible dangers of further introductions in U.S.A., THOMPSON 1576; copulation in the wild, Rowley and Mollison 1329; innervation of ear, WEDDELL and others 1690; with 3rd incisor, note on incisive formula in rodents, FRIANT 530; economic importance, Wentworth Day 1696; 2nd report of myxomatosis committee, Anon. 14; summary of Second Myxomatosis Report, LAPAGE 950; ecological effects of myxomatosis. SOUTHERN 1471; survey of transmission and effects of myxomatosis since 1954, SOUTHERN 1475; history of first outbreak of myxomatosis in Britain, Armour and Thompson 76; summary of myxomatosis history and effects in Britain, BACKHOUSE and THOMPSON 94; attenuated myxoma virus strain in Britain, Hudson and others 782; occurrence of attenuated myxoma virus strains in Europe, Fenner and Mar-SHALL 487; failure of myxomatosis on Skokholm Island, Lockley 984; effect of myxomatosis in Wales, Lockley 985; spread of myxomatosis in Lancaster district, Briggs 208; effects of myxomatosis, Burton 226; with myxomatosis as food for foxes, Knowles 888; O. dom. blood groups, Joysey 837; haematology, Pulman and others 1255: blood pressure connection with bile flow, ARCHDEACON and others 75; recent genetics, Sawin 1364; morphogenetic study, ossification, CRARY and SAWIN

314; development of foetal skull, FRICK and HECKMANN 535; a new breed, Russian rabbit "Tihany," FABIAN and STOHL 477.

Pronolagus crassicaudatus ekmani subsp. nov. Inyanga Estates, S. Rhodesia, p. 293, Lundholm 995.

Sylvilagus dangers of introduction to France in place of rabbits, identification by skull and skeletal characters, Petter 1208; S. sp. reported introduction to Eire, DEANE 364; ecological distribution in Massachusetts, FAY and CHANDLER 480; late breeding in Pennsylvania, Bowers 192; S. bachmani reproduction study, Mossman 1111: S. brasiliensis andinus notes on pattern, S. b. nivicola a synonym, LAURIE 954; S. floridanus unsuccessful attempt to cross with Oryctolagus dom., CHANG and McDonоидн 255; S. f. mearnsi reproductive cycle, Еске 437; S. f. nelsoni subsp. nov. 22 mi. S. and 5 mi. W. of Ocampo, 5,925 ft., Coahuila, Mexico, p. 611, Baker 97; S. palustris palustris distribution and status in Georgia, Tomkins 1589; S. p. paludicola evidence of coprophagy, Hamilton 660.

ORDER RODENTIA

Rodent classification, new proposals, new suborders Theridomyomorpha, p. 173, Castorimorpha, p. 175, new family Phiomyidae, p. 172, new superfamily Thryonomyoidea, p. 183, Petromuridae new name p. 184, Wood 1733.

Rodent brain characters, lagomorphs not separable as Order, FRIANT 529.

Incisor formula in rodents, FRIANT 530.

Biomechanics of leaping in rodents, Gambaryan 554.

Homologies of rodent incisors, Politzer and Weizenberg 1240.

Rodent pelvis sexual dimorphism, Dunmire 421.

Rodent plagues, Southern 1474.

Survey of plague rodents in Africa, Davis 352.

Rodents of Wales, short review, Matheson 1043.

Survey of rodents harmful to agriculture in Europe and Mediterranean countries, Anon. 32.

Data on small rodents in Norway, Barth 115.

Small rodents of Denmark, Pedersen 1195.

Morphological characteristics of rodents of W. Russian steppes, KALAвикноу 845.

Breeding of rodents under snow covery Kriltzov 914.

Estimates of town rodent populations, VISHNYAKOV and others 1663.

Food of mice in Colorado, WILLTAMS 1722.

Variations and adaptations in rodents north of Grand Canyon, Arizona, DURHAM 425.

SUBORDER SCIUROMORPHA

†ISCHYROMYIDAE

† Floresomys gen. nov. for type species F. guanajuateensis sp. nov. Eccene, 2,000 metres S. of Marfil, Guanajuato, Mexico, p. 16, Fries, Hibbard and Dunkle Smithson. Misc. Coll. 123 7 1955.

APLODONTIDAE

Aplodontia rufa hormonal production of mammary hairs, Pfeiffer 1220.

†MYLAGAULIDAE

†Mylagaulus douglassi sp. nov. Miocene, E. side of Yellowstone River, 23.6 miles N. of Gardiner, Montana, p. 107, McKenna 1008.

†EOMYIDAE

† Yoderimys gen. nov. (new subfam. Yoderimyinae) for Y. bumpi sp. nov. Oligocene, Yoder Quarry, Goshen Co., Wyoming, Wood J. Paleont. 29 1955: 520.

SCIURIDAE

Malayan squirrels, field guide and key, Harrison 679.

Baculum in S. American squirrels, Didier 400.

Callosciurus caniceps thaiwanensis introduced to Japan, present status, Kuroda 936.

Citellus population study technique, Varshavski 1632; reproduction in dry summer, Orlova 1169; C. beldingi crebus, C. richardsonii elegans, C.

lateralis trepidus new range records in Utah, DURRANT and others 430: C. citellus distribution in Slovakia, ecology of an isolated mountain population, Turcek 1604; histology of retina, Vilter 1658; neurones of retina, Vilter 1659; C. lateralis taxonomic status of specimens from Utah and Colorado, DURRANT and HANSEN 427; biology and ecology in N.E. California, Tevis 1564; C. leucurus relation of temperature to oxygen consumption, DAWSON 363: C. l. escalante 2 miles S.E. of Escalante, 5,400 ft., Garfield County, C. l. notom, Notom, Wayne County. both subspp. nov. Utah, p. 274, Hansen 669; C. maximus ecology and hibernation on Barsa-Kelmes Id., Ismagilov 804; C. pygmaeus sensitivity to tularemia, Makarov and others 1018; colonies and economic damage in Ukraine, Pegelman 1196; baiting methods, SEMENOV and REZINKO 1399; C. tridecembineatus parvus status in Utah, KILLPACK 870.

†Citellus glacialis subfossil Alyask, Canade, Upper Indigirsk region, N.E. Siberia, VINOGRADOV 1660.

†Csakvaromys gen. nov. for type species C. sciurinus sp. nov. Miocene, Csakvar, Fejer, Hungary, Kretzor Foldt. Kozl. 81 1951: 388, 406.

Cynomys ludovicianus behaviour patterns in laboratory colony, Anthony 63; social organization and population dynamics in S. Dakota, King 872.

Eutamias biology and ecology in N.E. California, Tevis 1564; systematic review of Colorado forms, Sutton 1507; E. sibiricus barberi subsp. nov. Central National Forest, near Pup'-yong-ni (37° 44′ N., 127° 12′ E.), Central Korea, p. 175, Johnson and Jones 824; E. umbrinus umbrinus new range record in Utah, Durrant and others 430.

Funambulus comparative brain study, HARDE 674; F. palmarum tristriatus musculature, DAS 343.

Heliosciurus, designation of gambianus Ogilby as type species, Morrison-Scott 1106; H. gambianus smithersi subsp. nov. junction of Sabi and Lundi Rivers (north bank), Portuguese E. Africa, p. 294, Lundholm 995.

Marmota flaviventer nosophora new range record in Utah, DURRANT and others 430; M. marmota marmota former

existence in French Pyrenees, recent successful introduction, Couturier 299; successful introduction to Pyrenees, Dorst and Giban 405; vocal "marking" of territory, Bopp 183; colonial territory, Bopp 184; function of voice, Zimmermann 1772; numbers and distribution in Czechoslovakia, Feriancova 489; fossil remains N. Italy, Senna 1401; M. monax monax life study in Maryland, Grizzell 620.

Paraxerus cepapi carpi subsp. nov. junction of Mussunguez and Zambesi Rivers (south bank), S. Rhodesia, p. 294, Lundholm 995.

Petaurista of Formosa, key, general data, Zuh-Ming 1776.

Pteromys? oral from Murree Hills, Saleem 1352.

Ratufa indica comparative brain study, Harde 674.

Sciurus carolinensis average weights in W. Virginia, UHLIG 1615; population study in Hampshire, SHORTEN and COURTIER 1426; control methods, Cor-TERELL 291; trapping technique, Anon. 36; eating elm seed, Judd 838; reported scarcity in Shropshire, Gurney 639; status near Canterbury, Russell 1336; S. vulgaris census methods, Teplov 1560; interparietal bone variations, Virkki 1662; fear of mouse, Engel-HART 460; breeding and general habits in captivity, PITT 1233; albino, PITT 1232; albinism in Spain, Balcells and PALAUS 101; S. v. leucourus? reported melanism in Birkenhead area, ELLISON 458; S. v. l., S. carolinensis history and status in British Isles, TAYLOR 1542.

Tamias striatus range extension in Georgia, Knepton 886; T. s. lysteri life history, Yerger 1752.

Tamiasciurus hudsonicus genetic hairlessness, Latham 951; T. h. preblei summer and winter metabolism in Alaska, Irving and others 803.

GEOMYIDAE

Gophers and Mima mounds, Scheffer 1368.

Cratogeomys castanops review of races in Coahuila, Mexico, C. c. bullatus 2 mi. S. and 6½ mi. E. of Nava, 810 ft., p. 597, C. c. ustulatus Don Martin, 800 ft., p. 598, C. c. jucundus Hermanas, 1,205 ft., p. 599, C. c. sordidulus 1½ mi. N.W. of

Ocampo, 3,300 ft., p. 600, all Coahuila, Mexico, subspp. nov., Russell and Baker 1337.

Geomys breviceps brazensis notes on young, Wood 1736; G. bursarius northward range extension in Wisconsin, Davis 358.

Thomomys bottae cedrinus subsp. nov. summit of Crossman Peak, (Juniper-Piñon Belt), Chemehuevis Mts., Mohave County, Arizona, p. 100, Huey 783; T. b. powelli subsp. nov. Hall Ranch, Salt Gulch, 8 miles W. of Boulder, 6,000 ft., Garfield County, Utah, p. 79, Durrant 426; T. b. rufidulus subsp. nov. 2 miles E. of Joseph City, Navajo County, Arizona, p. 126, T. b. latirostris Merriam redescribed, type specimen non-typical, Hoffmeister 752; T. talpoides in British Columbia, revision, T. t. segregatus Goat Mt., east of Kootenay R., near Wynndel, p. 161, T. t. cognatus Crowsnest Pass, p. 163, both subspp. nov. British Columbia, Johnstone 826; T. t. bridgeri first Utah record, Durrant and others 430; T. t. rostralis reproduction, Wirtz 1727.

HETEROMYIDAE

Dipodomys analysis of locomotion, affinity with kangaroo's, Tamino 1533; relation of temperature to oxygen consumption, Dawson 363; D. desertiarizonae subsp. nov. 3 m. S.E. of Picacho, Pinal County, Arizona, p. 99, Huey 783; D. spectabilis vocal sounds, Gibbs 573.

Liomys pictus from W. Mexico, taxonomic notes, Hooper 768.

Perognathus flavescens range extension in Minnesota, Beer and MacLeod 129; P. formosus incolatus new range records in Utah, P. parvus trumbullensis first Utah record, Durrant and others 430.

CASTORIDAE

Castor canadensis effect of dams on vegetation, Looman 992; conservation, Mortimer Batten 1110; sexing techniques, Osborn 1172; management and ecology in Wyoming, Grasse and Putnam 608; re-stocking in Arizona, technique, results, beaver habits, photos, Peterson 1203; C. fiber possible marking of territory on Rhone with castoreum, Blanchet 166; status in Rhone valley, biology, Richard 1301;

details of dam construction in France, RICHARD 1302; dam construction in S. France, LECOMTE and RICHARD 962; lodge building by animals transferred from Rhone, discussion of instinct, CORDIER-GONI 288; ecology in Russia, ANON. 35; history, status, ecology, economic value in N. Asia, SKALON 1442; status and habits in Volga delta, SVIRIDOV 1511; of R. Oka region, Russia, ZABLOTZKAYA 1760; colony census method, LAVROV 958; C. f. albicus notes and photos from Halle zoo, Petzsch 1214.

†Dipoides review of specific characters, phylogeny, D. smithi sp. nov. Pliocene, McKay Reservoir, 6 m. S. of Pendleton, Oregon, p. 130, Shotwell 1427.

? Sciuromorpha incertae sedis.

†THERIDOMYIDAE

†Theridomyidae and systematic relation to certain fossil African rodents, LAVOCAT 956.

†Pseudosciurus suevicus Oligocene-Miocene, Aude, France, study of skeleton, additional generic characters, LAVOCAT 957.

†Theridomys gregarius Oligocene, S. France, descr. figs., ASTRE 88.

SUBORDER MYOMORPHA CRICETIDAE

Comparative cytology of some microtines, taxonomic conclusions, MATTHEY

Systematics of some African and Asiatic gerbils, Geptner 566.

Ecology of voles of Belgium, Dalimier 331.

Relationship of sperm-head form to taxonomy in American rodents, Taka-HASHI 1522.

Akodon berlepschii first record for Chile, Koford 890.

Alticola bhatnagari sp. nov. Mingbo (c. 14,500 ft.), Langmoche valley, Khumbu, Nepal, p. 29, Biswas and Khajuria 163.

Arvicola of France, evolution and speciation, Heim de Balsac and Guislain 699; taxonomic conclusions from chromosome study, Matthey 1049; origin and relationships, kinship with

Aulacomys, Zimmermann 1771; A. a. brigantium skulls from Durham caves, Cranbrook 312; A. a. ? reta from Bronze Age site in Westmorland, Cranbrook 307; A. terrestris damage and control in Holland, Anon. 16; craniological study, Kucheruk and Kulik 928; distribution and ecology in U.S.S.R., Shilov 1423.

Baiomys musculus paired supernumerary cheek teeth, Hooper 767.

Chilomys instans from Ecuador, C. fumeus a synonym, Laurie 954.

Clethrionomys age determination, Koshkina 898; genetic study of British forms and results of mixed crossings, Steven 1491; C. gapperi range extension in Minnesota, Beer and MacLeod 129; growth and development of young, Benton 145; C. g. uintaensis new range record in Utah, Durrant and others 430; C. glareolus variation of posterior border of palatine, Gatineau 556; activity rhythms, Miller 1074; suprarenal gland, Delost 379; analysis of weight variation in Czechoslovakia, Turcek 1603; ecology in Russia, Merkova 1064.

†Cricetodon suburbanus sp. nov. Miocene, Budapest, pp. 50, 62, Kretzoi 908.

Cricetus cricetus general anatomy, KITTEL 881; stereotyped movements in captivity, Petzsch 1212.

†Cricetus sp. Pliocene, S. France, Thaler 1566.

Desmodillus auricularis hoeschi Okatjongeama, p. 171, D. a. wolft Vogelweide, p. 172, both S.W. Africa, subspp. nov., Lehmann 971; D. a. shortridgei Port Elizabeth, E. Cape Province, D. a. robertsi Sesfontein, Kaokoveld, S.W. Africa, both subspp. nov. p. 298, Lundholm 995.

Dicrostonyx groenlandicus life history in nature and captivity, Manning 1025; D. torquatus cecal villi, similarity to Phenacomys, Voge and Bern 1667; from Pleistocene Hungary, variation and synonymy, Janossy 815.

†Dinaromys gen. nov. for type species D. marakovici Bolkay, Kretzoi Act. Geol. Hung. 3 1955 p. 351.

† Dolomys taxonomic study, D. monrupinus sp. nov. Pleistocene, Monrupino, Italy, p. 350, Kretzoi 911. Gerbillurus vallinus seeheimi subsp. nov. Seeheim, Fish R., S.W. Africa, p. 297, Lundholm 995.

Gerbillus cytological findings in relation to classification, Wahrman and Zahavi 1673; G. cheesmani occurrence in Oman, Harrison 678; G. hirtipes as laboratory animal, Vermeil 1642; G. paeba infernus subsp. nov. Rocky Point, Skeleton Coast, S.W. Africa, p. 296, Lundholm 995.

Hesperomys lepidus ducilla first Chile record, Koford 890.

Holochilus characters, molar pattern and development, taxonomy, H. magnus sp. nov. Paso de Averias, Rio Cebellati, 40 km. S. of Treinta y Tres, eastern Uruguay, p. 657, HERSHKOVITZ 718.

†Kislangia gen. nov. for type species K. ondatrina sp. nov. pp. 221, 247, and K. kadici sp. nov. pp. 222, 247, Pleistocene, Kislang, Fejer, Hungary, KRETZOI Jb. ung. geol. Anst. 1953 (1954).

Lagurus curtatus orbitus subsp. nov. Steep Creek, 15 miles N. of Boulder, 8,500 ft., Garfield County, Utah, p. 271, Dearden and Lee 366; L. lagurus reproduction in N. Kazakstan, Kriltzov 913.

†Lagurus arankae sp. nov. Pleistocene, Kislang, Fejer, Hungary, pp. 222, 247, Kretzoi 909.

Lemmus obensis ecology and influence on Siberian tundra vegetation, Tikhomirov 1582; numerical relationship with Dicrostonyx torquatus, Sdobnikov 1390; L. sibiricus in Alaska as main food supply of skuas and owls, PITELKA and others 1229; L. trimucronatus southward range extension in Manitoba, Quay 1258.

Meriones calurus not a Dipodillus on cytological evidence, Wahrman and Zahavi 1673; M. crassus burrowing habits, Petter 1209; M. c. crassus occurrence in Oman, Harrison 678; M. vinogradovi breeding in captivity, growth, distribution, systematic notes, Petter 1210.

Mesocricetus a hybrid?, polyploidy questions, Matthey 1048; M. auratus x-chromosomes, Sheaffer 1419; superfoctation, Soderwall and Britenbaker 1463; relation of age to reproduction in female, Ortiz 1171; cream and ruby-eye mutations, Robinson

1315; winter survival in freedom in N. Germany, Herter and Lauterbach 721; blood volume, Svihla and Bowman 1509; development of first lower molar, Hinrichsen 743.

Microtus population fluctuation factors. Jameson 812; M. agrestis results of radio-active marking field studies, GODFREY 588; decline in numbers in two adjacent populations, Godfrey 590; experimental breeding population studies, Clarke 274; body size relation to population density, ZIMMERMANN 1773; incidence of tuberculosis in Montgomeryshire, CHITTY 266; factors in population cycles, CHITTY 267; birth and rearing in captivity, CRANBROOK 309; sexual changes in suprarenal gland, DELOST 380; M. arvalis structure and histology of genital organs, Delost 376; study of reproduction, Delost 378; age determination by tail vertebrae ossification, HAGEN 647; population study in Betuwe, Holland, Wijn-GAARDEN 1716; M. a. biology in France, M. a. meldensis subsp. nov. Mareuil-les-Meaux, Seine et Marne, N. France, p. 160, Delost 375; M. a. distribution in S.E. France, M. nivalis found at low altitude, HEIM DE BALSAC 697; M. fortis uliginosus subsp. nov. Chip'o-ri (38° 08′ N., 127° 19′ E.), central Korea, p. 193, Jones and Johnson 831; M. gregalis reproduction in N. Kazakstan, Kriltzov 913; M. g., M. agrestisarvalis Formenkreise, relation to fossil forms, Jacobshagen 808; M. mexicanus neveriae subsp. nov. mountains about 20 miles S.E. of Autlan, near La Neveria, Jalisco, Mexico, p. 23, HOOPER 768; M. montanus melanism in Oregon, JEWETT 818a; M. nivalis distribution and habitat in Switzerland, HAINARD 648; M. oeconomus oestrous cycle, HOYTE 781; M. o. mehelyi new locality in S. Czechoslovakia, HANZAK 672; M. o. stimmingi early remains on Föhr Island, Germany, REQUATE 1293; M. orcadensis longevity and fertility, LES-LIE and others 973; M. pennsylvanicus field study of growth, BARBEHENN 104; M. p. modestus new range record in Utah, DURRANT and others 430; M. sachalinensis sp. nov. Poronaisk region, Olen R., Lake Nevskoya, (Taraika), Sakhalin, p. 427, Vasin **1633**; *M. townsendi cowani* subsp. nov. Triangle Island, British Columbia, 129° 5′ W., 50° 55′ N., p. 67, GUIGUET 632.

†Microtus cyrenae Pleistocene, Cyrenaica, addt. descr., figs., p. 280, BATE 119; †M. speothen Pleistocene, Pennsylvania, notes, HIBBARD 731.

Microtus (Phaiomys) vinogradovi distribution and ecology, Fetisov 492.

†Mimomys coelodus, M. simplex, M'kislangensis spp. nov. Pleistocene, Kislang, Fejer, Hungary, pp. 220, 246, Kretzoi 909; †M. intermedius recorded from Suffolk, Cranbrook 311; †M. occitanus sp. nov. Pliocene, Lazaret, Sète, Hérault, S. France, p. 433, Thaler 1567; †M. pliocaenicus, M. sp. new Suffolk material, Cranbrook 310.

Neacomys spinosus spinosus taxonomic notes, N. s. carceleni a synonym, Laurie 954.

†Neofiber diluvianus Pleistocene, Pennsylvania, descr. fig., HIBBARD 731.

Neotoma former range in Ohio from cave remains, Goslin 604; N. floridana distribution in Georgia, subspecific interbreeding in captivity, Cross 317; N. f. smalli subsp. nov. Key Largo, Monroe County, Florida, p. 119, Sherman 1421; N. goldmani distribution, systematics, Rainey and Baker 1268; N. mexicana review of races, N. m. eremita subsp. nov. 1 mile S. of San Francisco, 50 ft., Nayarit, Mexico, p. 328, Hall 652.

Notiomys megalonyx range extension in Chile, Koford 890.

Ondatra zibethica age determination and longevity, Tzigankov 1614; variations in winter habitats and effect on growth and size, ALEXANDER 47; home range, banding results, WRAGG 1740; growth and wear of teeth, GALBREATH 553; as destroyer of mussels, Brander 196; status in Finland, BRANDER 197; census methods, Novikov 1144; remains from prehistoric site in Florida, NEILL and BULLEN 1131; introduction, spread and status in France, Dorst and GIBAN 405; status in France, Soulié 1470; present status in Holland and elsewhere in Europe, WIJNGAARDEN 1717; spread to Mecklenberg, KIRCHNER 878; introduction and status in Japan, Kuroda 936; economic importance in U.S.S.R., LAVROV 959.

†Ondatra hiatidens Pleistocene, Pennsylvania, descr. figs., HIBBARD 731.

Onychomys leucogaster breviauritus confirmed from Iowa, Miller 1073; O. l. pallescens new range record in Utah, Durrant and others 430.

Oryzomys macconnelli, O. osgoodi first records Ecuador, Laurie 954; O. palustris planirostris I mile W. of 3rd bridge spanning Matachla Pass, Pine Island, p. 83, O. p. sanibeli 4 miles W. of lighthouse, Sanibel Island, both Lee County, Florida, p. 85, subspp. nov., HAMILTON 662; O. p. texensis range extension in Arkansas, Davis and Lidicker 360.

Pachyuromys duprasi burrowing habits, Petter 1209.

Pallasiomys unquiculatus distribution and geographical variation in Mongolia, P. u. selenginus subsp. nov. (In 1954 Zoo Record), Geptner 567.

†Pedomys or Pitymys dideltus, P. or P. involutus Pleistocene, Pennsylvania, descriptive notes, Hibbard 731.

Peromyscus population fluctuation factors, Jameson 812; colour vision, Lyon-Fellowes 1003; P. banderanus sloeops Rio Mono Blanco, 25 km. N.E. of Žanatepec, 3,000 ft., District of Juchitan, p. 2, P. hylocetes yautepecus Santo Tomas Teipan, above village 12 km. S. of San Bartelo, Yautepec, 7,000 ft. p. 4, both Oaxaca, Mexico, subspp. nov., Goodwin 597; P. leucopus biology in eastern Kansas, RAINEY 1267; P. l., P. gossypinus ecological distribution in E. Texas, McCarley 1005; P. maniculatus inherited abnormality "boggler," BARTO 118; cold starvation and metabolism experiments, ESKRIDGE and UDALL 469; home range study, HAW-BECKER 688; January breeding in Colorado, REED 1281; P. m. rufinus home range, Williams 1723; P. m. sonoriensis experimental study of skin and respiratory water losses, Chew 261; P. m. sonoriensis high local population in California, HOFFMANN 751; P. study of island populations, British Columbia, P. maniculatus triangularis Triangle Island, p. 69, P. m. sartinensis Sartine Island, p. 69, P. m. beresfordi Beresford Island, p. 71, P. m. carli Cox Island, p. 72, all subspp. nov. British Columbia, GUIGUET 632; P. nuttalli home range of three individuals living together, Duna-WAY 417; P. of W. Mexico, P. perfulvus chrysopus subsp. nov. 1 mile N. of Barro de Navidad, Jalisco, Mexico, p. 18, HOOPER 768.

Phenacomys intermedius intermedius new range record in Utah, DURRANT and others 430.

Phyllotis sublimis first Chile record, KOFORD 890.

Pitymys taxonomic conclusions from chromosome study, Matthey 1049; P. majori ecology and habits in Caucasus, Gromov and Vorobyev 621; P. multiplex first record in France, P. duodecimcostatus distribution in S.E. France, Heim de Balsac 697; P. parvulus in Florida, field notes, Neill and Boyles 1130; P. pinetorum scalopsoides life history in New York, Benton 144; P. subterraneus ecology, distribution, local variation, Lehmann 969.

†Promimomys gen. nov. p. 90 for type species P. cor sp. nov. Pleistocene, Csarnota, Villanyer Mts., S. Hungary, p. 91 and P. moldavicus (Kormos 1934), Kretzoi Acta Geol. Hung. 3 1955.

Reithrodontomys megalotis range extension in Minnesota, BEER and MACLEOD 130; new range record in Utah, DURRANT and others 430; R. m. dychei new records Iowa, MILLER 1073; R. mexicanus riparius subsp. nov. 2½ miles S.W. of Coalcoman, Michoacan, Mexico, p. 12, HOOPER 768.

Rhombomys population study technique, Varshavski 1632.

†Ruscinomys europaeus Pliocene, S. France, descr. figs., Thaler 1566.

Sigmodon hispidus 11-year population study, Odum 1152; S. planifrons minor subsp. nov. Santa Lucia, 4,000 ft., 12 km. N.E. of Tenango, p. 1, S. macdougalli Santo Tomas Teipan, 7,000 ft., 12 km. S. of Yautepec, p. 3, S. macrodon Cerro San Pedro, 3,600 ft., 20 km. W. of Mixtequilla, p. 4, both spp. nov., all District of Tehuantepec, Oaxaca, Mexico, Goodwin 596.

Synaptomys borealis northward range extension in Manitoba, Quay 1258; S. cooperi first records for Iowa, Miller 1073; albinism in Michigan, Manville 1026; S. cooperi systematic revision and distribution, S. c. saturatus invalid form, Wetzel 1701.

Tatera study of variability in Africa, particularly Belgian Congo, PIRLOT 1228; T. afra kaokensis subsp. nov.

Zessfontein, S.W. Africa, p. 172, Lehmann 971; T. brantsi plague epizootic cycle, population study, in Orange Free State, Davis 353.

Tylomys nudicaudus microdon La Gloria, 2,500 ft., 10 km. S.E. of Santa Maria Chimalapa, Isthmus of Tehuantepec, Oaxaca, Mexico, p. 1, T. mirae bogotensis Volcan Caparrapi, west slopes of Cordillera Oriental, 1,270 metres, 90 km. N.N.W. of Bogotá, 10 km. W. of La Palma, Colombia, p. 4, both subspp. nov., Goodwin 598.

†Villanyia nom. nud., p. 354, Kretzoi 911.

SPALACIDAE

Spalax ehrenbergi aegyptiacus distribution in Egypt, Hoogstraal and others 764.

MURIDAE

Taxonomic notes on some S. African murine genera, with key, Lundholm 997.

Aethomys characters of S. African species, Myomys granti a synonym, Lundholm 997.

Apodemus bionomic and taxonomic review of Czechoslovakian forms, A. microps sp. nov. Saca, Kosic, Czechoslovakia, 1 p. 60, Kratochvil and Rosicky 906; A. agrarius pallescens 8 miles S.W. of Kunsan, p. 169, A. a. chejuensis 10 miles N.E. of Mosulp'o, Cheju Do (Quelpart Island), p. 171, both subspp. nov. Korea, Johnson and JONES 823; A. fl. flavicollis breeding biology, GERBER 570; analysis of weight variation in Czechoslovakia, Turcek 1603; dental anomalies, Herold 712; ecology in Russia, Merkova 1064, SNIGIREVSKAYA 1461; A. f., A. sylvaticus, A. microps comments on Kratochvil and Rosicky's analysis, Turcek 1602; A. f. alpicola additional characters, Reinwaldt 1287; A. speciosus speciosus local record in Japanese Alps, Kimura 871; A. sylvaticus activity rhythms, MILLER 1074; field notes, Sankey 1356; A. s. s. variation in chest spot size, distinction from A. flavicollis, Cranbrook 308; A. s. a polymorphic species, "A. flavicollis" one of its phases, Frechkop 520; A. tauricus Pallas, 1811, prior name for yellow-necked field mouse, A. flavicollis Melchior, A. t. argyropuloi nom. nov.

for A. f. parvus Argyropulo 1945 (nec Bechstein 1796), p. 178, A. sylvaticus iconicus nom. nov. for A. s. tauricus Barrett Hamilton 1900, nec Pallas 1811, p. 178, Geptner 565.

Dendromus longicaudatus bernardi subsp. nov. Nyamaziwa Falls, S. Rhodesia, p. 298, Lundholm 995.

Grammomys skull characters in S. Africa, Lundholm 997.

Mastomys skull characters in S. Africa, Myomys verroxii a synonym, LUNDHOLM 997.

Micromys minutus status in Bedfordshire and S. England, Elliott 454; increase in Hampshire and Berkshire, Southwick and Southern 1479; recent Suffolk records, Rutterford 1339; daily habits, Burton 223; habits in captivity, Piechocki 1224; first record for Wangerooge, Friesian Islands, Krumbergel 919; M. m. hertigi subsp. nov. 2 miles S.E. of Mosulp'o, Cheju Do (Quelpart Island), Korea, p. 167, Johnson and Jones 823.

Mus dom. coat growth studies, FRASER and NAY 510; coat growth studies, NAY and FRASER 1126; M. musculus as zoo pest, Hediger 695; territoriality, CROWCROFT 318; confined population experimental studies, South-WICK 1477; social behaviour affecting litter survival, Southwick 1478; population regulation mechanisms, STRECKER 1498; food consumption reduced at low temperatures, Strecker 1499; molar pattern development and homology, GAUNT 557; wide distribution of mutant alleles in wild populations, DUNN 418; ectoparasite relation to environment in Mississippi, Smith 1460; plague on South Seymour, Galapagos, EIBL-EIBESFELDT 449; M. m. pygmaeus subsp. nov. Pangboche (c. 14,000 ft.), Imje valley, Khumbu, Nepal, p. 28, Biswas and Khajuria 163; M. m. spretus, critical notes on taxonomy of wild and commensal mice in Europe and Mediterranean, FRECHKOP 520.

Myomys granti an Aethomys, M. verroxii a Mastomys, Lundholm 997.

Nesokia indica suilla range extension westward in Egypt, HOOGSTRAAL and others 764.

Ochromys woosnami skull characters, Lundholm 997.

Otomys maximus davisi subsp. nov. Kabuta Village, E. Caprivi, p. 295, Lundholm 995.

†*Parapodemus albae* sp. nov. Miocene, Csakvar, Fejer, Hungary, pp. 389, 407, Kretzoi 907.

Pelomys (Komemys) hopkinsi sp. nov. Rwamachuchu, Rukiga County, Kigezi, S.W. Uganda, p. 324, paratypes from Ruanda, HAYMAN 690.

Petromyscus collinus kurzi subsp. nov. Renosterberg, S.W. Africa, p. 171, Lehmann 971; P. c. rufus Sesfontein, S.W. Africa, P. c. variabilis Seeheim, Fish River, S.W. Africa, both subspp. nov. p. 299, Lundholm 995.

Rattus tail tangling, Anon. 18; egg carrying technique, WYATT 1744; body temperatures, Kartman 854; R. dom. competition between feeding and investigation, Chance and Mead 252; haematology, Jelinka 818; R. exulans insular differentiation in W. Samoa, measurement data, black individuals taken, MARPLES 1034; plague on Howland Island in 1854, HOWLAND and GREENWAY 780; R. e., R. rattus comparative status and Arno Atoll, Marshall Is., Marshall 1035; R. namaquensis longicaudatus subsp. nov. Epupa Falls, S.W. Africa, p. 171, LEHMANN 971; R. norvegicus effects of domestication and selection on behaviour, RICHTER 1303; rate and duration of growth of skull bones, Serafinski 1406: need for improved control methods in sewers, Bentley and others 143; invasion routes in U.S.S.R., AIZEN-SHTADT 44; R. n., R. rattus competition, territoriality, BARNETT 109; R. n. otomoi local record, Fujiwara 543; R. rattus occurrence in sewers in Britain, Davis 354; notes on biology, GAFFREY 551; past and present status in Czechoslovakia, colour variations, breeding biology, Jirsik 819; control in Holland, Anon. 17; R. r. alexandrinus record from Marcus Island, Kuroda 934; R. r. khumbuensis subsp. nov. Phorcha (c. 14,000 ft.), Dudh Kosi valley, Khumbu, Nepal, p. 27, Biswas and Khajuria 163.

Thallonys generic characters, Lundholm 997; T. nigricauda davisi Rietfontein, Cape Province, T. n. zambesiana junction of Mussenguez and Zambesi Rivers (south bank), S. Rhodesia, both subspp. nov. p. 300, Lundholm 995.

GLIRIDAE

Dryomys nitedula range extension in Slovakia, nesting habits, Turcek 1600; D. n. intermedius distribution in Salzburg region, Tratz 1593.

Eliomys quercinus first record from Egypt (Western Desert), HOOGSTRAAL and others 764; E. q. sardus distribution, habitat and habits in Corsica, Kahmann and Frisch 843.

†Eliomys intermedius Pliocene, S. France, recognised as species, Thaler 1567.

Glirulus japonicus local note, Hosono 775.

Glis glis glis detailed biological study in Germany, Vietinghoff-Riesch 1652; marking results in Germany, Vietinghoff-Riesch 1653; population fall in 1954, Löhrl 991; history of introduction and spread, Street 1502; G. g. melonii distribution, habitat, habits in Corsica, Kahmann and Frisch 843.

Muscardinus avellanarius emergence from hibernation, wandering, LIKHA-CHEV 977.

ZAPODIDAE

Sicista betulina distribution and status in Sweden, Hanström 670.

Zapus hudsonius repeated hibernation, Clough 280; Z. h. americanus notes on Connecticut specimen, Walton 1677; Z. princeps utahensis new range records in Utah, Durrant and others 430.

DIPODIDAE

Jaculus jaculus elbaensis Wadi Darawena, (36° 22′ E., 22° 11′ N.) Jebel Elba, Sudan Government Administrative Area, p. 183, J. j. favillus Bir Bosslanga, Salum, Western Desert Governorate, p. 184, both subspp. nov. Egypt, Setzer 1410.

Paradipus ctenodactylus northern limits, Naumov and Stroechkovski 1125.

SUBORDER HYSTRICOMORPHA

Distribution and classification of the "Hystricomorpha," new suborder Pentalophodonta, new infraorder Palaeotrogomorpha, Schaub 1367.

HYSTRICIDAE

Acanthion leucurus erythrism in e ylon, DERANIYAGALA 392.

Hystrix indica occurrence in Afghanistan, Dupree 422.

†Miohystrix gen. nov. for type species M. parvae sp. nov. Miocene, Csakvar, Fejer, Hungary, Kretzoi Foldt. Kozl. 81 1951: 389, 407.

ERETHIZONTIDAE

Coendou prehensilis diet in captivity, Dechambre 368.

Erethizon dorsatum removal of foreign quills, Shadle 1412; effect of quills in humans, Shadle 1413; pelage character, growth and changes, Po-Chedley and Shadle 1237; E. d. myops summer and winter metabolism in Alaska, Irving and others 803.

CAVIIDAE

Cavia dom. normal blood picture, BILBEY and NICOL 157; urine sprinkling in courtship, Frühling 539.

DASYPROCTIDAE

Agouti paca use of cheek pouches for sound production, HERSHKOVITZ 717.

CHINCHILLIDAE

Chinchilla sp. introductions to California, no known survivals, Voris and others 1669; C. laniger x-chromosomes, Thompson 1577; genital organ anatomy, endocrine glands and body weights, Roos and Shackelford 1327.

CAPROMYIDAE

Capromys (Geocapromys) columbianus cave remains from Cuba, Koopman and Ruibal 897.

Capromys (Mystateles) nana, C. (M.) prehensilis cave remains from Cuba, Koopman and Ruibal 897.

Myocastor coypus oestrous cycle, Gluchowski 586; composition of milk, Wojcik and Zdbycki 1731; introduction in Britain, food and ecology, Davis 355; status and distribution in E. Anglia, Anon. 22; in W. Suffolk, Rutterford 1338; introduction and status in France, Dorst and Giban 405; introduction, breeding and exploitation in Transcaucasian reservoirs, Vereshchagin 1637; introduction and status in Japan, Kuroda 936; occurrence in Ontario, Allin 52; introduction in Minnesota, Gunderson 634; introduction, status and food habits in Texas, Swank and Petrides 1512.

CTENOMYIDAE

Ctenomys torquatus distribution and habitat in Uruguay, Talice and others 1525; food preference in captivity, Talice and Momigliano 1527; burrow system, microclimate, Talice and Momigliano 1528; vocal sounds, Talice and Momigliano 1529; structure and functioning of eye, Talice and Momigliano 1530; capture, rearing and handling, Talice and Momigliano 1531.

ABROCOMIDAE

Abrocoma cinerea range extension in Chile, Koford 890.

ECHIMYIDAE

Proechimys hendeei nigrofulvus additional specimens, LAURIE 954.

PETROMYIDAE

Petromus typicus greeni Sanitatas, S.W. Africa, p. 301, P. t. pallidior Sesfontein, S.W. Africa, p. 302, subspp. nov., Lundholm 995.

ORDER CETACEA

6th meeting (1954) of International Whaling Commission, Anon. 6.

Cetacea as economic resource, distribution, systematics, status, Popovici and Angelescu 1244.

Nature of whale's 'blow,' Fraser and Purves 514.

New views on "spout" in Cetacea, Tomilin 1587.

Reaction of cetacea to sound waves, Tomilin 1588.

Voice in cetacea, SLIJPER 1449.

Endocranial casts of recent and fossil cetacea, Breathnach 203.

Whale marking returns, Mackintosh 1011, 1012.

Account of whale marking, BUDKER 217.

Whale marking in Kurile waters, SLENTZOV 1448.

Skin structure in some Cetacea, Sokolova 1467.

Embryology of cetacea, SLENTZOV 1446.

Whaling exhibition at London Zoo, MATTHEWS 1046.

Vol. 92

Fossilization processes in cetacea, Schäfer 1366.

Antarctic whaling statistics, Anon.

Antarctic whaling 1951-54, CLARKE 275.

Lamprey scars on whales, Nemoto 1132.

Whaling grounds, Klumov 885.

Cetacea off W. Wales, MATTHEWS 1047.

Cetacea of Shetland, Venables and Venables 1635.

Cetacea taken in Denmark within historical times, Bondesen 179.

History and development of Norwegian small whaling industry, Jons-GARD 834.

Recent strandings on west coast of France, Niort 1137.

German whaling history in Greenland seas 1700–1900, OESAU 1153.

Cetaceans stranded at Hong Kong, Romer 1324.

Whales and whaling in N. Pacific, OMURA 1166.

Whaling in Japanese seas, KAKUWA

Distribution of cetacea in Okhotsk and Behring Seas, ZENKEREVICH and others 1766.

Whaling at Hawaii, mid-19th century, Dorsett 404.

Cetacea of Gulf of Mexico, Gunter 636.

SUBORDER ODONTOCETI

†SQUALODONTIDAE

†Metasqualodon taxonomic discussion, Glaessner 582.

†Squalodon gambierense sp. nov. Oligocene, 7½ m. W.N.W. of Mt. Gambier, S. Australia, p. 362, Glaess-Ner 582.

ZIPHIIDAE

Berardius bairdi detailed study of data on Japanese catches, Omura and others 1167.

Mesoplodon densirostris first record for Texas coast and Gulf of Mexico, Gunter 637; M. gervaisi range extension to Trinidad, comparative characters, list of known specimens, Fraser 512.

Ziphius cavirostris data on Japanese catches, Omura and others 1167; stranded in Florida, misconceptions on external appearance, criticism of accepted identification criteria, Wood and Moore 1735.

PHYSETERIDAE

Physeter catodon breeding cycle, CHUZHAKINA 273; daily activity rhythm in Antarctic, Matsushita 1045; size at sexual maturity in Antarctic, NISHI-WAKI 1138; chromosome numbers, Nowosielski-Slepowron and Peacock 1146; body proportions and measurements, Ivanova 805; food, Akimushkin 45; food in Kuriles, Betesheva and AKIMUSHKIN 153; swallowing giant squid of 16 ft. standard length (34 ft. overall), CLARKE 276; stranded on Tunisian coast, Postel 1245; old illustration of cow holding calf in jaws, PURRINGTON 1256.

Kogia breviceps Texas records, characters, seasonal distribution, Gunter and others 638.

DELPHINIDAE

Popular account of dolphins, Fraser 513.

Delphinus bairdii first authentic record for British Columbia, GUIGUET 631; D. delphis occurrence in Gulf of Mexico, Caldwell 234; stranded on Cheshire coast, Ellison 457; D. d. ponticus reproduction, Klumov 884.

Globicephala observations on calving and on new-born young, STARRETT and STARRETT 1483; G. macrorhyncha occurrence in Gulf of Mexico, Caldwell 234; G. melaena biological study, Anon. 8; studies at Newfoundland, Anon. 12.

Grampus griseus status in Western Channel, off France, Lami 941.

Lagenorhynchus ognevi sp. nov. Nemoro sea, 15-20 miles east of Kunashir Island, S. Kuriles, Sea of Japan, p. 60, SLENTZOV 1447.

 $\dagger Leptodelphis$ gen. nov. for type species L. stavropolitanus sp. nov. Miocene, Stavropol, central Pre-Cau-

casus, USSR, Khirpichnikov Trav. Inst. Paleont. Acad. Sci. USSR 47 1954 (Tertiary Mammals, pt. 2) p. 182.

Lissodelphis peroni external characters, distribution, photos of live specimens, Fraser 511.

†Lophocetus pappus sp. nov. Miocene, Governor's Run, Maryland, p. 101, Kellogg 858.

†Pelodelphis gen. nov. for type species P. gracilis sp. nov. Miocene, Governor's Run, Maryland, p. 132, Kellogg Proc. U.S. Nat. Mus. 105 1955.

Prodelphinus caeruleo-albus embryonic anatomy, Hosokawa 774.

†Sarmatodelphis gen. nov. for type species S. moldavicus sp. nov. Miocene, near Kishineva, Moldavia, Khirpich-nikov Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 47 1954 (Tertiary Mammals pt. 2) p. 187.

Stenella plagiodon notes from Gulf of Mexico, Caldwell 234.

†Tretosphys gabbii identity and characters, second specimen from Miocene, Maryland, p. 144, Kellogg 858.

Tursiops truncatus slackness of skin, skin folds due to speed changes, ESSAPIAN 470; evidence of home range, CALDWELL 233; supporting dead young in water, Moore 1092; record from Gulf of Tunis, Heldt 702.

PHOCAENIDAE

Vascular heat exchange in fins of porpoises, Scholander and Schevill 1375.

Phocaena phocaena reproduction and growth in Baltic, Mohl-Hansen 1083.

Phocaena (Phocaenoides) dalli dalli and P. (P.) d. truei relationship in North Pacific, Kuroda 935.

SUBORDER MYSTICETI

Wax plug in external auditory meatus of Mysticeti, Purves 1257.

Age composition and mortality rates of fin whales, overfishing, Hylen and others 792.

Antarctic fin whale stocks mortality, Ruud 1342.

Foetal growth rate of fin whales, Symons 1517.

Composition of fin whale milk, OHTA and others 1157.

†CETOTHERIIDAE

†Aglaocetus? sp. nov. Miocene S. Australia, discussion of family characteristics, p. 369, GLAESSNER 582.

BALAENOPTERIDAE

Balaenoptera sp. brain, Friant 533: food analysis in Kuriles, Betesheva 151, 152; B. acutorostrata recent stranding in Florida, Moore and Palmer 1094; studies at Newfoundland, Anon. 12; B. borealis, B. brydei comparative study, body weights, Fujino 542; study of movements in Japanese seas, OMURA and Nemoto 1168; B. brydei recognition characters, possibility of migration to Antaretic, Symons 1516; B. musculus stocks in N. Atlantic, Christensen 270; distribution and status in N. Atlantic and adjacent Arctic, JONSGARD 833; B. physalus pituitary hormones, Foglia and Penhos 503; B. p., B. musculus chromosome numbers, Nowosielski-SLEPOWRON and PEACOCK 1146.

Megaptera novaeangliae brain, BREATHNACH 202; male reproductive changes, CHITTLEBOROUGH 264; growth and puberty off W. Australia, CHITTLEBOROUGH 265.

BALAENIDAE

Balaena mysticetus subfossil remains in Sweden, Bergquist 149.

ORDER CARNIVORA

SUBORDER FISSIPEDA

Anatomical peculiarities of roots of carnivore cheek teeth, BODINGBAUER 175.

Census methods for carnivores, Nasimovich 1124.

Carnivores of Wales, short review, MATHESON 1042.

Wyoming fur bearers, Thomas 1575. Fossil carnivora from Pleistocene, Morocco, Mas 1040.

Little-known carnivores from Pliocene of W. Germany, Tobien 1585.

CANIDAE

Popular account of Canidae, Ferrois 491.

Canid remains from Indian site in New Mexico, Allen 50a.

Canis australis Kerr 1792, proposed acceptance for Falkland Islands wolf, HEMMING 705; C. dingo Meyer, application for validation, MORRISON-SCOTT 1104, TATE 1537; C. dom., crossings between widely different forms, KLATT 882; scenting discrimination of individual human odours, Kalmus 851; learning ability tests, Anastasi and others 57; discovery of prehistoric fullyhaired remains in Germany, Lotze 993; C. familiaris aegyptica subsp. nov. Predynastic Cemetery, Maadi, Cairo, p. 109, Moustafa 1113; C. f. ingae of Peru probably descended from dogs of 10th century Viking settlers in N. America, Friant 531; C. latrans food analysis in Nebraska, Fichter 494; food habits in N.E. Kansas, FITCH and PACKARD 500; false heat in a yearling. ENDERS 459; C. l., C. lupus status in Tennessee, Schultz 1380; C. lupus history and disappearance in Jura, JULLIEN and MOREAU 840; numbers and distribution in Czechoslovakia, FERIANCOVA 489; status in W. Carpathians, Czechoslovakia, FERIANCOVA and Komarek 490; census methods, Kozlov 902; habits and control measures, Sapieha 1357; ? occurrence in Burma, YIN 1753; control operations and population study in Wood Buffalo National Park, Fuller and Nova-KOWSKI 545: analysis of "wolf-child" stories, Selys-Longchamps 1397; C. l. lycaon field study in Minnesota, STENLUND 1489.

†Canis lupus apscheronicus subsp. nov. Pleistocene, asphalt of Binagadin, Apscheron Peninsula, Azerbaijan, p. 47, VERESHCHAGIN 1638.

Cuon? grey species in Burma, Yin 1753.

†Hemicyon taxonomy, generic subdivision, H. dehmi sp. nov. Miocene, Wintershof-West, near Eichstatt, Bavaria, p. 89, Ginsburg 575.

Lycaon pictus general account, HUBERT in EDMOND-BLANC 439; genetics of colour pattern, PETZSCH 1213.

Nyctereutes procyonoides status and habits in White Russia, Dolbik 402.

†Oxetocyon gen. nov. for type species O. cuspidatus sp. nov. Oligocene, 7 miles E. of Rockyford, Shannon County, South Dakota, GREEN Trans. Kansas Acad. Sci. 57 1954: 218.

† Phoberocyon gen. nov. p. 89 for type species P. aurelianensis Frick, P. huerzeleri sp. nov. Miocene, Burgdorf, Switzerland, p. 90, GINSBURG Bull. Soc. Geol. France (6) 5 1955.

†Plithocyon gen. nov. p. 91 for type species P. armagnacensis sp. nov. Miocene, Sansan, Armagnac, S.W. France, p. 92, GINSBURG Bull. Soc. Geol. France (6) 5 1955.

Urocyon cinereoargenteus food analysis in Iowa, Scott 1389; U. c. scottii new range record in Utah, DURRANT and others 430.

Vulpes fulva food analysis in Iowa, Scott 1389; V. f. deletrix food habits, Dodds 401; V. vulpes inheritance of dark phases, Oksala 1158; inheritance of "Samson" character in Finland, OKSALA 1159; feeding habits in absence of rabbits, Cobnut 281; census methods in U.S.S.R., CHIRKOVA 263; V. v. alascensis summer and winter metabolism in Alaska, IRVING and others 803; V. v. crucigera food habits after myxomatosis, Christian 271; eating diseased rabbits, Knowles 888; stomach contents, MINCHELL 1080; heavy cestode infection. MENDHEIM 1061; field notes on a family, Bramhill 195; V. v. fulva ecology and economic position, Scott 1388.

†Xenalopex gen. nov. for type species X. remenyii sp. nov. Pleistocene, Kislang, Fejer, Hungary, pp. 222, 248, KRETZOI Jb. ung. geol. Anst. 1953 (1954).

URSIDAE

"Abominable snowman" tracks figured by F. S. Smythe, 1937, probably bear, Ali and Santapau 48.

†Galeotherium brevirhinum pannonicum sp. nov. (sic) Miocene, Csakvar, Fejer, Hungary, pp. 50, 62, Kretzoi 908.

Helarctos inornatus Pucheran valid name for the reputed former sun bear of Ceylon, Deraniyagala 393; H. malayanus rearing, habits in captivity, photos, Hislop 744.

Melursus ursinus valaha nom. nov. for M. u. inornatus Pucheran, p. ?, Deraniyagala 385; p. 103, Deraniyagala 386; Deraniyagala 393.

†Pseudarctos aff. bavaricus first Pliocene occurrence, from W. Germany, Tobien 1585.

Thalarctos maritimus breeding in Nuremberg 200, data, weights, feeding, Serrz 1393.

Tremarctos ornatus masticatory mechanism, herbivorous modifications, Davis 349.

†Ursulus subgen. nov. (type U. arvernensis) see †Ursus.

Ursus americanus colour change, MILLER 1072; status in Tennessee, SCHULTZ 1379; haematology, SVILHA and others 1508; winter den high in tree, SWITZENBERG 1514; U. arctos numbers and distribution in Czechoslovakia. Feriancova 489; status in W. Carpathians, Czechoslovakia, FERIANcova and Komarek 490; U. a. and Pleistocene allies, allometric changes in molar, Kurten 937; U. a. californicus former history and biology, STORER and TEVIS 1497; U. a., U. horribilis and hybrids, hair characteristics, Lochte 983; U. a. middendorffi general habits, a history of Whipsnade pair, STREET 1501; U. a. pruinosus possible maker of "snowman" tracks figured by F. S. Smythe, 1937, ALI and SANTAPAU 48; U. horribilis feeding on beetles, Chap-MAN and others 257.

†Ursus sackdillingensis sp. nov. Pleistocene, Sackdilling, Oberpfalz, Bavaria, p. 520, Heller 703; †U. spelaeus sex dimorphism and size trends, Kurten 938; dental anomaly, Ronchetti 1326.

†Ursus (Ursulus subgen. nov.) for type species U. arvernensis, pp. 223, 248, Kretzoi Jb. ung. geol. Anst. 1953 (1954).

PROCYONIDAE

Ailurus fulgens hypophysis, Oboussier 1148; notes, Sosnovski 1469.

Bassariscus astutus feeding habits, EDWARDS 444.

Nasua nasua mephisto notes on a specimen from Ecuador, Laurie 954.

Potos flavus biology and habitat in El Salvador, Felten 484.

Procyon lotor electrocardiogram, WIL-BER 1718.

MUSTELIDAE

Census methods for mustelids, Tep-Lov 1561.

Moult of stoat, pelage pattern in some mustelids, Freenkor 518.

Charronia flavigula peninsularis distribution and colour phases in Pahang, FOENANDER 502.

Enhydra lutris in captivity, habits, food, photos, Kirkpatrick and others 879; former distribution in Kurile Is., Uspenski 1621; short account, Kenyon and Scheffer 861.

Gulo gulo gulo winter ecology in Russia, Teplov 1563; reproduction study, Wright and Rausch 1742; G. g. luscus distribution, status, and increase in Montana, Newby and Wright 1133; G. g. luteus recent Californian records, Jones 830.

Lutra canadensis food analysis in Montana, Greer 615; occurrence east of Sierra Nevada in California, Laughlin 953; L. c. nexa new range record in Utah, Durrant and others 430.

Lutreola vison notes on breeding in captivity, Mamy 1023.

Martes americana recent Minnesota record, Stenland 1488; M. a. sierrae low altitudinal record in California, Jones 829; M. foina, M. martes numbers and distribution in Czechoslovakia, Feriancova 489; M. martes sex ratio, regional variation in Finland, Lampio 942; eating hedgehog, Muller-Using 1116; M. zibellina population estimate, Raevski 1264.

Meles meles meles craniological studies on Norwegian material, taxonomic position of Danish and German badgers, use of punch-card technique in craniology, HYSING-DAHL 793; habits and economic status in Britain, NEAL 1127; status in Bedfordshire, KEY 865; past and present status in Northumberland and Durham, Cowen 304; life history, SOPER 1468; habits and photos, LANCUM 944.

Mellivora capensis indica occurrence in Turkmenia, Sukhinin and Shcherbina 1506; M. ratel observations on association with honey guide, Friedmann 536; M. r. maxima subsp. nov. E. Africa 2 p. 214, Heuvelmans 726.

Mephitis mephitica as pet, Ellis 456; M. m. nigra trans-uterine blastocyst migration, Llewellyn and Enders 982.

Mustela altaica reproduction, Gusev 640; M. erminea food habits, Brown 212; fishing habit, Green, P. R. 614;

additional Utah record, Anderson 59; M. e., M. nivalis specific characters, phylogeny, Frechkop 518; M. frenata preving on larval salamander, Sturges 1505; M. f. neomexicana status in Kansas, Schwilling 1386; M. lutreola, M. vison, origin of name mink, Bernström 150; M. nivalis measurements of fossil bones from Italy, Pezone 1219; M. rixosa range extension in British Columbia, Munro 1118; M. sibirica coreana, M. s. itatsi introduced to Japan, present status, Kuroda 936; M. vison letifera status in western Kansas, Stains and Packard 1481.

†Paralutra transdanubica sp. nov. Miocene, Csakvar, Fejer, Hungary, p. 390, 408, Kretzoi 907.

†Promephitis hootoni sp. nov. Pliocene, Kucukyozgat (Elmadag), Anatolia, p. 281, Senyurek 1404.

Putorius furo development of young, HERTER 722; yolk-sac, Morris 1099; anterior - pituitary - hypothalamic relations, Thomson and Zuckerman 1580; bacterial flora, Davies 348; P. f. possible origins, P. putorius caledoniae cranial characters, Ashton 81; P. p. furo possible origin and relationships, comparison with P. p. putorius and P. p. eversmanni, Ashton and Thomson 82; P. p. and P. furo raised together, Petzsch 1215.

Taxidea taxus status in S.W. Ontario, Bartlett 117; habits, photos, Peterson 1202.

Zorilla I. Geoffroy 1826 as valid name for Africa striped muishond, Hershkovitz 720.

†Mustelid gen. indet. vertesensis sp. nov. (sic) Miocene, Csakvar, Fejer, Hungary, pp. 50, 63, Kretzoi 908.

VIVERRIDAE

Civettictis civetta schwarzi field notes, ASTLEY MABERLEY 85.

Cynictis penicillata taxonomic study, seasonal colour variation, no valid subspecies but a cline-complex, Lundholm 996.

Genetta genetta past and present status in France, possible causes of reduction, BOUILLAULT and FILLOUX 187.

Helogale vetula breeding data in captivity, TAYLOR and WEBB 1541.

Herpestes auropunctatus snake-killing reputation not sustained, OLIVER 1161; H. a. a. biology in Puerto Rico, PIMENTEL 1226; poison control methods in Puerto Rico, PIMENTEL 1227; H. nigratus annulatus subsp. nov. Oropembe, Kaokoveld, S.W. Africa, p. 291, LUNDHOLM 995.

Paguma larvata introduction to Japan, present status, Kuroda 936.

Viverra civetta australis Klaserie, Olifants R., N.E. Transvaal, V. c. volkmanni Otavi Bergen, Otavi, S.W. Africa, both subspp. nov. p. 290, LUNDHOLM 995.

HYAENIDAE

African fossil hyaenids, dating and phylogeny, EWER 473.

†Adcrocuta advena sp. nov. Miocene, Csakvar, Fejer, Hungary, pp. 51, 64, Kretzoi 908.

Crocuta crocuta nature of bone breaking, and evidence of remains, SAVAGE 1363.

†Crocuta eximia Pliocene, Turkey, descr. figs., morphological variation, SENYUREK 1402; †C. venustula sp. nov. p. 828, C. crocuta angella subsp. nov. p. 830, both Pliocene, Swartkrans, Transvaal, Ewer 472.

Hyaena brunnea use of playthings, INHELDER 801.

†Hyaena brunnea dispar subsp. nov. Pliocene, Swartkrans, Transvaal, p. 824, Ewer 472.

†Leecyaena recorded from Pliocene, Transvaal, L. forfex sp. nov. Pliocene, Swartkrans, Transvaal p. 815, EWER 472.

†Lycyaena silberbergi additional specimens, amended description, L. nitidula sp. nov. Pliocene, Swartkrans, Transvaal, p. 842, EWER 473.

FELIDAE

Lions and leopards of Africa, JEANNIN in Edmond-Blanc 439.

Cheetah and smaller cats of Africa, Blancou in Edmond-Blanc 439.

Machairodonts of Transvaal caves, EWER 474. Acinonyx jubatus characters, habits, photos, Bridges 207; timed speed on greyhound racing track, p. 115, Meinertzhagen 1057.

†Dinobastis Cope synonym of Smilodon, Couto 297.

Felis dom. range of hearing, experimental results. NEFF and HIND 1128; currents of auditory cortex, Köhler and others 892; F. chaus valbalala subsp. nov. Karnool, S. India, p. 291, Deraniyagala 394; F. concolor occurrence in N.W. Ontario, Dear 365; reported in Oklahoma, Merrifield 1065; F. c. schorgeri subsp. nov. near Appleton, Outagamie County, Wisconsin (extinct), p. 149, Jackson 807; F. onca records and status in S.W. U.S.A., Hook 746; F. pardalis status and records in S.W. U.S.A., Hook 746; F. serval ingridi subsp. nov. Invanga Estates, S. Rhodesia, p. 291, LUND-HOLM 995; F. silvestris Schreber application for validation, Morrison-Scott 1107; occurrence near Bremerhaven, FRITSCHE 538; new record in Hessen, RIECK 1304; two recent records in Thuringia, MÜNCH 1117; numbers and distribution in Czechoslovakia, FERIAN-COVA 489; status in W. Carpathians, Czechoslovakia, Feriancova and Ko-MAREK 490; development of behaviour patterns, comparison with Lynx, LINDE-MANN 980; F. s., F. dom., comparative anatomy, Rohrs 1318; F. s. skeletal comparison with F. dom., CANTUEL 237; F. s. caucasica notes on reproduction, Rukovski 1332; F. yaguarondi cacomitli status and records in S.W. U.S.A., HOCK 746.

Leo maculatus sp. nov. for the spotted lion of Kenya Highlands 2 p. 165, Heuvelmans 726.

Lynx canadensis recent occurrence in Michigan, Erickson 466; L. lynx numbers and distribution in Czechoslovakia, Feriancova 489; status in W. Carpathians, Czechoslovakia, Feriancova and Komarek 490; ecology in Central U.S.S.R., Yurgenson 1759; development of behaviour patterns, comparison with Felis silvestris, Lindemann 980; L. rufus aged 25 years, Carter 243.

†Megantereon barlowi Broom referred to Therailurus, p. 599, M. eurynodon sp. nov. Pliocene, Kromdraai, Transvaal, p. 605, EWER 474. Neofelis nebulosa status in Pahang, Foenander 502.

Panthera leo bone disease in captivity, Ottow 1173; P. pardus remarkable femur fracture self-healing, Ali and Santapau 49; P. p. kotiya subsp. nov, Ceylon, p. 103, Deraniyagala 386; P. tigris reports from Sir-Darya. Turkestan, Demchuk and Pashkov 381; unrecorded sounds, Burton 228; note on melanism, Yin 1753.

†Panthera (Leo) spelaea Pleistocene, Czechoslovakia, descr. figs., Zazvorka 1763.

†Smilodon generic synonymy, S. populator review of material, S. californicus a subspecies, Couto 297.

†Smilodontopsis Brown synonym of Smilodon, Couto 297.

†Therailurus piveteaui sp. nov. Pliocene, Kromdraai, Transvaal, p. 588, T. barlowi Broom redescribed, p. 599, EWER 474.

†Trucifelis Leidy synonym of Smilodon, Couto 297.

SUBORDER PINNIPEDIA

Pinnipeds as economic resource, distribution, systematics, status, Popovici and Angelescu 1244.

German sealing history in Greenland seas 1700–1900, OESAU 1153.

Norwegian sealing, conservation measures, Sellaeg 1394.

Distribution of pinnipeds of Okhotsk and Bebring Seas, ZENKEREVICH and others 1766.

Learning ability of sea-lions and seals under training, LEHMANN 968.

Field key to pinnipeds of U.S. Pacific coast, Kenyon and Scheffer 861.

OTARIIDAE

†Cf. Allodesmus kernensis Miocene, California, descr. figs., Downs 407.

Arctocephalus pusillus study of reproduction, RAND 1276.

Callorhinus alascanus catch statistics; 1951, Thompson 1578; 1952, Thompson 1579; Indian spearing technique in Alaskan coastal waters, Kenyon 860; C. ursinus distribution and food in N.

Pacific, international investigation, TAYLOR and others 1539; history of past distribution on Kurile Is., USPENSKI 1621; decrease in body size with increase in numbers, Scheffer 1369; dental abnormalities, CHIASSON 262.

Otaria byroni in Falkland Islands, historical note, Barras y de Aragon 111.

Zalophus wollebaeki territorial behaviour and care of young on Galapagos, EIBL-EIBESFELDT 447; biological notes, EIBL-EIBESFELDT 448; habits, photos, EIBL-EIBESFELDT 450.

ODOBENIDAE

Odobenus Brisson, 1762, and O. rosmarus Linnaeus, application for validation, HEMMING 706; O. rosmarus a 1939 record on Mecklenburg coast, Erhardt 465; fossil tusk in Denmark, NORDMANN 1141.

Rosmarus Brunnich 1771 recommendation for rejection, HEMMING 706.

PHOCIDAE

Systematic revision of Phocinae, Chapski 258.

Taxonomy of Caspian and Baikal seals, Chapski 259.

Halichoerus grypus technique of ringing and results, Hewer 727; catching technique for marking, Johnson 821; studies on Farne Is. in 1953 and 1954, weights, measurements and moults of young, Hickling and others 733; nostrils as field recognition character, Wynne-Edwards 1746; status and habits on Welsh coast, Matthews 1047; breeding status on Lundy, Anon. 28; weaning time, Macintyre 1007.

Hydrurga leptonyx growth rate, PAULIAN 1190.

Mirounga angustirostris past and present status, habits, Bartholomew 116; in Copenhagen zoo, Reventlow 1294; M. leonina history and notes on captive animals, Steinmetz 1487; status on Marion Island, Rand 1277; cow with new-born pup on S. African coast, Kettlewell and Rand 864; foetal and juvenile reproductive organs, Bonner 181; deaths from septicaemia in captivity, Nouvel and Rinjard 1143.

Monachus monachus recent occurrence on coast of Alicante, status in Balearic Islands, Cabo 232; status and records in Madeira, Canaries, coast of Portugal and N.W. Africa, Monod 1090; M. tropicalis status in Gulf of Mexico, Gunter 636.

Phoca groenlandica biology, exploitation, need for international agreement on conservation, Lillie 978; recorded in Elbe, 1896, Erhardt 465; P.,hispida life history, Scherman and Miller 1371; P. vitulina characters, distribution, biology, Mohr 1084; study of breeding colony in Shetland, Venables and Venables 1634; nostrils as field recognition character, Wynne-Edwards 1746; occurrence on Spanish coast, Planchuelo 1236.

†ORDER CONDYLARTHRA

†Periptychidae

†Cf. Conacodon entoconus Paleocene, Goler formation, Mojave Desert, California, descr. figs., McKenna 1009.

†ORDER LITOPTERNA

†MACRAUCHENIIDAE

†Macrauchenia patachonica Pleistocene, Pernambuco, Brazil, deser. figs., VIDAL 1650.

†ORDER NOTOUNGULATA

†Suborder Toxodonta

†Toxodontidae

Revision of haplodonts, Couro 296.

†Hyperoxotodon speciosus phylogeny and taxonomy, PASCUAL 1181.

†Nesodonopsis burckhardti selected as type species, N. deformis, N. speciosus descr. figs., PASCUAL 1181.

†Palyeidodon obtusum expanded and corrected description, Pascual 1181.

ORDER PROBOSCIDEA

†Suborder Moeritherioidea

†MOERITHERHDAE

†Moeritherium latidens p. 15, M. pharaohensis p. 16, both Eccene, Qasrel-Sagha, W. of Lake Birket Quarun, near Fayum, Egypt, spp. nov., Deraniyagala 388.

SUBORDER ELEPHANTOIDEA

Fossil and recent elephants, systematic review, DERANIYAGALA 388.

[1955]

Fossil Proboscidea from S.E. Asia, study of Dubois collection, HOOIJER 765.

Loss of tusks in pleistocene elephants, Adam 39.

Fossil proboscideans from Japan, Abai and Shikama 37.

Proboscidea from Plio-Pleistocene boundary, South Kanto, Japan, Ogose 1156.

Proboscideans of Sahabi, Tripoli, Реткоссні 1206.

Miocene mastodonts from Spain and Portugal, Bergounioux and Crouzel 147.

Monograph of Portuguese Miocene mastodonts, Bergounioux and others 148.

Reclassification of S. American mastodonts, Simpson and Couto 1439.

†Gomphotheridae

†Geisotodon gen. nov. for type species G. ibericus sp. nov. Miocene, Burgos, Spain, p. 1488, BERGOUNIOUX and CROUZEL, C.R. Acad. Sci. Paris 241 1955.

†Pentalophodon sivalensis Pliocene, Sahabi, Tripoli, descr. figs., Petrocohi 1206.

†Serridentinus hispanicus sp. nov. Miocene, Monte de la Abadessa, Km. 235 on road from Madrid to Burgos, p. 97, Zbyszewski 1765; †S. lusitanicus minor Quinta do Quebra Bilhas, p. 95, S. l. gracilis Quinta Grande (Charneca), p. 98, S. l. imperfecta Quinta da Raposa (Charneca), p. 99, all subspp. nov. Miocene, Lisbon, Portugal, Bergounioux, Zbyszewski and Crouzet 148.

†Stegomastodon mirificus Plio-Pleistocene, Texas, descr. figs., Savage 1362; †S. (subgen. innom.) brasiliensis synonym of Haplomastodon waringi, Simpson and Couto 1439.

†Stegotetrabelodon syrticus, S. lybicus Pliocene, Sahabi, Tripoli, comparative study, Ретгоссні 1206.

†Tetralophodon longirostris Pleistocene, Slovenia, new find, RAKOVEC 1269.

†Trilophodon angustidens Miocene, Portugal, deser. figs., T. olisiponense sp. nov. Miocene, Lisbon, p. 57, ZBYSZEWSKI 1764; †T. angustidens major subsp. nov. Miocene, Cerro del Cristo del Otero, Palencia, Spain, p. 1490, BERGOUNIOUX and CROUZEL 146; †T. a. minor, pp. 31, 54, T. a. imperfecta subspp. nov. Miocene, Lisbon, pp. 31, 64, BERGOUNIOUX, ZBYSZEWSKI and CROUZEL 148.

†MAMMUTIDAE

†Haplomastodon re-defined, variation of original characters, H. chimborazi synonym of H. waringi, SIMPSON and COUTO 1439.

†Haplomastodon (Aleamastodon) guayasensis synonym of H. waringi, Simpson and Couto 1439.

†Mammut americanus Pleistocene, W. Virginia, Kovalick 900; †M. affamericanus praetypicus Pleistocene Hungary, descr. figs., Janossy 816.

†Zygolophodon pyrenaicus aurelianensis Miocene, Portugal, descr. figs., Zbyszewski 1764.

ELEPHANTIDAE

†Archidiskodon celebensis, A. planifrons additional material described, HOOIJER 765; †A. cf. planifrons Pleistocene, Vietnam, descr. figs., PATTE 1183.

†Dicyclotherium primigenius britannicus subsp. nov. Pleistocene, Cromer, Norfolk, p. 36, Deraniyagala 388.

Elephas maximus history, taxonomy, training, detailed external morphology, early lore, Deraniyagala 388; E. m. cave remains in Sumatra and Java, E. m. sondaicus and E. m. borneensis both of Deraniyagala probably not valid, Hooljer 765; E. m. growth rate for first 5 years; short interval between calvings, Gee 563; growth gradients, Rensch and Harde 1292; learning ability, Rensch and Altevogt 1290; experiments on learning ability, Rensch and Altevogt 1291.

+Elephas antiquus Pleistocene, Spain, recent find, Pan 1179; Pleistocene, Italy, new find, RONGHETTI 1325; †E. atlanticus maroccanus Pleistocene, Morocco, exceptionally large tusks, Ennought 464; †E. hysudricus, E. hysudridicus study of Dubois material, Hooljer 765.

†Hesperoloxodon turkmenicus sp. nov. Pleistocene, 2.5 km. N. of Mt. Khudai, Kel-Kor salt lake region, Kumdarsk, S.W. Turkmenia, p. 760, Dubrovo 412; short account of discovery, Dubrovo 411.

Loxodonta general account, Gromier in Edmond-Blanc 439; L. africana breeding rate and population study in Uganda, Simpson and Kinloch 1436; outline of ecological monograph, Verheyen 1641; notes on methods of measuring, Gowers 607; milk composition, rearing of calf, Taylor 1543; courtship observations and photos, Poles 1239; habits, notes on tuskless animals, Nicholson 1134; L. cyclotis reputed sedentary habits in S. Cameroons, Edmond-Blanc 441.

†Mammonteus primigenius from Hokkaido, Minato 1078; Pleistocene, Japan, new find, Minato and others 1079; former status and habitat in Norway, Heintz 700; ecological conditions, food plants, Pavlovsky 1193; †M. p. giganteus the Taimyr find; views on probable ecology, Polutoff 1242; ?†M. trogontherii molars from Pleistocene, Czechoslovakia, Musil 1121; remains from Pleistocene, Holland, Roding 1316; †M. trogontherii, M. primigenius Pleistocene, Slovenia, Rakovec 1270.

†Mammuthus (Archidiskodon) scotti sp. nov. Pleistocene, Virginia, Orange Free State, p. 189, Meiring 1058.

†Omoloxodon gen. nov. for type species O. recki Arambourg (not Dietrich) p. 25, (alternative name O. arambourgi nom. nov. p. 25), DERANIYAGALA, Some extinct elephants, their relatives and the two living species, Ceylon Nation. Mus. Pub. 1955.

†Stegodon ganesa synonym of S. insignis, review of subgenera, DERANI-YAGALA 389; †S. insignis, S. trigonocephalus, S. hypsilophus study of Dubois material, Hooljer 765; †S. syrticus Pliocene, Sahabi, Tripoli, descr. figs., Petrocchi 1206.

†Stegodon (Sulcicephatus) szechuani sp. nov. Pliocene, Wanhsien, Szechuan, p. 217, Deraniyagala 389.

†Stegolophodon sahabiensis Pliocene, Sahabi, Tripoli, descr. figs., РЕТКОССИ 1206; †S. saldanensis sp. nov. Miocene, Saldana, Palencia, Spain, p. 1489, BERGOUNIOUX and CROUZEL 146; †S. stegodontoides Pleistocene Punjab, new specimen, p. 11, HOOIJER 765.

†Stegoloxodon indonesicus Kretzoi probably synonym of Archidiskodon planifrons, p. 107, Hooijer 765.

†Suborder Deinotherioidea

†Deinotheriidae

† Deinotherium giganteum new finds in Serbia, Petronijevic 1207; † D. orlovii sp. nov. Tertiary, Kamalaials, India, p. 188, D. pentapotamiae, D. indicum valid species, Sahni and Tripathi 1350.

†ORDER EMBRITHOPODA

†ARSINOTHERHDAE

†Arsinoitherium morphology, probable physiology and ecology, MOUSTAFA 1114.

ORDER SIRENIA

SUBORDER TRICHECHIFORMES

Sirenia as economic resource, Popovici and Angelescu 1244.

DUGONGIDAE

†Halitherium schinzi new find Oligocene S. France, ASTRE 87.

TRICHECHIDAE

Manatus Brunnich 1771 rejected, Direction 13 2.

Trichechus latirostris data on captive specimens, photos, Severin 1411; T. manatus status in Gulf of Mexico, Gunter 636; T. senegalensis dentition in young, Dekeyser 369.

†Suborder Desmostyliformes

New finds of Desmostylids in Japan, Anon. 33.

ORDER PERISSODACTYLA

Function of metacarpus in Perissodactyla, Manzii 1029.

Perissodactyls of Sudan, list with distribution maps, MACKENZIE 1010.

SUBORDER HIPPOMORPHA

EQUIDAE

Taxonomy of recent Equidae based on craniometry, Skorkowski 1443.

Sequence of fusion in metacarpals and metatarsals in horses and zebras, MILLS 1076.

Equidae of Africa, BOURDELLE in EDMOND-BLANC 439.

Horse and donkey psychology, Antonius 66.

Male sterility in mule, cytological features, Makino 1019.

Ovulation processes in she-mules, BIELANSKI 156.

Donkey-zebra hybrid, MILLER 1075.

Miocene Equidae of Texas, Quinn 1262.

†Anchitherium aurelianense Miocene, Kazakhstan, descr. figs., Belyaeva 138.

†Astrohippus curtivallis sp. nov. Miocene, Buckner Ranch, Bee County, Texas, p. 40, QUINN 1262.

†Calippus anatinus p. 30, C. optimus p. 35, both spp. nov. Miocene, Buckner Ranch, 12 m. E. of Beeville, Bee County, Texas, QUINN 1262.

†Dinohippus gen. nov. for type species D. leidyanus Osborn, and D. subvenus sp. nov. Miocene, Bridge estate, 2 m. E. and 1 m. S. of Normanna, Bee County, Texas, both p. 43, QUINN Publ. Univ. Texas, No. 5516, 1955.

†Eoequus gen. nov. for E. wilsoni sp. nov. Miocene, 3 m. N.W. of Goodrich, Polk County, Texas, p. 54, Quinn Publ. Univ. Texas, No. 5516, 1955.

Equus of Old World, Gromova, 1949, French translation, Saint-Aubin in Gromova 624; E. caballus anatomical monograph, Tagand and Barone 1521; genetics of Arabian breed in U.S.A., Gazder 559; E. c. przewalskii history and status, Street 1500; E. dom. prolonged clotting time cause, Bell and others 135; E. przewalskii valid name for tarpan, E. caballus synonym, history and biology, Geptner 569; E. p. a hybrid, E. zebra includes as subspecies E. z. grevyi, E. z. burcheli, E. z. bohmi, E. z. quagga, E. z. montanus (based on craniometry), Skorkowski 1443.

†Equus laparensis sp. nov. Miocene, Buckner Ranch, Bee County, Texas, p. 58, Quinn 1262.

†Equus (Hesperohippus subgen. nov.) for type species E. (H.) mexicanus sp. nov. Pleistocene, Tajo de Tequixquiac, Mexico, Hibbard Contr. Mus. Paleont. Univ. Michigan 12 1955: 66.

†Griphippus gen. nov. for type species G. gratus Leidy, Quinn Publ. Univ. Texas No. 5516 1955 p. 42.

†Hesperohippus subgen. nov. (type H. mexicanus) see †Equus.

†Hipparion sp. from Kisateb, Russia, Gabuniya 549; †H. moritorum sp. nov. Pleistocene, Kislang, Fejer, Hungary, pp. 226, 251, Kretzoi 909; †H. primigenium csakvarense subsp. nov. Miocene, Csakvar, Fejer, Hungary, pp. 51, 64, Kretzoi 908.

†Hippodon valid genus, Quinn 1262.

†Hippotigris sellardsi Buckner Ranch, Bee County, p. 46, H. clarendonensis Adam Risley farm, S.E. of Goldston, Donley County, p. 49, H. parastylus Bridge estate, 2 m. E. and 1 m. S. of Normanna, Bee County, p. 50, all spp. nov. Miocene, Texas, Quinn 1262.

†Merychippus tehachapiensis sp. nov. Miocene, Phillips Ranch, Kern County, California, p. 148, Buwalda and Lewis 229.

†Neohipparion floresi, N. arellanoi spp. nov. Pliocene, Rio Papigochic valley, Chihuahua, Mexico, p. 886, STIRTON 1494.

†Parahipparion gen. nov. for type species P. crassum, Kretzoi Jb. ung. geol. Anst. 1953 (1954), p. 251.

†Pliohippus circulus sp. nov. Miocene, 1.3 m. N.W. of Cold Spring, San Jacinto County, Texas, p. 22, Quinn 1262.

†Protohippus vetus sp. nov. Miocene, 3½ m. W. and 2 m. S. of Point Blank, San Jacinto County, Texas, p. 17, QUINN 1262.

†Brontotheriidae

Recent finds of Brontotherii in U.S.S.R., YANOVSKAYA 1751.

†Protembolotherium gen. nov. p. 11 for type species P. efremovi sp. nov. Eocene, Ergil-Obo, S.E. Gobi, Mongolia, p. 14, Yanovskaya Trav. Paleont. Inst. Acad. Sci. U.S.S.R. 55 1954 (Tertiary Mammals, pt. 3).

†Chalicotheriidae

†Ancylotherium pentelicum Pliocene, Greece, new finds, Thenius 1568.

†Metaschizotherium taxonomic notes, Belyaeva 139.

†Phyllotillon taxonomic notes, Bel-

†Schizotheriodes gen. nov. for type species S. parvus sp. nov. Eocene, Sage Creek area, Beaverhead Co., Montana, p. 34, Hough J. Paleont. 29 1955.

†Schizotherium chucuae sp. nov. Oligocene, near Benara, Adigensk region, Caucasus, Georgia, p. 279, Gabuniya 547; †S. turgaicum, S. chucuae, S. avitum, Oligocene U.S.S.R. and Mongolia, review of material, Belyaeva 139.

SUBORDER CERATOMORPHA

†HELALETIDAE

†Desmatotherium revised diagnosis, D. kayi sp. nov. Eocene, Sage Creek area, Beaverhead Co., Montana, p. 31, Hough 777.

†Dilophodon leotanus Eocene, Montana, deser. figs., Hough 777.

TAPIRIDAE

†Tapiriscus gen. nov. for type species T. pannonicus sp. nov. Miocene, Csakvar, Fejer, Hungary, Kretzor Foldt. Kozl. 81 1951: 393, 411.

†HYRACODONTIDAE

†Prothyracodon turgaiensis sp. nov. Oligocene, Lake Chelkar-Teniza, Kazakhstan, p. 45, Belyaeva 137.

†AMYNODONTIDAE

†Amynodontopsis cf. A. bodei, Eocene, Montana, generic and specific characters, Hough 777.

†Cadurcodon taxonomic study, C. ardynensis detailed study, GROMOVA 623.

†Gigantamynodon gen. nov. p. 161 for type species G. cessator sp. nov. Oligocene, Ergil-Obo, E. Gobi, Mongolia, p. 162, GROMOVA Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 55 1954 (Tertiary Mammals pt. 3). †Hypsamynodon gen. nov. p. 165 for type species H. progressus sp. nov. Olicocene, Ergil-Obo, E. Gobi, Mongolia, p. 166, GROMOVA Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 55 1954 (Tertiary Mammals pt. 3).

RHINOCEROTIDAE

Ossification of nasal bones in fossil rhinoceros, Thenius 1573.

Tertiary rhinoceroses from Kazakhstan, comparative study, Belyaeva 137.

†Aceratherium aralense Oligocene, Kazakhstan, detailed study, figs., Borissiak 186.

†Allacerops turgaica minor subsp. nov. Oligocene, Tatal-Gol, W. Gobi, Mongolia, p. 200, Belyaeva 140.

†Aprotodon borissiaki sp. nov. Oligocene, near Agisp, Perovsk bay, Sea of Aral, Kazakhstan, p. 39, Belyaeva 137.

†Brachypotherium (Teleoceras) afaurelianense, B. brachypus, Miocene, Portugal, descr. figs., Zbyszewski 1764.

Ceratotherium simum cottoni data on pair in Antwerp zoo, morphology, habits, photos, Van den Bergh 1628; dental anomaly, Vialli 1649; general account, PITMAN in EDMOND-BLANC 439.

†Chilotherium quintanelensis Zbysz. synonym of Hispanotherium matritensis Prado, Villalta Comella and Crusafont Pairo 1657.

Dicerorhinus sumatrensis photos of young one in captivity, ULLRICH 1617; threatened existence in Borneo, HARRISON 684.

†Dicerorhinus hemitoechus Pleistocene, Vienna, descr., Thenius 1571.

Diceros bicornis general account, RITCHIE in EDMOND-BLANC 439; general habits, JOBAERT 820.

†Hispanotherium matritensis includes Chilotherium quintanelensis Zbysz., VILALTA COMELLA and CRUSAFONT PAIRO 1657.

Rhinoceros study of metapodials, Burchak-Aframoviya and Dzhafarov 218; in Burma, past and present status, Reynolds 1295; R. unicornis use of teeth for defence and attack, Burton 224; use of tushes as weapons, Shebbeare 1420; study of play activities, Inhelder 801.

† Rhinoceros tichorhinus skull measurements illustrating variation, Heuertz 724.

†Symphysorrhachis gen. nov. p. 192 for type species S. brevirostris sp. nov. Oligocene, Ergil-Obo, E. Gobi, Mongolia, p. 195, Belyaeva Trav. Inst. Paleont. Acad. Sci. U.S.S.R. 55 1954 (Tertiary Mammals pt. 3).

†Teleoceras fossiger Tertiary, Mexico, descr. figs., Maldonado-Koerdell 1021.

ORDER ARTIODACTYLA

Functional analysis of foot in Ungulates, Kasyanenko 855.

Ungulate census methods, ZHARKOV 1768.

Large ungulates playing with objects, INHELDER 800.

Upper Eocene Artiodactyla of N. America, Gazin 560.

SUBORDER SUIFORMES

†DICHOBUNIDAE

†Mytonomeryx gen. nov. for M. scotti sp. nov. Eocene, 7 miles E. of Myton, Duchesne County, Utah, p. 35, GAZIN Smithson. Misc. Coll. 128 1955.

†Pentacemylus leotensis sp. nov. Eocene, Leota Ranch artiodactyl quarry, Uinta Basin, Utah, p. 33, GAZIN 560.

†Sphenomeryx syn. of Hylomeryx, p. 27, Gazin 560.

SUIDAE

African wild pigs, Edmond-Blanc 439.

†Kubanochoerus gen. nov. for type species K. robustus sp. nov. Miocene, Belomechetskaya station, right bank R. Kuban, Stavropol, Nevinomyssk area, near Mt. Piket, N. Caucasus, Gabuniya C.R. Acad. Sci. Moscow 102 1955: 1203.

†Mesochoerus lategani sp. nov. Pleistocene, Elandsfontein Farm, 10 miles S.W. of Hopefield, Cape Province, p. 170, Singer and Keen 1440.

† Microstonyx major comparative study, Trofimov 1596.

†Palaeochoerus japonicus sp. nov. Miocene, Kitasaka, Yunogo-mura, Katsuta-gun, Okayama Prefecture, p. 333, Takai 1523.

Phacochoerus F. Cuvier, application for validation, Morrison-Scott 1108; P. aethiopicus biology in Tanganyika, growth, burrows, parasites, Geigy 564.

Potamochoerus porcus nyasae buccal pouch and commensal nematodes, MARLOW 1032.

Sus celebensis photos and notes on zoo specimens, APPELMAN 67.

†Sus antiquus Miocene, Greece, first report, Thenius 1569.

TAYASSUIDAE

Tayassu brain, Friant 527; T. angulatus breeding records in Arizona, McCulloch 1006; T. pecari healing of fracture of jaw, Della Serra 374.

†Anthracotheriidae

†Brachyodus onoideus Miocene, Portugal, descr. figs., Zbyszewski 1764.

Нірроротамідає

Choeropsis liberiensis general account, Bouet in Edmond-Blanc 439; nephritis in captivity, Schulze 1382.

†Hexaprotodon sinhaleyus Pleistocene, Ceylon, shown by fluorine test to be older than associated Elephas maximus remains, DERANIYAGALA 387.

Hippopotamus amphibius general account, Hoier in Edmond-Blanc 439.

†Hippopotamus sp. Pliocene, Peloponnese, Thenius 1570; †H. antiquus quasihexaprotodon descr. figs., Deranivagala 390; †H. pentlandi Pleistocene, Slovenia, descr. figs., Rakovec 1272; Pleistocene, Vienna, descr., Thenius 1571.

†AGRIOCHOERIDAE

†Diplobunops generic characters, HOUGH 777; †D. vanhouteni sp. nov. Eocene, White River pocket, Uinta Basin, Uinta County, Utah, p. 65, GAZIN 560.

†Protoreodon petersoni sp. nov. Eocene, Myton pocket, Uinta Basin, Utah, p. 59, GAZIN 560.

†MERYCOIDODONTIDAE

Evolutionary rate and variability in Miocene oreodonts, BADER 95.

SUBORDER TYLOPODA

CAMELIDAE

Behaviour study of llamas and camels, PLITERS 1225.

Camelus survival without drinking water, Streete 1503; C. dromedarius heat-resisting metabolism, Boltz 178; haemoglobin, Cabannes and Serain 231.

†Camelops of huerfanensis Pleistocene Idaho, new material, HOPKINS 773.

†Malaquiferus gen. nov. p. 76 for type species M. tourteloti sp. nov. Eocene, 1½ miles N.E. of east fork of Dry Creek, Fremont County, Wyoming, p. 77, GAZIN Smithson. Misc. Coll. 128 1955.

†Neoparacametus subgen. nov. (type N. alutensis) see Paracamelus.

†Oromerycidae fam. nov. p. 68 for Oromeryx, Protylopus, Camelodon, Malaquiferus, Eotylopus, Gazin Smithson. Misc. Coll. 128 1955.

† Paracamelus comparative study, Khaveson 868.

†Paracamelus (Neoparacamelus subgen. nov.) for type species P. alutensis Stefanescu, Khaveson C.R. Acad. Sci. Moscow N.S. 70 1950: 920.

†Poebrodon gen. nov. p. 78 for type species P. kayi sp. nov. Eocene, Myton pocket, Uinta Basin, Duchesne, Utah, p. 79, GAZIN Smithson. Misc. Coll. 128 1955.

SUBORDER RUMINANTIA

Artiodactyls of Sudan, list with distribution maps, Mackenzie 1010.

Distinguishing skeletal characters of deer, sheep and goats, HILDEBRAND 734.

Functional analysis of foot bones in Selenodonts, Manzii 1028.

†HYPERTRAGULIDAE

†Leptotragulus clarki sp. nov. Eocene, Myton pocket, 6 miles E. of Myton, Uinta Basin, Utah, p. 84, Gazin 560.

CERVIDAE

Evolution of cervids from morphological and ecological aspect, Flerov 501.

Scheme for study of British deer, Page 1177.

Roe and fallow relative abundance, Carne 238.

Antipathy of roe and fallow deer, Delap 370.

Introduced deer in France, Dorst and Giban 405.

Ungulates (mostly deer) of Bialowicza Forest, Poland, Sablina 1347.

Notes on deer of Matto Grosso, Kuhlhorn 930.

Alces alces past and present status in White Russia, Serzhanin 1408; status in lower Volga region, Martinov 1037; status in Ukraine, Sharleman 1416; attacking horse in water, Altmann 53; A. a. caucasica subsp. nov. subfossil Kuban, Terek, N. Caucasus, p. 460, Vereshchagin 1639; A. a. americana monograph, with notes on A. alces, Peterson 1201; A. a. shirasi status and range in Utah, Durrant and others 430.

Capreolus capreolus incidence of twin and triplet fawns. TEGNER 1547: numbers of embryos and young, TEGNER 1552; past and present status in Northumberland, Tegner 1548; brief account of status and habits in Britain, TEGNER 1549; ear marking method for field studies, WETTSTEIN 1699; ring made by doe and fawns, photo, TAYLOR PAGE 1544; feeding habits, WHITEHEAD 1707; diet, TEGNER 1550; developmental pattern of antlers in first year, Bejsovec 133; measurements of outstanding heads exhibited at Dusseldorf, BARCLAY 106; seven pointer, TEGNER 1554: malformed head, TEGNER 1551. 1555; coalesced antlers, Fooks 505; WHITEHEAD 1710; cause of perruque heads, T. B. WHITEHEAD 1714; perruque head, photo, WALLACE 1675; canine teeth, photo., WHITEHEAD 1708.

†Cervaviscus gen. nov. for type species C. hylae sp. nov. Miocene, Csakvar, Fejer, Hungary, pp. 51, 64, Kretzor Jb. ung. geol. Anst. 1952 (1954).

†Cervavitulus gen. nov. for type species C. mimus sp. nov. Miocene, Csakvar, Fejer, Hungary, Kretzoi Foldt. Kozl. 81 1951: 394, 412.

Cervus canadensis pregnant yearling, Saunders 1360; C. c. bactrianus history, taxonomy, characters, photos, Mohr 1086; C. elaphus experimental antler regeneration, Jaczewski 810;

method of shedding velvet, OMMEN 1165; premature birth, DEUCHLER 397a; using antlers to shake down apples, STEINBACHER 1486; criteria for evaluating body condition in New Zealand, Riney 1307; C. e. barbarus history, status, habits, Salez in Edmond-Blanc 439; C. e. hippelaphus abnormal antler growth, KRIEG 912; C. e. scoticus problem of origin of the Endsleigh stag, OLIVIER 1162; annual antler development of Endsleigh head, WHITEHEAD 1705; record cast antler, HEWETT 728; royal head, photo. WHITEHEAD 1713; review of 1954-1955 stalking year, measurements, White-HEAD 1711; deformed antlers, photo, WHITEHEAD 1706; palmated antlers, Thomson 1581; formerly indigenous in Isle of Man, Allen 50; status on Lundy. ANON. 28; weighing method, CAMPBELL 236; aid in sheep farming, West-MINSTER 1697; white calves, TILLEY 1583; C. eldi present status, prospects of conservation, recent reports in Manipur, status and photos in captivity, GEE 562; C. e. thamin breeding success in Rangoon Zoo, YIN 1755; C. nannodes conservation and status in California, LINCOLN 979; C. nippon distribution and decline in China, GLOVER 584; in Britain, TEGNER 1553; at Woburn, GLOVER 585; crossing with other species, WHITEHEAD 1712; status on Lundy, Anon. 28; C. n. taiouanus naturalised in Japan, present status, Kuroda 936.

†Cervus (Rusa) moldavicus sp. nov. Pliocene, Fagadil, Kagul valley, Moldavia, p. 163, Yanovskaya 1749.

Dama dama experiments on antler regeneration, Pavlansky and Bubenik 1192; duration of rut, Whitehead 1709; introduction and spread in Nebraska, Packard 1176; record head from Asia Minor, photo, Barclay 105; D. d. antler distinction from †D. clactoniana, large Danish heads, Whitehead 1703.

†Dama somonensis Pleistocene, Peloponnese, fossil brain, PSARIANOS and THENIUS 1253.

†Dicrocerus salomeae sp. nov. Meotic, 1.5 km. N. of Arknet, Znaursk region, southern Osetinia, Georgia, p. 359, GABUNIYA 548.

†Dystychoceras (?) foveatus sp. nov. Miocene, Csakvar, Fejer, Hungary, pp. 51, 64, Kretzoi 908.

Elaphodus cephalophus locality records in Burma, Yin 1756.

Elaphurus davidianus history of discovery, characters and habits, Olivier 1163; hair arrangement, Yoshikawa and Naruse 1758; various notes, Takashima 1524; history and status at Woburn, Pitt 1231.

†Eucladoceros (?) dichotomus sp. nov. Pleistocene, Kislang, Fejer, Hungary, pp. 227, 253, Kretzoi 909.

†Kosmelaphus gen. nov. for type species K. dicranius, pp. 228, 253, KRETZOI Jb. ung. geol. Anst. 1953 (1954).

†Libralces aff. gallicus Pleistocene, Slovenia, descr. figs., RAKOVEC 1271.

†Megaceros giganteus history, reconstruction, GILLESPIE 579; skull and antlers from Londonderry, descr. figs., bones damaged by hyena?, SAVAGE 1363.

Muntiacus Rafinesque proposed validation, Morrison-Scott 1103.

Odocoileus cariacou of Venezuela, taxonomy, Mendez-Arocha 1060; O. h. hemiones erythrocytes, pH analysis of alimentary canal, Browman and Sears 211; milk analysis, Browman and SEARS 210; first report of quadruplets, SEARS and BROWMAN 1391; antlerless males, ROBINETTE and GASHWILER 1312; protein content of forage, BISSELL and STRONG 162; additional calculi, DRANEY and ROBINETTE 408; " parrot mouth," ROBINETTE and ALDOUS 1311; reported attack on cougar, Manville 1027; O. h. columbianus comparison of census methods, DASMANN and TABER 344; O. h. eremicus size variation in twin foetuses, Illige and Erling 794; O. virginianus status of the Hatteras Island dwarfed form, Jeffords 817; status in Tennessee, Schultz 1381; experimental demonstration of vitamin excretion, Teeri and others 1546.

†Palaeomeryx kaupi Miocene, Portugal, descr. figs., Zbyszewski 1764.

Rangifer cutaneous glands, histology and cytology, Quay 1259; in Newfoundland, habits, photos, Anon. 30; R. arcticus arcticus history, ecology, economic value, numbers, morphology, bibliography, Harper 677; provisional life table, Banfield 103; R. tarandus history and biology, management,

account of wild races, Herre 713; census of wild stock in Lapland game reserve, Semenov-Tyan-Shanski 1400; distribution in N.W. Russia, Nikiforov 1136; morphology and ecology in N. Altai, Shaposhnikov 1414; re-stocking of St. Paul Island, Alaska, Thompson 1578; introduction to Kerguelen, Anon. 29; R. t. valentinae distribution and feeding grounds, Fetisov 493.

†LAGOMERYCIDAE

†Lagomeryx celer nom. nud. Miocene, Csakvar, Fejer, Hungary, p. 48, Kretzoi 908.

†Procervulus dichotomus Miocene, Portugal, descr. figs., Zbyszewski 1764.

GIRAFFIDAE

Giraffes and okapis, Urbain and Dekeyser in Edmond-Blanc 439.

Giraffa camelopardalis fighting method, bony outgrowths on skull, vocal capability, ASTLEY MABERLEY 86; vocal sounds described, STANTON 1482; G. c. rothschildi description and data on birth in captivity, POURNELLE 1246; G. c. tippelskirchi observations on two births in captivity, photos, LANG 948.

Okapia johnstoni physiology, pathology, parasitology, care in captivity, GEURDEN 572; summary of knowledge to date, VANDERMANDER 1629; measurements of adult female, list of food plants, Ionides 802; photos, general account, Barros Machado 114.

†Samotherium mongoliense sp. nov. Miocene, Altai-Teeli, W. Mongolia, p. 175, Godina 592.

†Triceromeryx tsaidamensis sp. nov. Miocene, N.W. of Tossun-nor, Tsaidam, C. Asia, p. 3, American affinities, Bohlin 176.

ANTILOCAPRIDAE

Antilocapra americana mexicana distribution, status and conservation measures in Chihuahua, Mexico, VILLA 1654; poisoned by chokecherry, OGILVIE 1155.

†Breameryx mexicana Pleistocene, Mexico, new finds, Maldonado-Koerdell 1022.

†Tetrameryx (Stockoceras) conklingi Pleistocene, Mexico, new finds, Mal-DONADO-KOERDELL 1022.

BOVIDAE

Horn types and phylogeny of wild goats and sheep, HERRE and ROHRS 714.

Recording mastication in cattle, DUCKWORTH and SHIRLAW 413.

Study of social dominance in cattle, Schein and Fohrman 1370.

Skin and sweat glands of Egyptian buffaloes and cattle, HAFEZ and others 646.

Plain and desert antelopes of Africa, EDMOND-BLANC 439.

Wild sheep and goats of Africa, EDMOND-BLANC 439.

Forest antelopes of Africa, Mac-LATCHY in EDMOND-BLANC 439.

Addax nasomaculatus breeding period, Edmond-Blanc 440.

Antilope cervicapra abnormal horns, BIDDULPH 155.

Bison bison distribution in early historic times, Reed 1282; former high altitude record for Colorado, Beddleman 131; lipid values, Wilber and Gorski 1720; B. b., B. b. athabascae, history and preservation, Wyatt 1743; B. b. athabascae marking from helicopter, Dickie 398; B. bonasus in Europe, status, Whitehead 1704; historical remains in Poland, Bochenek 174; herd in Germany, Barron 110; Homberger 763; in Woburn Park, and status, Pitt 1231.

†Bison priscus comparative study of Italian material, Vialli 1646.

Bos dom. origins of African breeds, DALE 329; visual field of view, BRESSOU 204; binocular field of view, BRESSOU 205; breeding problems in Uganda, FRENCH 523; B. sp. remains in Leicestershire, WATKINS 1683; B. gaurus digging hole with horn, MORRIS 1100; habits in Malaya, OGILVIE 1154; B. indicus behaviour study in Uganda, TAYLOR and others 1540; oestrus in Uganda, ROLLINSON 1320; water consumption, ROLLINSON and others 1321.

†Bos primigenius comments on Heck's recent notes, Kuhlhorn 932; from Merioneth, Knight 887.

Bos (Bibos) banteng colour phases in Siam, Siah 1431.

Bubalus dom. puberty in cow, Hafez 644; B. bubalus pharyngeal characteristics, Simic and Palic 1434.

Capra osteological distinctions from Ovis. GROMOVA 622: C. dom. limited influence of domestication on morphology, Dalimier 330; C. caucasica, C. cylindricornis variation and taxonomy TZALKIN 1613; C. dorcas Reichenow, discussion of status, Wettstein 1698; C. ibex proposals for national park in Savoy, Couturier 300; C. pyrenaica victoriae habitat and ecology, comparison with biotope of C. ibex, Cov-TURIER 302; C. sibirica ecology, structure, habits, EGOROV 445; morphology. systematics, ecology, Tzalkin 1612; C. sibirica formosovi Kyamattu gorge, Kirghiz Range, 25 versts S.W. of Novo-Dimitrievsk, Tian Shan, C. s. dementievi Mt. Tokhta-Khon, S.W. of Yarkand, Turkestan, both subspp. nov., Tzalkin Bull. Soc. Nat. Hist. Moscow, Biol. 1949 No. 2 p. 3.

Cephalophus sp. carnivorous habit in E. Africa, Stoneham 1495.

Damaliscus korrigum jimela population and habits in Rukwa valley, Tanganyika, Vesey-Fitzgerald **1644**.

†Euceratherium generic status and relationships, E. collinum Pleistocene, Mexico, deser. figs., E. c. morrisi and E. bizzelli both synonyms, p. 77, Hibbard 730.

Gazella validated as of Blainville 1816, Direction 23 3.

†Gazella eleanorae Pliocene, Turkey, add. descr. fig., SENYUREK 1403.

Haploceros montanus metabolism, Krog and Monson 916.

Hippotragus validated as of Sundevall 1846, Direction 23 3; H. leucophaeus photo of the Paris mounted specimen, Anon. 20; close-up of head, Anon. 21.

†Homoioceras bainii Pleistocene, Orange Free State, history of type specimen, type locality, Cooke 286.

Kobus defassa ugandae population study in Congo, Verheyen 1640.

Lithocranius walleri skull form in relation to habits, Frechkop 519; photo first London Zoo specimen, Jones 828.

Onotragus leche leche distribution and declining numbers in N. Rhodesia, Ansell 62.

Oreotragus oreotragus colour variant in Kruger National Park, Astley Maberley 84.

Oryx algazel breeding period, EDMOND-BLANC 440.

Ovibos moschatus status of introduced herd on Nunivak, Alaska, Pohl. 1238.

†Ovibos review of fossil forms, Ryziewicz 1345; †O. pallantis characters and validity, Ryziewicz 1344.

Ovis osteological distinctions from Capra, Gromova 622; O. dom. 4-horned breed in Arizona, Cornell 289; O. ammon anatolica charaçters and systematic position, Rohrs 1317; O. canadensis canadensis new range record in Utah, Durrant and others 430; O. c. nelsoni technique of rearing in captivity, DEMING 382; status and habits in California, McMillin 1015; O. musimon introduction and status in France, Dorst and Giban 405; status in Thuringia, Uloth 1618.

†Palaeoryx longicephalus sp. nov. Miopliocene, Budennogo, Pereschnovka, Novocherkask, R. Tuzloka, S. Russia, p. 219, Sokolov 1466. †Cf. Pelorocerus helmei Pleistocene, S. Rhodesia, first record, Wells and Cooke 1694.

†Praeovibos comparative characters, Ryziewicz 1345.

Rhynchotragus kirkii thomasi reproductive biology, growth rate, measurements, Kellas 857.

Rupicapra rupicapra numbers and distribution in Czechoslovakia, FERIAN-COVA 489.

Saiga tatarica census in Astrakhan, Adolf 40.

Syncerus general account, Malbrant in Edmond-Blanc 439.

Taurotragus derbianus gigas resident status in West Nile, Uganda, Kinloch 875; general habits in Sudan, Molloy 1088.

Tragelaphus scriptus ecology and home range, Verheyen 1640.

†Tragospira gen. nov. for type species T. pannonica sp. nov. Pleistocene, Kislang, Fejer, Hungary, pp. 228, 254, Kretzoi Jb. ung. geol. Anst. 1953 (1954).

† Yakopsis gen. nov. for type species Y. stenometopon, pp. 229, 254, KRETZOI Jb. ung. geol. Anst. 1953 (1954).